according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

SECTION 1. IDENTIFICATION

Product name : Indoxacarb Formulation Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 37 McCarville Street

Charlottetown, PE C1E 2A7

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2A

Skin sensitization : Sub-category 1B

Specific target organ toxicity

- single exposure

Category 3

Specific target organ toxicity:

- repeated exposure

Category 1 (Blood, Nervous system, Heart)

GHS label elements

Hazard pictograms :







Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H372 Causes damage to organs (Blood, Nervous system,

Heart) through prolonged or repeated exposure.

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version **Revision Date:** SDS Number: Date of last issue: 07/06/2024 06/17/2025 25511-00028 Date of first issue: 10/24/2014 8.0

Precautionary Statements Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before

reuse. Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Propan-2-ol	Isopropyl alco- hol	67-63-0	>= 30 - < 60 *
Indoxacarb (ISO)	No data availa- ble	173584-44-6	>= 10 - < 30 *

Actual concentration or concentration range is withheld as a trade secret

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Harmful if swallowed.

May cause an allergic skin reaction.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 06/17/2025 25511-00028 Date of first issue: 10/24/2014 8.0

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Remove all sources of ignition.

Ventilate the area.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Avoid release to the environment. **Environmental precautions**

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for

containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

according to the Hazardous Products Regulations



Indoxacarb Formulation

Materials to avoid

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition. Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases

Explosives Gases

Very acutely toxic substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis			
Propan-2-ol	67-63-0	STEL	400 ppm 984 mg/m³	CA AB OEL			
		TWA	200 ppm 492 mg/m³	CA AB OEL			
		TWA	200 ppm	CA BC OEL			
		STEL	400 ppm	CA BC OEL			
		TWAEV	200 ppm	CA QC OEL			
		STEV	400 ppm	CA QC OEL			
		TWA	200 ppm	ACGIH			
		STEL	400 ppm	ACGIH			
Indoxacarb (ISO)	173584-44-6	TWA	50 μg/m3 (OEB 3)	Internal			
	Further information: DSEN						

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

Wipe limit 100 µg/100 cm2 Internal

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Engineering measures : Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting

equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Combined particulates and organic vapor type

Filter type

Hand protection

. . .

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand

protection. Wash hands before breaks and at the end of

workday.

Eye protection : Wear the following personal protective equipment:

Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : White to light yellow

Odor : sweet

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 18 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.12 g/cm³

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 06/17/2025 25511-00028 Date of first issue: 10/24/2014 8.0

The substance or mixture is not classified as oxidizing. Oxidizing properties

Molecular weight No data available

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Highly flammable liquid and vapor. Possibility of hazardous reac-

tions

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks. Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute toxicity estimate: 916.54 mg/kg Acute oral toxicity

Method: Calculation method

Acute inhalation toxicity Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Propan-2-ol:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

LC50 (Rat): > 25 mg/l Acute inhalation toxicity

Exposure time: 6 h Test atmosphere: vapor

Acute dermal toxicity LD50 (Rabbit): > 5,000 mg/kg

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

П

Indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, female): 179 mg/kg

Symptoms: Loss of reflexes, Breathing difficulties, Tremors

LD50 (Rat, male): 843 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Propan-2-ol:

Species : Rabbit

Result : No skin irritation

Indoxacarb (ISO):

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Propan-2-ol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Indoxacarb (ISO):

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Propan-2-ol:

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

Method **OECD Test Guideline 406**

Result negative

Indoxacarb (ISO):

Test Type Maximization Test Species : Guinea pig

Result positive

Germ cell mutagenicity

Not classified based on available information.

Components:

Propan-2-ol:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

> cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Indoxacarb (ISO):

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: mammalian cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo Test Type: Micronucleus test

> Species: Mouse Cell type: Bone marrow

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propan-2-ol:

Species

Application Route inhalation (vapor)

Exposure time 104 weeks

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

Method : OECD Test Guideline 451

Result : negative

Indoxacarb (ISO):

Species : Rat, male and female

Application Route : oral (feed)
Exposure time : 2 Years
Frequency of Treatment : daily
Result : negative

Species : Mouse, male and female

Application Route : oral (feed)
Exposure time : 18 Months
Frequency of Treatment : daily
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity F1: NOAEL: 1.3 mg/kg body weight

Result: negative

Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 1.3 mg/kg body weight General Toxicity F1: NOAEL: > 6.7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Effects on fetal development : Test Type: Development

Species: Rat

Developmental Toxicity: NOAEL: 2 mg/kg body weight

Result: No teratogenic effects.

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 500 mg/kg body weight

Result: No adverse effects.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight

STOT-single exposure

May cause drowsiness or dizziness.

Components:

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

Components:

Indoxacarb (ISO):

Target Organs : Blood, Nervous system, Heart

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Propan-2-ol:

Species : Rat NOAEL : 12.5 mg/l

Application Route : inhalation (vapor) Exposure time : 104 Weeks

Indoxacarb (ISO):

Species : Rat, male and female

NOAEL : 1.7 mg/kg LOAEL : 4.1 mg/kg Application Route : Oral Exposure time : 90 d

Target Organs : Blood, Central nervous system

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

Species : Rat, male and female

NOAEL : 50 mg/kg
LOAEL : 500 mg/kg
Application Route : Dermal
Exposure time : 28 d
Target Organs : Blood

Species : Rat

NOAEL : 4.6 mg/m3
LOAEL : 23 mg/m3
Application Route : Inhalation
Exposure time : 4 Weeks
Target Organs : Blood, Lungs

Species : Rat, male and female

NOAEL : 1 mg/kg
LOAEL : 2 mg/kg
Application Route : Oral
Exposure time : 1 y
Target Organs : Blood

Species : Dog
NOAEL : 1 mg/kg
LOAEL : 2 mg/kg
Application Route : Oral
Exposure time : 1 y
Target Organs : Blood

Species : Mouse
NOAEL : 3 mg/kg
LOAEL : 14 mg/kg
Application Route : oral (feed)
Exposure time : 18 Months

Target Organs : Nervous system, Heart

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Indoxacarb (ISO):

General Information : No human information is available.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 06/17/2025 25511-00028 Date of first issue: 10/24/2014 8.0

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

EC50 (Pseudomonas putida): > 1,050 mg/l Toxicity to microorganisms

Exposure time: 16 h

Indoxacarb (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.9 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.6

mg/l

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.46

mg/l

Exposure time: 72 h

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.09 mg/l

Exposure time: 21 d

Persistence and degradability

Components:

Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD BOD: 1,19 (BOD5)

COD: 2,23 **BOD/COD: 53 %**

Bioaccumulative potential

Components:

Propan-2-ol:

Partition coefficient: n-

: log Pow: 0.05

octanol/water

Indoxacarb (ISO):

Partition coefficient: nlog Pow: 4.65

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

octanol/water

Mobility in soil

Components:

Indoxacarb (ISO):

Distribution among environmental compartments : log Koc: 3.9

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or

death.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1219

Proper shipping name : ISOPROPANOL SOLUTION

Class : 3
Packing group : II
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1219

Proper shipping name : Isopropanol solution

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo : 364

aircraft)

Packing instruction (passen: 39

ger aircraft)

353

IMDG-Code

UN number : UN 1219

Proper shipping name : ISOPROPANOL SOLUTION

(Indoxacarb (ISO))

Class : 3

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 1219

Proper shipping name : ISOPROPANOL SOLUTION

Class : 3
Packing group : II
Labels : 3
ERG Code : 129

Marine pollutant : yes(Indoxacarb (ISO))

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CA AB OEL / TWA : 8-hour Occupational exposure limit
CA AB OEL / STEL : 15-minute occupational exposure limit

CA BC OEL / TWA : 8-hour time weighted average CA BC OEL / STEL : short-term exposure limit

CA QC OEL / TWAEV : Time-weighted average exposure value

according to the Hazardous Products Regulations



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 8.0 06/17/2025 25511-00028 Date of first issue: 10/24/2014

CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Revision Date : 06/17/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

according to the Hazardous Products Regulations



Indoxacarb Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07/06/2024

 8.0
 06/17/2025
 25511-00028
 Date of first issue: 10/24/2014

CA / Z8