

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

### SECTION 1. IDENTIFICATION

Product name : Indoxacarb / Permethrin Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use


Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin sensitization : Category 1  
Specific target organ toxicity : Category 3  
- single exposure  
Specific target organ toxicity : Category 1 (Blood, Nervous system, Heart)  
- repeated exposure

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.  
H302 + H332 Harmful if swallowed or if inhaled.  
H317 May cause an allergic skin reaction.  
H336 May cause drowsiness or dizziness.  
H372 Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version 8.0      Revision Date: 06/17/2025      SDS Number: 27875-00028      Date of last issue: 04/14/2025  
Date of first issue: 11/04/2014

### Precautionary Statements

#### Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.  
P314 Get medical attention if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Permethrin (ISO)	m-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	52645-53-1	$\geq 30 - < 60$ *

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version 8.0      Revision Date: 06/17/2025      SDS Number: 27875-00028      Date of last issue: 04/14/2025  
Date of first issue: 11/04/2014

1-Methoxy-2-propanol	Methoxyisopropanol	107-98-2	$\geq 30 - < 60$ *
Indoxacarb (ISO)	No data available	173584-44-6	$\geq 10 - < 30$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.  
Harmful if swallowed or if inhaled.  
May cause an allergic skin reaction.  
May cause drowsiness or dizziness.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

- Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Chlorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version 8.0      Revision Date: 06/17/2025      SDS Number: 27875-00028      Date of last issue: 04/14/2025  
Date of first issue: 11/04/2014

- Local/Total ventilation : CONTROLS/PERSONAL PROTECTION section.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Permethrin (ISO)	52645-53-1	TWA	80 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	800 µg/100 cm <sup>2</sup>	Internal
1-Methoxy-2-propanol	107-98-2	TWA	100 ppm 369 mg/m <sup>3</sup>	CA AB OEL
		STEL	150 ppm	CA AB OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version 8.0      Revision Date: 06/17/2025      SDS Number: 27875-00028      Date of last issue: 04/14/2025  
Date of first issue: 11/04/2014

			553 mg/m <sup>3</sup>	
		TWA	50 ppm	CA BC OEL
		STEL	100 ppm	CA BC OEL
		TWAEV	50 ppm	CA QC OEL
		STEV	100 ppm	CA QC OEL
		TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
Indoxacarb (ISO)	173584-44-6	TWA	50 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: DSEN			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!  
For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Wear the following personal protective equipment:  
If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: Clear white to yellow.
Odor	: ether-like
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 33.5 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.096
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 572.63 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 11 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method

#### Components:

##### Permethrin (ISO):

Acute oral toxicity	:	LD50 (Rat): 480 - 554 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 2.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

||

### 1-Methoxy-2-propanol:

Acute oral toxicity	: LD50 (Rat): 4,016 mg/kg
Acute inhalation toxicity	: LC50 (Mouse): < 22.2 mg/l Exposure time: 6 h Test atmosphere: vapor
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

### Indoxacarb (ISO):

Acute oral toxicity	: LD50 (Rat, female): 179 mg/kg Symptoms: Loss of reflexes, Breathing difficulties, Tremors  LD50 (Rat, male): 843 mg/kg
Acute inhalation toxicity	: LC50 (Rat, female): 4.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Permethrin (ISO):

Species	: Rabbit
Result	: No skin irritation

#### 1-Methoxy-2-propanol:

Species	: Rabbit
Result	: No skin irritation

#### Indoxacarb (ISO):

Result	: No skin irritation
--------	----------------------

### Serious eye damage/eye irritation

Not classified based on available information.

### Components:

#### Permethrin (ISO):

Species	: Rabbit
Result	: No eye irritation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

### 1-Methoxy-2-propanol:

Species	: Rabbit
Result	: No eye irritation

### Indoxacarb (ISO):

Result	: No eye irritation
--------	---------------------

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Permethrin (ISO):

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: positive

Assessment	: Probability or evidence of skin sensitization in humans
------------	---

### 1-Methoxy-2-propanol:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

### Indoxacarb (ISO):

Test Type	: Maximization Test
Species	: Guinea pig
Result	: positive

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Permethrin (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version  
8.0

Revision Date:  
06/17/2025

SDS Number:  
27875-00028

Date of last issue: 04/14/2025  
Date of first issue: 11/04/2014

Genotoxicity in vivo	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
		Test Type: Chromosome aberration test in vitro Result: positive
		Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Result: negative
		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Result: negative
		Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative
Germ cell mutagenicity - Assessment	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: positive
		Weight of evidence does not support classification as a germ cell mutagen.

### 1-Methoxy-2-propanol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: equivocal
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Method: OECD Test Guideline 482

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

	Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

### Indoxacarb (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: Chromosomal aberration Test system: mammalian cells Result: negative  Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Permethrin (ISO):

Species	: Rat
Result	: negative

Species	: Mouse
Result	: negative

#### 1-Methoxy-2-propanol:

Species	: Rat
Application Route	: inhalation (vapor)
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: negative

#### Indoxacarb (ISO):

Species	: Rat, male and female
Application Route	: oral (feed)
Exposure time	: 2 Years
Frequency of Treatment	: daily
Result	: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

Species	: Mouse, male and female
Application Route	: oral (feed)
Exposure time	: 18 Months
Frequency of Treatment	: daily
Result	: negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Permethrin (ISO):

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative

#### 1-Methoxy-2-propanol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapor) Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: inhalation (vapor) Result: negative

#### Indoxacarb (ISO):

Effects on fertility	: Test Type: Two-generation study Species: Rat Application Route: Oral General Toxicity F1: NOAEL: 1.3 mg/kg body weight Result: negative  Test Type: Two-generation study Species: Rat Application Route: Oral General Toxicity Parent: NOAEL: 1.3 mg/kg body weight General Toxicity F1: NOAEL: > 6.7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected.
Effects on fetal development	: Test Type: Development Species: Rat

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

Developmental Toxicity: NOAEL: 2 mg/kg body weight  
Result: No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 500 mg/kg body weight  
Result: No adverse effects.

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight

### STOT-single exposure

May cause drowsiness or dizziness.

#### Components:

#### 1-Methoxy-2-propanol:

Assessment : May cause drowsiness or dizziness.

### STOT-repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

#### Components:

#### Indoxacarb (ISO):

Target Organs : Blood, Nervous system, Heart  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

#### Permethrin (ISO):

Species : Rat  
NOAEL : 0.2201 mg/l  
Application Route : Inhalation  
Exposure time : 90 Days

Species : Rat  
NOAEL : 175 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

### 1-Methoxy-2-propanol:

Species	: Rat
NOAEL	: 919 mg/kg
Application Route	: Ingestion
Exposure time	: 35 Days

Species	: Rat
NOAEL	: 1.1 mg/l
Application Route	: inhalation (vapor)
Exposure time	: 2 y
Method	: OECD Test Guideline 453

Species	: Rabbit
NOAEL	: 1,838 mg/kg
Application Route	: Skin contact
Exposure time	: 90 Days

### Indoxacarb (ISO):

Species	: Rat, male and female
NOAEL	: 1.7 mg/kg
LOAEL	: 4.1 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Blood, Central nervous system

Species	: Rat, male and female
NOAEL	: 50 mg/kg
LOAEL	: 500 mg/kg
Application Route	: Dermal
Exposure time	: 28 d
Target Organs	: Blood

Species	: Rat
NOAEL	: 4.6 mg/m3
LOAEL	: 23 mg/m3
Application Route	: Inhalation
Exposure time	: 4 Weeks
Target Organs	: Blood, Lungs

Species	: Rat, male and female
NOAEL	: 1 mg/kg
LOAEL	: 2 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Target Organs	: Blood

Species	: Dog
NOAEL	: 1 mg/kg
LOAEL	: 2 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Target Organs	: Blood

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

Species	: Mouse
NOAEL	: 3 mg/kg
LOAEL	: 14 mg/kg
Application Route	: oral (feed)
Exposure time	: 18 Months
Target Organs	: Nervous system, Heart

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Indoxacarb (ISO):

General Information	: No human information is available.
---------------------	--------------------------------------

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Permethrin (ISO):

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00079 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.0001 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1.13 mg/l Exposure time: 72 h  EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0023 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): 0.00041 mg/l Exposure time: 35 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.0047 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h

#### 1-Methoxy-2-propanol:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): 6,812 mg/l Exposure time: 96 h Method: DIN 38412
------------------	---



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 23,300 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 6,745 mg/l Exposure time: 72 h Method: ISO 10253
Toxicity to microorganisms	:	IC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

### Indoxacarb (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l Exposure time: 96 h Method: OECD Test Guideline 203  LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.9 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.6 mg/l Exposure time: 72 h  NOEC (Pseudokirchneriella subcapitata (green algae)): 0.46 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.09 mg/l Exposure time: 21 d

### Persistence and degradability

#### Components:

#### Permethrin (ISO):

Biodegradability	:	Result: Not readily biodegradable. Method: OECD Test Guideline 301F
------------------	---	--

#### 1-Methoxy-2-propanol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 96 % Exposure time: 28 d Method: OECD Test Guideline 301E
------------------	---	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

### Bioaccumulative potential

#### Components:

##### Permethrin (ISO):

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 570

Partition coefficient: n-octanol/water : log Pow: 4.67

##### 1-Methoxy-2-propanol:

Partition coefficient: n-octanol/water : log Pow: < 1

##### Indoxacarb (ISO):

Partition coefficient: n-octanol/water : log Pow: 4.65

### Mobility in soil

#### Components:

##### Indoxacarb (ISO):

Distribution among environmental compartments : log Koc: 3.9

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3092  
Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

### IATA-DGR

UN/ID No.	: UN 3092
Proper shipping name	: 1-Methoxy-2-propanol solution
Class	: 3
Packing group	: III
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355

### IMDG-Code

UN number	: UN 3092
Proper shipping name	: 1-METHOXY-2-PROPANOL SOLUTION (Permethrin (ISO), Indoxacarb (ISO))
Class	: 3
Packing group	: III
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

### TDG

UN number	: UN 3092
Proper shipping name	: 1-METHOXY-2-PROPANOL SOLUTION
Class	: 3
Packing group	: III
Labels	: 3
ERG Code	: 129
Marine pollutant	: yes(Permethrin (ISO), Indoxacarb (ISO))

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-
---	---	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
8.0	06/17/2025	27875-00028	Date of first issue: 11/04/2014

---

Data Sheet cy, <http://echa.europa.eu/>

Revision Date : 06/17/2025  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8