according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

### **SECTION 1. IDENTIFICATION**

Product name : Fluralaner (with Vitamin E) Formulation

Other means of identification : EXZOLT (A011389)

**EXZOLT FLURALANER ORAL SOLUTION FOR CHICKENS** 

(85688)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

# Hazards for the product as supplied

Reproductive toxicity : Category 2

Other hazards

None known.

**GHS label elements** 

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/14/2025 10/02/2025 914889-00025 Date of first issue: 10/05/2016 8.0

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Diethylene glycol monoethyl ether	111-90-0*	>= 10 - <= 30	TSC
Fluralaner	864731-61-3*	>= 0.5 - <= 1.5	TSC

<sup>\*</sup> Indicates that the identifier is a CAS No.

### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

: If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delaved Protection of first-aiders

In case of eye contact

Suspected of damaging the unborn child.

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

TSC- the actual concentration or concentration range is withheld as a trade secret

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/14/2025 10/02/2025 914889-00025 Date of first issue: 10/05/2016 8.0

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Fluorine compounds

Specific extinguishing meth-

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Avoid release to the environment. **Environmental precautions** 

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/14/2025

 8.0
 10/02/2025
 914889-00025
 Date of first issue: 10/05/2016

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Avoid inhalation of vapor or mist.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Diethylene glycol monoethyl ether	111-90-0	TWA	25 ppm	US WEEL	
Fluralaner	864731-61-3	TWA	100 μg/m3 (OEB 2)	Internal	
	Further information: Skin				
		Wipe limit	1000 μg/100 cm <sup>2</sup>	Internal	

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

## Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air

supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hygiene measures

Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : yellow

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : 217 °F / 103 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

Relative vapor density : No data available

Relative density : No data available

Density : 1,045 kg/m³ (77 °F / 25 °C)

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 0.145 Pas (77 °F / 25 °C)

Viscosity, kinematic : 139 mm<sup>2</sup>/s (77 °F / 25 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics

Particle size : Not applicable

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

**Product:** 

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

**Components:** 

Diethylene glycol monoethyl ether:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.24 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 9,143 mg/kg

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: No mortality observed at this dose. No significant adverse effects were reported

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: No significant adverse effects were reported

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

**Components:** 

Diethylene glycol monoethyl ether:

Species : Rabbit

Result : No skin irritation

Fluralaner:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

Result : No eye irritation

Method : OECD Test Guideline 405

### **Components:**

### Diethylene glycol monoethyl ether:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Fluralaner:

Species : Rabbit

Result : Mild eye irritation

### Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

**Product:** 

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

### **Components:**

### Fluralaner:

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

### Diethylene glycol monoethyl ether:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion

Result: negative

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Test Type: Chromosomal aberration

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

## Carcinogenicity

Not classified based on available information.

### Components:

### Fluralaner:

Carcinogenicity - Assess- : No data available

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging the unborn child.

### **Components:**

### Diethylene glycol monoethyl ether:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Fluralaner:

Effects on fertility : Test Type: Two-generation study

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 50 mg/kg body weight General Toxicity F1: LOAEL: 100 mg/kg body weight

Result: No effects on fertility., Postimplantation loss., Adverse

neonatal effects.

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses,

No teratogenic effects.

Test Type: Development Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Skeletal malformations., Visceral malformations.

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit

Application Route: Dermal

Developmental Toxicity: NOAEL: 100 mg/kg body weight

Result: Skeletal malformations.

Reproductive toxicity - As-

sessment

: Suspected of damaging the unborn child.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

### Components:

### Diethylene glycol monoethyl ether:

Species : Dog

NOAEL : 1,000 mg/kg Application Route : Ingestion Exposure time : 13 Weeks

Species : Rat

NOAEL : >= 1.06 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Species : Rabbit

NOAEL : >= 1,000 mg/kg
Application Route : Skin contact

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

Exposure time 28 Days

Fluralaner:

Species Dog NOAEL 1 mg/kg Application Route Oral : 52 Weeks Exposure time Target Organs : Liver

Remarks : No significant adverse effects were reported

Species Rat

LOAEL 400 mg/kg Application Route Oral Exposure time 90 Days

Target Organs Liver, thymus gland

Species Rat

NOAEL 500 mg/kg Application Route Dermal Exposure time 90 Days Target Organs Liver

Remarks No significant adverse effects were reported

### **Aspiration toxicity**

Not classified based on available information.

### Components:

### Fluralaner:

Not applicable

### Experience with human exposure

### **Components:**

Fluralaner:

Skin contact Remarks: May irritate skin.

Eye contact Remarks: May cause eye irritation.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Components:**

### Diethylene glycol monoethyl ether:

Toxicity to fish LC50 (Ictalurus catus (catfish)): 6,010 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,982 mg/l

Exposure time: 48 h

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

Toxicity to algae/aquatic : EC50 (Selenastrum capricornutum (green algae)): > 100 mg/l

plants Exposure time: 96 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Selenastrum capricornutum (green algae)): >= 100

mq/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : IC50: > 5,000 mg/l

Exposure time: 16 h

Fluralaner:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0.015 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

: NOEC (Pseudokirchneriella subcapitata (green algae)): >=

0.08 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic tox-

icity)

NOEC (Zebrafish): >= 0.049 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 204

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0736 μg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

### Persistence and degradability

### **Components:**

### Diethylene glycol monoethyl ether:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 16 d

Method: OECD Test Guideline 301B

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

### **Bioaccumulative potential**

### **Components:**

Diethylene glycol monoethyl ether:

Partition coefficient: n-

: log Pow: -0.54

octanol/water

Fluralaner:

Bioaccumulation Species: Zebrafish

> Bioconcentration factor (BCF): 79.4 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 4.5

Mobility in soil

Components:

Fluralaner:

Distribution among environ- : log Koc: 4.1 mental compartments

Other adverse effects

**Components:** 

Fluralaner:

Results of PBT and vPvB

assessment

Not persistent, bioaccumulative, and toxic (PBT).

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

**UNRTDG** 

**UN** number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

> N.O.S. (Fluralaner)

9 Class Ш Packing group Labels 9 Environmentally hazardous yes

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Fluralaner)

964

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

Remarks : Above applies only to containers over 119 gallons (450 liters)

in case of liquids, or 882 lbs. (400 kg) in case of solids.

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Fluralaner)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Remarks : Above applies only to containers over 119 gallons (450 liters)

in case of liquids, or 882 lbs. (400 kg) in case of solids.

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **Domestic regulation**

**49 CFR** 

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Fluralaner)

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171

Marine pollutant : yes(Fluralaner)

Remarks : Above applies only to containers over 119 gallons (450 liters)

in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version 8.0 Revision Date: 10/02/2025

SDS Number: 914889-00025

Date of last issue: 04/14/2025 Date of first issue: 10/05/2016

# **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Diethylene glycol 111-90-0

monoethyl ether

>= 20 - < 30 %

### **US State Regulations**

### Pennsylvania Right To Know

Polyethylene glycol sorbitan monooleate 9005-65-6 Diethylene glycol monoethyl ether 111-90-0 Vitamin E 59-02-9

### The ingredients of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

IECSC : not determined

### **SECTION 16. OTHER INFORMATION**

### **Further information**

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

### NFPA 704:

# Health 0 0 Instability

Special hazard

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance

according to the OSHA Hazard Communication Standard



# Fluralaner (with Vitamin E) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 8.0 10/02/2025 914889-00025 Date of first issue: 10/05/2016

Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 10/02/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8