

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

SECTION 1. IDENTIFICATION

Product name : Triclabendazole / Abamectin Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION


GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity : Category 2 (Liver, Blood)
- repeated exposure (Oral)

Other hazards

None known.

GHS label elements

Hazard pictograms	: 
Signal Word	: Warning
Hazard Statements	: H373 May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed.
Precautionary Statements	: Prevention: P260 Do not breathe mist or vapors. Response: P314 Get medical attention if you feel unwell. Disposal: P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version 5.0 Revision Date: 06/17/2025 SDS Number: 5341825-00016 Date of last issue: 04/14/2025
Date of first issue: 12/05/2019

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Triclabendazole	68786-66-3*	$\geq 7 - \leq 13$	TSC
Silicon dioxide	7631-86-9*	$\geq 1 - \leq 5$	TSC
Benzyl alcohol	100-51-6*	$\geq 0.1 - \leq 1$	TSC
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2*	≤ 0.1	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure if swallowed.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion prod- : Carbon oxides

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

ucts	Nitrogen oxides (NOx) Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version 5.0 Revision Date: 06/17/2025 SDS Number: 5341825-00016 Date of last issue: 04/14/2025
Date of first issue: 12/05/2019

practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Triclabendazole	68786-66-3	TWA	30 µg/m ³ (OEB 3)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm ²	Internal
Silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3
		TWA	6 mg/m ³ (Silica)	NIOSH REL
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m ³ (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Color : white

Odor : No data available

Odor Threshold : No data available

pH : 5.0 - 7.0

Melting point/freezing point : < 41 °F / < 5 °C

Initial boiling point and boiling range : No data available

Flash point : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1,050 - 1,080 g/cm ³ (68 °F / 20 °C)
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Triclabendazole:

Acute oral toxicity	: LD50 (Mouse): > 8,000 mg/kg LD50 (Rabbit): 206 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 0.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 4,000 mg/kg

Silicon dioxide:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): > 2.08 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg

Benzyl alcohol:

Acute oral toxicity	: LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

tion toxicity

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity	: LD50 (Rat): 24 mg/kg
	LD50 (Mouse): 10 mg/kg
	LDLo (Monkey): 24 mg/kg
	Symptoms: Dilatation of the pupil
Acute inhalation toxicity	: LC50 (Rat): 0.023 mg/l
	Exposure time: 4 h
	Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): 330 mg/kg
	LD50 (Rabbit): 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Triclabendazole:

Species	: Rabbit
Result	: Mild skin irritation

Silicon dioxide:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Benzyl alcohol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	: Rabbit
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Triclabendazole:

Species	: Rabbit
Result	: No eye irritation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

Silicon dioxide:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Benzyl alcohol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	: Rabbit
Result	: Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Triclabendazole:

Result	: Not a skin sensitizer.
--------	--------------------------

Benzyl alcohol:

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitization rate in humans
------------	--------------------------------------------------------------------------------

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Triclabendazole:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--------------------------------------------------------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Silicon dioxide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative

Benzyl alcohol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Result: negative
	Test Type: Alkaline elution assay Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Triclabendazole:

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Silicon dioxide:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Triclabendazole:

Effects on fertility : Test Type: Fertility/early embryonic development
Application Route: Oral
Fertility: NOAEL: 50 mg/kg body weight
Result: No effects on fertility.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

	Test Type: Fertility/early embryonic development Application Route: Oral Fertility: NOAEL: 50 mg/kg body weight Result: No effects on fertility.
	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 5.5 mg/kg body weight
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 200 mg/kg body weight Result: Effects on fetal development.
	Test Type: Embryo-fetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 50 mg/kg body weight
	Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Effects on fetal development. Remarks: Maternal toxicity observed.
	Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 3 mg/kg body weight Remarks: Maternal toxicity observed.

Silicon dioxide:

Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative
------------------------------	-----------------------------------------------------------------------------------------------------------

Benzyl alcohol:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version 5.0 Revision Date: 06/17/2025 SDS Number: 5341825-00016 Date of last issue: 04/14/2025
Date of first issue: 12/05/2019

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility	: Test Type: Fertility Species: Rat, male Application Route: Oral Result: Effects on fertility. Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: NOAEL: 0.12 mg/kg body weight Result: Fetotoxicity.
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Oral General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight Developmental Toxicity: NOAEL: 0.2 mg/kg body weight Result: Cleft palate Remarks: Adverse developmental effects were observed Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 2 mg/kg body weight Result: Cleft palate, Teratogenic effects., Reduced embryonic survival Remarks: Adverse developmental effects were observed Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 1.6 mg/kg body weight Result: Teratogenic effects.
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed.

Components:

Triclabendazole:

Target Organs	: Liver, Blood
Assessment	: May cause damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version 5.0 Revision Date: 06/17/2025 SDS Number: 5341825-00016 Date of last issue: 04/14/2025
Date of first issue: 12/05/2019

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure : Ingestion
Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Triclabendazole:

Species : Rat
NOAEL : 6.6 mg/kg
LOAEL : 69 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Blood

Species : Dog
NOAEL : 3.4 mg/kg
LOAEL : 37 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Liver, Blood

Species : Mouse
NOAEL : 29 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Liver

Species : Rat
NOAEL : 4 mg/kg
Application Route : Oral
Exposure time : 24 Months
Remarks : No significant adverse effects were reported

Silicon dioxide:

Species : Rat
NOAEL : 1.3 mg/m³
Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks

Benzyl alcohol:

Species : Rat
NOAEL : 1.072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	: Rat
NOAEL	: 1.5 mg/kg
Application Route	: Oral
Exposure time	: 24 Months
Target Organs	: Central nervous system
Symptoms	: Tremors, ataxia

Species	: Mouse
NOAEL	: 4.0 mg/kg
Application Route	: Oral
Exposure time	: 24 Months
Target Organs	: Central nervous system
Symptoms	: Tremors, ataxia

Species	: Dog
NOAEL	: 0.25 mg/kg
LOAEL	: 0.5 mg/kg
Application Route	: Oral
Exposure time	: 53 Weeks
Target Organs	: Central nervous system
Symptoms	: Tremors, weight loss
Remarks	: mortality observed

Species	: Monkey
NOAEL	: 1.0 mg/kg
Application Route	: Oral
Exposure time	: 14 Weeks
Target Organs	: Central nervous system

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Triclabendazole:

Ingestion	: Symptoms: Abdominal pain, Sweating, Headache, Nausea, Vomiting, anorexia, Dizziness, Fatigue, Cough, Fever, pruritis
-----------	------------------------------------------------------------------------------------------------------------------------

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion	: Symptoms: May cause, Tremors, Diarrhea, central nervous system effects, Salivation, tearing
-----------	-----------------------------------------------------------------------------------------------

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Silicon dioxide:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 10,000 mg/l Exposure time: 96 h
------------------	-------------------------------------------------------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

	Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 24 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	NOEC (Desmodesmus subspicatus (green algae)): 10,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

Benzyl alcohol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l Exposure time: 96 h
	LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l Exposure time: 96 h
	LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l Exposure time: 96 h
	LC50 (Cyprinus carpio (Carp)): 42 µg/l Exposure time: 96 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

		LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): 0.022 µg/l Exposure time: 96 h
		EC50 (Daphnia magna (Water flea)): 0.34 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l Exposure time: 32 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.03 µg/l Exposure time: 21 d
		NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l Exposure time: 28 d
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	---	------------------------------------------------------------------------------------

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water	:	Hydrolysis: 50 %(< 12 h)
--------------------	---	--------------------------

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-octanol/water	:	log Pow: 1.05
----------------------------------------	---	---------------

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation	:	Bioconcentration factor (BCF): 52
Partition coefficient: n-octanol/water	:	log Pow: 4

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environmental compartments : log K_{oc} > 3.6

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO))
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO))
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

Remarks	:	Above applies only to containers over 119 gallons or 450 liters. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.
---------	---	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Specific target organ toxicity (single or repeated exposure)
-----------------------------	---	--------------------------------------------------------------

SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

US State Regulations

Pennsylvania Right To Know

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

Water	7732-18-5
Triclabendazole	68786-66-3
Sodium citrate	68-04-2
Polyvinyl pyrrolidone	9003-39-8
Silicon dioxide	7631-86-9

California Prop. 65

WARNING: This product can expose you to chemicals including abamectin (combination of avermectin B1a and avermectin B1b) (ISO), which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Polyvinyl pyrrolidone	9003-39-8
Silicon dioxide	7631-86-9

California Permissible Exposure Limits for Chemical Contaminants

Silicon dioxide	7631-86-9
-----------------	-----------


The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Min-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

	eral Dusts
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-3 / TWA	: 8-hour time weighted average
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/17/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/17/2025	5341825-00016	Date of first issue: 12/05/2019

relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8