

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

SECTION 1. IDENTIFICATION

Product name : Florfenicol Solid Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 37 McCarville Street
Charlottetown, PE C1E 2A7
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 2
Specific target organ toxicity : Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H372 Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version 6.2 Revision Date: 04/14/2025 SDS Number: 412404-00020 Date of last issue: 09/30/2023
Date of first issue: 01/07/2016

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Florfenicol	No data available	73231-34-2	$\geq 30 - < 60$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.
Suspected of damaging fertility. Suspected of damaging the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Notes to physician : when the potential for exposure exists (see section 8).
: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version 6.2 Revision Date: 04/14/2025 SDS Number: 412404-00020 Date of last issue: 09/30/2023
Date of first issue: 01/07/2016

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m ³ (OEB 2)	Internal

- Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Florfenicol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg
LD50 (Dog): > 1,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.28 mg/l
Exposure time: 4 h

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,913 - 2,253 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 100 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

Florfenicol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Florfenicol:

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Respiratory sensitization

Not classified based on available information.

Components:

Florfenicol:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Florfenicol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: positive

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative
----------------------	---	---

Carcinogenicity

Not classified based on available information.

Components:

Florfenicol:

Species	:	Rat
Application Route	:	oral (gavage)
Exposure time	:	2 Years
Result	:	negative
Target Organs	:	Liver, Testes

Species	:	Mouse
Application Route	:	oral (gavage)
Exposure time	:	2 Years

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Result : negative
Target Organs : Testes, Blood

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Florfenicol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: LOAEL: 12 mg/kg body weight
Result: decreased pup survival, reduced lactation

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
General Toxicity Maternal: NOAEL: 4 mg/kg body weight
Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight
Result: No teratogenic effects., Fetotoxicity.
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-fetal development
Species: Mouse
Application Route: oral (gavage)
General Toxicity Maternal: NOAEL: 120 mg/kg body weight
Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight
Result: Fetotoxicity.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

Components:

Florfenicol:

Target Organs : Liver, Brain, Testis, Spinal cord, Blood, gallbladder
Assessment : Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Repeated dose toxicity

Components:

Florfenicol:

Species	:	Dog
NOAEL	:	3 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis, Brain, Spinal cord

Species	:	Mouse
NOAEL	:	200 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis

Species	:	Rat
NOAEL	:	30 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis

Species	:	Dog
NOAEL	:	3 mg/kg
LOAEL	:	12 mg/kg
Exposure time	:	52 Weeks
Target Organs	:	Liver, gallbladder

Species	:	Rat
NOAEL	:	1 mg/kg
LOAEL	:	3 mg/kg
Exposure time	:	52 Weeks
Target Organs	:	Testis

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Florfenicol:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11
------------------	---	--

	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
--	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 330 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---	---

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l
Exposure time: 14 d
Method: FDA 4.01

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l
Exposure time: 14 d
Method: FDA 4.01

IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l
Exposure time: 72 h
Method: ISO 10253

NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l
Exposure time: 72 h
Method: ISO 10253

EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l
Exposure time: 7 d
Method: OECD Test Guideline 221

NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l
Exposure time: 7 d
Method: OECD Test Guideline 221

EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae): 0.066 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.051 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.5 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability

No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Bioaccumulative potential

Components:

Florfenicol:

Partition coefficient: n-octanol/water	:	log Pow: 0.373 pH: 7
--	---	-------------------------

Mobility in soil

Components:

Florfenicol:

Distribution among environmental compartments	:	Koc: 52 Method: FDA 3.08
---	---	-----------------------------

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florfenicol)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Florfenicol)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

Environmentally hazardous : yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florfenicol)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florfenicol)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(Florfenicol)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
6.2	04/14/2025	412404-00020	Date of first issue: 01/07/2016

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/14/2025
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8