

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

SECTION 1. IDENTIFICATION

Product name : Fluralaner Solid Formulation
Other means of identification : Bravecto chew (A011019)
BRAVECTO 1000 MG FLURALANER CHEWABLE TABLETS FOR LARGE DOGS (68870)
BRAVECTO 112.5 MG FLURALANER CHEWABLE TABLETS FOR VERY SMALL DOGS (68867)
BRAVECTO 1400 MG FLURALANER CHEWABLE TABLETS FOR VERY LARGE DOGS (68873)
BRAVECTO 1-MONTH 100 MG FLURALANER CHEWABLE TABLETS FOR SMALL DOGS (87862)
BRAVECTO 1-MONTH 200 MG FLURALANER CHEWABLE TABLETS FOR MEDIUM DOGS (87861)
BRAVECTO 1-MONTH 400 MG FLURALANER CHEWABLE TABLETS FOR LARGE DOGS (87860)
BRAVECTO 1-MONTH 45 MG FLURALANER CHEWABLE TABLETS FOR VERY SMALL DOGS (87863)
BRAVECTO 1-MONTH 560 MG FLURALANER CHEWABLE TABLETS FOR VERY LARGE DOGS (87859)
BRAVECTO 250 MG FLURALANER CHEWABLE TABLETS FOR SMALL DOGS (68872)
BRAVECTO 500 MG FLURALANER CHEWABLE TABLETS FOR MEDIUM DOGS (68871)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Reproductive toxicity : Category 2

Other hazards

None known.

GHS label elements

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version 13.1 Revision Date: 10/02/2025 SDS Number: 401074-00031 Date of last issue: 07/31/2025
Date of first issue: 12/10/2015

Hazard pictograms

:



Signal Word

: Warning

Hazard Statements

: H361d Suspected of damaging the unborn child.

Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity:

2 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 2 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 2 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Starch	9005-25-8*	>= 10 - < 25	-
Polyethylene glycol	25322-68-3*	>= 10 - <= 20	-
Fluralaner	864731-61-3*	>= 5 - < 15	-
Glycerine	56-81-5*	>= 5 - <= 10	-
Sucrose	57-50-1*	>= 5 - <= 10	-
Sodium dodecyl sulphate	151-21-3*	>= 1 - <= 5	-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version 13.1 Revision Date: 10/02/2025 SDS Number: 401074-00031 Date of last issue: 07/31/2025
Date of first issue: 12/10/2015

Aspartame	22839-47-0*	$\geq 0.2 - \leq 1$	-
-----------	-------------	---------------------	---

* Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Chlorine compounds
Fluorine compounds
Sulfur oxides
Metal oxides
Sodium oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Avoid breathing vapors.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version 13.1 Revision Date: 10/02/2025 SDS Number: 401074-00031 Date of last issue: 07/31/2025
Date of first issue: 12/10/2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m ³	ACGIH
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
Polyethylene glycol	25322-68-3	TWA (aerosol)	10 mg/m ³	US WEEL
Fluralaner	864731-61-3	TWA	100 µg/m ³ (OEB 2)	Internal
Further information: Skin				
		Wipe limit	1000 µg/100 cm ²	Internal
Sucrose	57-50-1	TWA	10 mg/m ³	ACGIH
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Skin and body protection	:	If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Hygiene measures	:	Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
	:	Work uniform or laboratory coat.
	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
	:	When using do not eat, drink or smoke.
	:	Wash contaminated clothing before re-use.
	:	The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	tablet, pellets
Color	:	light brown
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--

Components:

Starch:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Polyethylene glycol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: No mortality observed at this dose.
No significant adverse effects were reported

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: No significant adverse effects were reported

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Sodium dodecyl sulphate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Aspartame:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Polyethylene glycol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Fluralaner:

Species	:	Rabbit
Result	:	No skin irritation

Glycerine:

Species	:	Rabbit
Result	:	No skin irritation

Sodium dodecyl sulphate:

Species	:	Rabbit
Result	:	Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Starch:

Species	:	Rabbit
Result	:	No eye irritation

Polyethylene glycol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Fluralaner:

Species	:	Rabbit
Result	:	Mild eye irritation

Glycerine:

Species	:	Rabbit
Result	:	No eye irritation

Sodium dodecyl sulphate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Components:

Starch:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Polyethylene glycol:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Fluralaner:

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Sodium dodecyl sulphate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Starch:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
	:	Result: negative

Polyethylene glycol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
	:	Result: negative
	:	Remarks: Based on data from similar materials

Fluralaner:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
	:	Result: negative

	:	Test Type: Mouse Lymphoma
	:	Result: negative

	:	Test Type: Chromosomal aberration
--	---	-----------------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

	Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative
Glycerine:	
Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosome aberration test in vitro Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
Sucrose:	
Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Sodium dodecyl sulphate:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative
Aspartame:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Fluralaner:

Carcinogenicity - Assessment : No data available

Glycerine:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Sodium dodecyl sulphate:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

Aspartame:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

IARC Group 2B: Possibly carcinogenic to humans
Aspartame 22839-47-0

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Fluralaner:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 50 mg/kg body weight
General Toxicity F1: LOAEL: 100 mg/kg body weight

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Result: No effects on fertility., Postimplantation loss., Adverse neonatal effects.

Effects on fetal development : Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: Skeletal malformations., Visceral malformations.
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rabbit
Application Route: Dermal
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Sodium dodecyl sulphate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Aspartame:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Starch:

Species : Rat
NOAEL : $\geq 2,000$ mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Fluralaner:

Species : Dog
NOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 52 Weeks
Target Organs : Liver
Remarks : No significant adverse effects were reported

Species : Rat
LOAEL : 400 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Liver, thymus gland

Species : Rat
NOAEL : 500 mg/kg
Application Route : Dermal
Exposure time : 90 Days
Target Organs : Liver
Remarks : No significant adverse effects were reported

Glycerine:

Species : Rat
NOAEL : 0.167 mg/l
LOAEL : 0.622 mg/l
Application Route : inhalation (dust/mist/fume)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Exposure time : 13 Weeks

Species : Rat
NOAEL : 8,000 - 10,000 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Species : Rabbit
NOAEL : 5,040 mg/kg
Application Route : Skin contact
Exposure time : 45 Weeks

Sodium dodecyl sulphate:

Species : Rat
NOAEL : 488 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Aspartame:

Species : Rat
NOAEL : $\geq 4,000$ mg/kg
Application Route : Ingestion
Exposure time : 104 Weeks

Aspiration toxicity

Not classified based on available information.

Components:

Fluralaner:

Not applicable

Experience with human exposure

Components:

Fluralaner:

Skin contact : Remarks: May irritate skin.
Eye contact : Remarks: May cause eye irritation.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Polyethylene glycol:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Fluralaner:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.015 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): >= 0.049 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 204
Remarks: No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0736 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Glycerine:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 h
- Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8

Sodium dodecyl sulphate:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): >= 1.357

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

icity) mg/l
Exposure time: 42 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50: 135 mg/l
Exposure time: 3 h

Aspartame:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 20 g/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Persistence and degradability

Components:

Polyethylene glycol:

Biodegradability : Result: rapidly degradable
Remarks: Based on data from similar materials

Glycerine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 %
Exposure time: 30 d
Method: OECD Test Guideline 301D

Sodium dodecyl sulphate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Aspartame:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

Polyethylene glycol:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Partition coefficient: n-octanol/water : log Pow: < 3

Fluralaner:

Bioaccumulation : Species: Zebrafish
Bioconcentration factor (BCF): 79.4
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1.75

Sucrose:

Partition coefficient: n-octanol/water : Pow: < 1

Sodium dodecyl sulphate:

Partition coefficient: n-octanol/water : log Pow: 0.83

Aspartame:

Partition coefficient: n-octanol/water : log Pow: 0.07
Remarks: Calculation

Mobility in soil

Components:

Fluralaner:

Distribution among environmental compartments : log Koc: 4.1

Other adverse effects

Components:

Fluralaner:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Fluralaner)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Fluralaner)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes
Remarks	: Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Fluralaner)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Fluralaner)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

Marine pollutant : yes(Fluralaner)
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Starch	9005-25-8
Polyethylene glycol	25322-68-3
Pork by products	Not Assigned
Fluralaner	864731-61-3
Soya oil	8001-22-7
Glycerine	56-81-5
Sucrose	57-50-1
Sodium hydroxide	1310-73-2

California Permissible Exposure Limits for Chemical Contaminants

Starch	9005-25-8
Glycerine	56-81-5
Sucrose	57-50-1

The ingredients of this product are reported in the following inventories:

AICS : not determined
CA. DSL : not determined
IECSC : not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard




Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	: 8-hour time weighted average
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemi-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/31/2025
13.1	10/02/2025	401074-00031	Date of first issue: 12/10/2015

cals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/02/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8