

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

### SECTION 1. IDENTIFICATION

Product name : Methyl Salicylate / Diclofenac Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION


#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage	: Category 1
Skin sensitization	: Category 1
Reproductive toxicity	: Category 2
Specific target organ toxicity - repeated exposure	: Category 1 (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate)

#### Other hazards

None known.

#### GHS label elements

Hazard pictograms	: 
Signal Word	: Danger
Hazard Statements	: H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H361d Suspected of damaging the unborn child. H372 Causes damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or repeated exposure.
Supplemental Hazard Statements	: Corrosive to the respiratory tract.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version 9.0      Revision Date: 04/14/2025      SDS Number: 656972-00020      Date of last issue: 09/28/2024  
Date of first issue: 05/02/2016

### Precautionary Statements

#### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust, fume, gas, mist, vapors or spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Petrolatum	8009-03-8*	>= 80 - <= 100	TSC
Zinc oxide	1314-13-2*	>= 7 - <= 13	TSC
Methyl salicylate	119-36-8*	>= 1 - <= 5	TSC
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6*	>= 0.5 - <= 1.5	TSC
(+)-Bornan-2-one	464-49-3*	>= 0.5 - <= 1.5	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

### SECTION 4. FIRST AID MEASURES

- |   |   |
|---|---|
| General advice  | : In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.  |
| If inhaled  | : If inhaled, remove to fresh air.<br>Get medical attention.  |
| In case of skin contact                                     | : In case of contact, immediately flush skin with plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.            |
| In case of eye contact                                      | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention immediately.  |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.   |
| Most important symptoms and effects, both acute and delayed | : May cause an allergic skin reaction.<br>Causes serious eye damage.<br>Suspected of damaging the unborn child.<br>Causes damage to organs through prolonged or repeated exposure.<br>Corrosive to the respiratory tract. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : Treat symptomatically and supportively.   |

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                       |   |
|---------------------------------------|---|
| Suitable extinguishing media          | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media        | : None known.   |
| Specific hazards during fire fighting | : Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products         | : Carbon oxides<br>Chlorine compounds<br>Nitrogen oxides (NO <sub>x</sub> )<br>Sodium oxides  |
| Specific extinguishing methods        | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers. |

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing dust, fume, gas, mist, vapors or spray.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version 9.0      Revision Date: 04/14/2025      SDS Number: 656972-00020      Date of last issue: 09/28/2024  
Date of first issue: 05/02/2016

Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
Zinc oxide	1314-13-2	TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
		STEL (Respirable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Dust)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (Fumes)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Fumes)	10 mg/m <sup>3</sup>	NIOSH REL
		C (Dust)	15 mg/m <sup>3</sup>	NIOSH REL
		TWA (Fumes)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: Skin				
(+)-Bornan-2-one	464-49-3	TWA	2 mg/m <sup>3</sup>	OSHA Z-1
		TWA	2 ppm	ACGIH
		STEL	3 ppm	ACGIH
		TWA	2 mg/m <sup>3</sup>	NIOSH REL

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

	concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: ointment
Color	: light red
Odor	: aromatic
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

|| Not classified based on available information.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 4,005 mg/kg Method: Calculation method
---------------------	---	--

Acute inhalation toxicity	:	Acute toxicity estimate: 50.01 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
---------------------------	---	---

#### Components:

##### **Petrolatum:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

##### **Zinc oxide:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

##### **Methyl salicylate:**

Acute oral toxicity	:	LD50 (Rat): 890 mg/kg
---------------------	---	-----------------------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

||

### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Acute oral toxicity	:	LD50 (Rat): 55 - 240 mg/kg
		LD50 (Mouse): 170 - 389 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 97 - 161 mg/kg
		Application Route: Intravenous
		LD50 (Mouse): 92 - 147 mg/kg
		Application Route: Intravenous

### (+)-Bornan-2-one:

Acute oral toxicity	:	LD50 (Mouse): > 300 - 2,000 mg/kg
		Remarks: Based on data from similar materials
		Acute toxicity estimate (Humans): > 50 - 500 mg/kg
		Method: Expert judgment
		Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 0.5 mg/l
		Exposure time: 4 h
		Test atmosphere: dust/mist
		Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg
		Remarks: Based on data from similar materials

### Skin corrosion/irritation

|| Not classified based on available information.

### Components:

#### Petrolatum:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

#### Zinc oxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

#### Methyl salicylate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

||Result : irritating

### (+)-Bornan-2-one:

||Species : Rabbit  
||Result : No skin irritation  
||Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

||Causes serious eye damage.

#### Components:

##### Petrolatum:

||Species : Rabbit  
||Result : No eye irritation  
||Method : OECD Test Guideline 405  
||Remarks : Based on data from similar materials

##### Zinc oxide:

||Species : Rabbit  
||Result : No eye irritation  
||Method : OECD Test Guideline 405

##### Methyl salicylate:

||Species : Tissue Culture  
||Method : OECD Test Guideline 491

||Result : Irreversible effects on the eye

##### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

||Result : Mild eye irritation

### (+)-Bornan-2-one:

||Result : Eye irritation  
||Remarks : Based on data from similar materials

### Respiratory or skin sensitization

#### Skin sensitization

||May cause an allergic skin reaction.

#### Respiratory sensitization

||Not classified based on available information.

#### Components:

##### Petrolatum:

||Test Type : Buehler Test  
||Routes of exposure : Skin contact  
||Species : Guinea pig

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version 9.0      Revision Date: 04/14/2025      SDS Number: 656972-00020      Date of last issue: 09/28/2024  
Date of first issue: 05/02/2016

Result : negative  
Remarks : Based on data from similar materials

### Zinc oxide:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Methyl salicylate:

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

### (+)-Bornan-2-one:

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Petrolatum:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials  
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

#### Zinc oxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

	Result: equivocal
	Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: inhalation (dust/mist/fume) Method: OECD Test Guideline 474 Result: negative
	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: inhalation (dust/mist/fume) Result: positive
	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

### Methyl salicylate:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Result: negative
	Test Type: Bacterial reverse mutation assay (AMES) Result: negative

### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Mouse Lymphoma Result: negative
Genotoxicity in vivo	: Test Type: Chromosomal aberration Species: CHO Result: negative

### (+)-Bornan-2-one:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Genotoxicity in vivo	Method: OECD Test Guideline 476
	Result: negative
	Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro
	Result: negative
	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
	Species: Mouse
	Application Route: Ingestion
	Result: negative
	Remarks: Based on data from similar materials
	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Mouse
	Application Route: Skin contact
	Result: negative
	Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

### Components:

#### Petrolatum:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

#### Zinc oxide:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 1 Years
Result	: negative
Remarks	: Based on data from similar materials

#### Methyl salicylate:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

#### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
Result	: negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

|| Suspected of damaging the unborn child.

#### Components:

##### **Petrolatum:**

Effects on fertility	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Skin contact Result: negative Remarks: Based on data from similar materials

##### **Zinc oxide:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: inhalation (dust/mist/fume) Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

##### **Methyl salicylate:**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Embryo-fetal development  
Species: Monkey  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Effects on fertility : Test Type: Fertility  
Species: Rat, male and female  
Application Route: Oral  
Fertility: NOAEL: 4 mg/kg body weight  
Result: No effects on fertility.

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Embryo-fetal toxicity., No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 5 mg/kg body weight  
Result: Embryo-fetal toxicity., No teratogenic effects.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### **(+)-Bornan-2-one:**

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **STOT-single exposure**

Corrosive to the respiratory tract.

### **Components:**

### **(+)-Bornan-2-one:**

Assessment : May cause respiratory irritation.  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

### STOT-repeated exposure

Causes damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or repeated exposure.

#### Components:

##### **Zinc oxide:**

Assessment : No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Target Organs : Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Petrolatum:**

Species : Rat  
NOAEL : 5,000 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

##### **Zinc oxide:**

Species : Rat, male  
NOAEL : 0.0015 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 3 Months  
Method : OECD Test Guideline 413

##### **Methyl salicylate:**

Species : Rat  
NOAEL : 50 mg/kg  
LOAEL : 250 mg/kg  
Application Route : Ingestion  
Exposure time : 2 y

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Species : Rat  
LOAEL : 0.25 mg/kg  
Application Route : Oral  
Exposure time : 98 w  
Target Organs : Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate

Species : Dog  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 12 w  
Target Organs : Blood

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Species	: Baboon
NOAEL	: 0.5 mg/kg
LOAEL	: 5 mg/kg
Application Route	: Oral
Exposure time	: 52 w
Target Organs	: Gastrointestinal tract, Blood
Symptoms	: constipation, Diarrhea

### (+)-Bornan-2-one:

Species	: Rat
NOAEL	: > 200 mg/kg
Application Route	: Skin contact
Exposure time	: 13 Weeks
Remarks	: Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Ingestion	: Symptoms: Abdominal pain, Diarrhea, constipation, heartburn, Ulceration, Dizziness, Headache, Breathing difficulties, Rash
-----------	--

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Petrolatum:

Toxicity to fish	: LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other	: NOEC (Daphnia magna (Water flea)): 10 mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Zinc oxide:

Toxicity to fish

: LC50 : > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants

: ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.136 mg/l  
Exposure time: 72 h  
  
NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity)

: NOEC (Jordanella floridae (flagfish)): > 0.01 - 0.1 mg/l  
Exposure time: 14 Weeks  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

: NOEC (Ceriodaphnia dubia (water flea)): > 0.01 - 0.1 mg/l  
Exposure time: 7 d  
Remarks: Based on data from similar materials

### Methyl salicylate:

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): > 10 - 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants

: ErC50 (Desmodesmus subspicatus (green algae)): 1.6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
NOEC (Desmodesmus subspicatus (green algae)): 0.79 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms

: EC10 (Pseudomonas putida): 140 mg/l  
Exposure time: 16 h

### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): 166.6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version 9.0      Revision Date: 04/14/2025      SDS Number: 656972-00020      Date of last issue: 09/28/2024  
Date of first issue: 05/02/2016

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 80.1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 71.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Pseudokirchneriella subcapitata (green algae)): 49.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.32 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

### (+)-Bornan-2-one:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials  NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50: > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

### Persistence and degradability

#### Components:

##### **Petrolatum:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
------------------	---	--

##### **Methyl salicylate:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 98.4 % Exposure time: 28 d
------------------	---	---

##### **(+)-Bornan-2-one:**

Biodegradability	:	Result: Readily biodegradable. Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
------------------	---	---

### Bioaccumulative potential

#### Components:

##### **Zinc oxide:**

Bioaccumulation	:	Species: Oncorhynchus mykiss (rainbow trout) Bioconcentration factor (BCF): 78 - 2,060
-----------------	---	---

##### **Methyl salicylate:**

Partition coefficient: n-octanol/water	:	log Pow: 2.55
--	---	---------------

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Partition coefficient: n-octanol/water	:	log Pow: 4.51
--	---	---------------

##### **(+)-Bornan-2-one:**

Partition coefficient: n-octanol/water	:	log Pow: 2.3
--	---	--------------

### **Mobility in soil**

No data available

### **Other adverse effects**

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
---------------------	---	---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

##### IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

##### IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)
Class	: 9

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)
Remarks	:	Above applies only to containers over 119 gallons or 450 liters. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

<b>SARA 311/312 Hazards</b>	:	Respiratory or skin sensitization
		Reproductive toxicity
		Specific target organ toxicity (single or repeated exposure)
		Serious eye damage or eye irritation

<b>SARA 313</b>	:	The following components are subject to reporting levels established by SARA Title III, Section 313:
-----------------	---	--

Zinc oxide	1314-13-2	>= 10 - < 20 %
------------	-----------	----------------

### US State Regulations

#### Pennsylvania Right To Know

Petrolatum	8009-03-8
Zinc oxide	1314-13-2
Methyl salicylate	119-36-8
(+)-Bornan-2-one	464-49-3

#### California List of Hazardous Substances

Petrolatum	8009-03-8
Zinc oxide	1314-13-2
Methyl salicylate	119-36-8
(+)-Bornan-2-one	464-49-3

#### California Permissible Exposure Limits for Chemical Contaminants

Petrolatum	8009-03-8
------------	-----------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

Zinc oxide  
(+)-Bornan-2-one

1314-13-2  
464-49-3


**The ingredients of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Sub-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Methyl Salicylate / Diclofenac Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
9.0	04/14/2025	656972-00020	Date of first issue: 05/02/2016

stances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/14/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8