

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

SECTION 1. IDENTIFICATION

Product name : Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	: Category 3
Acute toxicity (Oral)	: Category 3
Acute toxicity (Inhalation)	: Category 4
Acute toxicity (Dermal)	: Category 3
Skin irritation	: Category 2
Serious eye damage	: Category 1
Germ cell mutagenicity	: Category 1B
Carcinogenicity	: Category 1B
Reproductive toxicity	: Category 1B
Specific target organ toxicity - single exposure	: Category 1 (Central nervous system, Nervous system)
Specific target organ toxicity - single exposure	: Category 3
Specific target organ toxicity - repeated exposure	: Category 1 (Central nervous system)
Aspiration hazard	: Category 1

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard








Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Other hazards

Vapors may form explosive mixture with air.

GHS label elements

Hazard pictograms	:	    
Signal Word	:	Danger
Hazard Statements	:	H226 Flammable liquid and vapor. H301 + H311 Toxic if swallowed or in contact with skin. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H318 Causes serious eye damage. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H340 May cause genetic defects. H350 May cause cancer. H360D May damage the unborn child. H370 Causes damage to organs (Central nervous system, Nervous system). H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
Supplemental Hazard Statements	:	Corrosive to the respiratory tract.
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flame and hot surfaces. No smoking. P233 Keep container tightly closed. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves, protective clothing, eye protection and face protection. Response: P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0 Revision Date: 04/14/2025 SDS Number: 935022-00017 Date of last issue: 09/28/2024
Date of first issue: 10/12/2016

water. Call a doctor if you feel unwell.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
P308 + P313 IF exposed or concerned: Get medical attention.
P331 Do NOT induce vomiting.
P332 + P313 If skin irritation occurs: Get medical attention.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Solvent naphtha (petroleum), light aromatic	64742-95-6*	>= 45 - <= 70	TSC
Ethion	563-12-2*	>= 10 - <= 30	TSC
Chlorpyrifos	2921-88-2*	>= 5 - <= 10	TSC
2-Methyl-1-propanol	78-83-1*	>= 5 - <= 10	TSC
(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	67375-30-8*	>= 3 - <= 7	TSC
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5*	>= 1 - <= 5	TSC
2,6-Di-tert-butyl-p-cresol	128-37-0*	>= 0.5 - <= 1.5	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0	Revision Date: 04/14/2025	SDS Number: 935022-00017	Date of last issue: 09/28/2024 Date of first issue: 10/12/2016
----------------	------------------------------	-----------------------------	-------------------------------------------------------------------

- | | |
|-------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention. |
| In case of skin contact | : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately. |
| If swallowed | : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control center immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : Toxic if swallowed or in contact with skin.
May be fatal if swallowed and enters airways.
Causes skin irritation.
Causes serious eye damage.
Harmful if inhaled.
May cause drowsiness or dizziness.
May cause genetic defects.
May cause cancer.
May damage the unborn child.
Causes damage to organs.
Causes damage to organs through prolonged or repeated exposure.
Corrosive to the respiratory tract. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|---------------------------------------------------------------------------------|
| Suitable extinguishing media | : Water spray
Alcohol-resistant foam
Carbon dioxide (CO2)
Dry chemical |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during fire fighting | : Do not use a solid water stream as it may scatter and spread fire. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0	Revision Date: 04/14/2025	SDS Number: 935022-00017	Date of last issue: 09/28/2024 Date of first issue: 10/12/2016
----------------	------------------------------	-----------------------------	-------------------------------------------------------------------

Flash back possible over considerable distance.
Vapors may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Sulfur oxides
Oxides of phosphorus
Chlorine compounds
Nitrogen oxides (NOx)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray jet.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Substances and mixtures which in contact with water emit flammable gases
Explosives
Gases
Very acutely toxic substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0 Revision Date: 04/14/2025 SDS Number: 935022-00017 Date of last issue: 09/28/2024
Date of first issue: 10/12/2016

		exposure)	concentration	
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
Ethion	563-12-2	TWA	4 µg/m ³ (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	40 µg/100 cm ²	Internal
		TWA (Inhalable fraction and vapor)	0.05 mg/m ³	ACGIH
		TWA	0.4 mg/m ³	NIOSH REL
Chlorpyrifos	2921-88-2	TWA (Inhalable fraction and vapor)	0.1 mg/m ³	ACGIH
		TWA	0.2 mg/m ³	NIOSH REL
		ST	0.6 mg/m ³	NIOSH REL
2-Methyl-1-propanol	78-83-1	TWA	50 ppm	ACGIH
		TWA	50 ppm 150 mg/m ³	NIOSH REL
		TWA	100 ppm 300 mg/m ³	OSHA Z-1
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
		TWA	500 ppm 2,000 mg/m ³	OSHA Z-1
		TWA (Mist)	5 mg/m ³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m ³	ACGIH
		TWA	10 mg/m ³	NIOSH REL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Chlorpyrifos	2921-88-2	Acetylcholinesterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcholinesterase activity	In serum or plasma	End of shift	60 % of an individual's baseline	ACGIH BEI

Engineering measures : Minimize workplace exposure concentrations.
If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.
- Eye protection : Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield
- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : yellow
- Odor : strong

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0	Revision Date: 04/14/2025	SDS Number: 935022-00017	Date of last issue: 09/28/2024 Date of first issue: 10/12/2016
----------------	------------------------------	-----------------------------	-------------------------------------------------------------------

Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	109 °F / 43 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	0.96 - 1.02
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

|| Toxic if swallowed or in contact with skin.
|| Harmful if inhaled.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 69.16 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 2.57 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 372.97 mg/kg Method: Calculation method

Components:

Solvent naphtha (petroleum), light aromatic:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.61 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Ethion:

Acute oral toxicity	: LD50 (Rat): 13 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.450 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): 62 mg/kg

Chlorpyrifos:

Acute oral toxicity	: LD50 (Rat, female): 68 mg/kg
Acute dermal toxicity	: LD50 (Rat, females): 1,250 mg/kg

2-Methyl-1-propanol:

Acute oral toxicity	: LD50 (Rat, female): 3,350 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): > 18.18 mg/l Exposure time: 6 h Test atmosphere: vapor
Acute dermal toxicity	: LD50 (Rabbit, female): 2,460 mg/kg Method: OECD Test Guideline 402

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Acute oral toxicity	: LD50 (Rat): 57 mg/kg Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)
Acute inhalation toxicity	: LC50 (Rat): > 1.16 - 1.21 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg

Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 420 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 4.778 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Ethion:

Species : Rabbit
Result : Mild skin irritation

Chlorpyrifos:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

2-Methyl-1-propanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species : Rabbit
Result : Skin irritation

Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : Repeated exposure may cause skin dryness or cracking.

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Solvent naphtha (petroleum), light aromatic:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Ethion:

Result	: No eye irritation
--------	---------------------

Chlorpyrifos:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

2-Methyl-1-propanol:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species	: Rabbit
Result	: No eye irritation

Hydrocarbons, C10, aromatics, <1% naphthalene:

Species	: Rabbit
Result	: No eye irritation
Remarks	: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Respiratory sensitization

|| Not classified based on available information.

Components:

Solvent naphtha (petroleum), light aromatic:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

Ethion:

Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

Chlorpyrifos:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

2-Methyl-1-propanol:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Hydrocarbons, C10, aromatics, <1% naphthalene:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Test Type	: Human repeat insult patch test (HRIPT)
-----------	------------------------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Routes of exposure	:	Skin contact
Species	:	Humans
Result	:	negative

Germ cell mutagenicity

May cause genetic defects.

Components:

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Result: positive
Genotoxicity in vivo	:	Test Type: Sister chromatid exchange analysis in spermatogonia Species: Mouse Application Route: Intraperitoneal injection Result: positive
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

Ethion:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative Test Type: in vitro micronucleus test Result: positive
Genotoxicity in vivo	:	Test Type: Chromosomal aberration Species: Rat Result: negative Test Type: In vivo micronucleus test Species: Mouse Result: positive
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0	Revision Date: 04/14/2025	SDS Number: 935022-00017	Date of last issue: 09/28/2024 Date of first issue: 10/12/2016
----------------	------------------------------	-----------------------------	-------------------------------------------------------------------

Chlorpyrifos:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative

2-Methyl-1-propanol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: In vitro mammalian cell gene mutation test Result: negative Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Test Type: In vitro mammalian cell gene mutation test
-----------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0	Revision Date: 04/14/2025	SDS Number: 935022-00017	Date of last issue: 09/28/2024 Date of first issue: 10/12/2016
----------------	------------------------------	-----------------------------	-------------------------------------------------------------------

Genotoxicity in vivo	Method: OECD Test Guideline 476 Result: negative
	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 475 Result: negative
	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
	Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Result: negative

Hydrocarbons, C10, aromatics, <1% naphthalene:

Genotoxicity in vitro	: Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: inhalation (vapor) Result: negative Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

II

Carcinogenicity

II May cause cancer.

Components:

Solvent naphtha (petroleum), light aromatic:

Species	: Mouse
Application Route	: Skin contact
Exposure time	: 2 Years
Result	: positive

Carcinogenicity - Assessment	: Sufficient evidence of carcinogenicity in animal experiments
------------------------------	----------------------------------------------------------------

Ethion:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 18 Months
Result	: negative

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 24 Months
Result	: negative

Chlorpyrifos:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative

2,6-Di-tert-butyl-p-cresol:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 22 Months
Result	: negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

|| May damage the unborn child.

Components:

Solvent naphtha (petroleum), light aromatic:

Effects on fertility	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: inhalation (vapor) Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: inhalation (vapor) Result: negative

Ethion:

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

Chlorpyrifos:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: positive
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.

2-Methyl-1-propanol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapor)
----------------------	------------------------------------------------------------------------------------------------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0	Revision Date: 04/14/2025	SDS Number: 935022-00017	Date of last issue: 09/28/2024 Date of first issue: 10/12/2016
----------------	------------------------------	-----------------------------	-------------------------------------------------------------------

	Method: OPPTS 870.3800 Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: inhalation (vapor) Method: OECD Test Guideline 414 Result: negative

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative

Hydrocarbons, C10, aromatics, <1% naphthalene:

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapor) Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

STOT-single exposure

May cause drowsiness or dizziness.
Causes damage to organs (Central nervous system, Nervous system).
Corrosive to the respiratory tract.

Components:

Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

Ethion:

Assessment : Causes damage to organs.

Chlorpyrifos:

Target Organs : Nervous system
Assessment : Causes damage to organs.

2-Methyl-1-propanol:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Assessment : May cause respiratory irritation.
Remarks : Based on national or regional regulation.

Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : May cause drowsiness or dizziness.
Remarks : Based on data from similar materials

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:

Ethion:

Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Routes of exposure : Ingestion
Target Organs : Central nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Species	: Rat
LOAEL	: 500 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

Ethion:

Species	: Dog
NOAEL	: 0.05 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Chlorpyrifos:

Species	: Rat
NOAEL	: 0.1 mg/kg
LOAEL	: 1 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks

Species	: Rat
NOAEL	: > 0.000296 mg/l
Application Route	: inhalation (vapor)
Exposure time	: 13 Weeks

Species	: Rat
NOAEL	: > 5 mg/kg
Application Route	: Skin contact
Exposure time	: 21 Days

2-Methyl-1-propanol:

Species	: Rat
NOAEL	: > 1,450 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

Species	: Rat
NOAEL	: >= 7.5 mg/l
Application Route	: inhalation (vapor)
Exposure time	: 17 Weeks

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species	: Dog
NOAEL	: 3.5 mg/kg
LOAEL	: 13.3 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Hydrocarbons, C10, aromatics, <1% naphthalene:

Species	: Rat
NOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Remarks	: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Species	: Rat
NOAEL	: 25 mg/kg
Application Route	: Ingestion
Exposure time	: 22 Months

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:

Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

2-Methyl-1-propanol:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Ethion:

Ingestion : Symptoms: Blurred vision, Dizziness, Headache

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOELR (Daphnia magna (Water flea)): 2.6 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211

Ethion:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50: 0.056 - 7.7 µg/l Exposure time: 48 h

Chlorpyrifos:

Toxicity to fish	: LC50 : > 0.1 - 1 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50: > 0.01 - 0.1 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Scenedesmus subspicatus): 0.48 mg/l Exposure time: 96 h
Toxicity to fish (Chronic tox-	: NOEC: 0.3 µg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

icity)	Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Mysidopsis bahia (opossum shrimp)): 0.0046 µg/l Exposure time: 21 d
2-Methyl-1-propanol:	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 1,100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,799 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	: NOEC (Pseudokirchneriella subcapitata (green algae)): 117 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 20 mg/l Exposure time: 21 d
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 16 h

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 0.00084 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.0003 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	: EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.03 µg/l Exposure time: 34 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.03 µg/l
Exposure time: 21 d

Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l
Exposure time: 30 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.316 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50: > 10,000 mg/l
Exposure time: 3 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Solvent naphtha (petroleum), light aromatic:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 94 %
Exposure time: 25 d

Ethion:

Biodegradability : Result: not rapidly degradable

Chlorpyrifos:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 22 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Stability in water : Degradation half life (DT50): > 2 Months

2-Methyl-1-propanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 74 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 49.56 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0	Revision Date: 04/14/2025	SDS Number: 935022-00017	Date of last issue: 09/28/2024 Date of first issue: 10/12/2016
----------------	------------------------------	-----------------------------	-------------------------------------------------------------------

Bioaccumulative potential

Components:

Ethion:

Partition coefficient: n-octanol/water : log Pow: 5.07

Chlorpyrifos:

Bioaccumulation : Species: Danio rerio (zebra fish)
Bioconcentration factor (BCF): 6,918
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.21
Method: OECD Test Guideline 107

2-Methyl-1-propanol:

Partition coefficient: n-octanol/water : log Pow: 1
Method: OECD Test Guideline 117

(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 910

Partition coefficient: n-octanol/water : log Pow: 6.94

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

sources of ignition. They may explode and cause injury and/or death.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 1992
Proper shipping name	: FLAMMABLE LIQUID, TOXIC, N.O.S. (2-Methyl-1-propanol, Ethion)
Class	: 3
Subsidiary risk	: 6.1
Packing group	: III
Labels	: 3 (6.1)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 1992
Proper shipping name	: Flammable liquid, toxic, n.o.s. (2-Methyl-1-propanol, Ethion)
Class	: 3
Subsidiary risk	: 6.1
Packing group	: III
Labels	: Flammable Liquids, Toxic
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355

IMDG-Code

UN number	: UN 1992
Proper shipping name	: FLAMMABLE LIQUID, TOXIC, N.O.S. (2-Methyl-1-propanol, Ethion, Chlorpyrifos)
Class	: 3
Subsidiary risk	: 6.1
Packing group	: III
Labels	: 3 (6.1)
EmS Code	: F-E, S-D
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	: UN 1992
Proper shipping name	: Flammable liquids, toxic, n.o.s. (2-Methyl-1-propanol, Ethion)
Class	: 3
Subsidiary risk	: 6.1
Packing group	: III

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0 Revision Date: 04/14/2025 SDS Number: 935022-00017 Date of last issue: 09/28/2024
Date of first issue: 10/12/2016

Labels : FLAMMABLE LIQUID, TOXIC
ERG Code : 131
Marine pollutant : yes(Ethion, Chlorpyrifos)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Chlorpyrifos	2921-88-2	1	11
Ethion	563-12-2	10	62
2-Methyl-1-propanol	78-83-1	5000	62500

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Ethion	563-12-2	10	62

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
Ethion	563-12-2	1000

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Acute toxicity (any route of exposure)
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)
Aspiration hazard
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Solvent naphtha (petroleum), light aromatic	64742-95-6
Ethion	563-12-2
Chlorpyrifos	2921-88-2
2-Methyl-1-propanol	78-83-1
Polyethylene-polypropylene Glycol Monobutyl Ether	9038-95-3
(S)- α -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	67375-30-8

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5
2,6-Di-tert-butyl-p-cresol	128-37-0

California Prop. 65

WARNING: This product can expose you to chemicals including Chlorpyrifos, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California List of Hazardous Substances

Ethion	563-12-2
Chlorpyrifos	2921-88-2
2-Methyl-1-propanol	78-83-1
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5
2,6-Di-tert-butyl-p-cresol	128-37-0

California Permissible Exposure Limits for Chemical Contaminants

Ethion	563-12-2
Chlorpyrifos	2921-88-2
2-Methyl-1-propanol	78-83-1
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5
2,6-Di-tert-butyl-p-cresol	128-37-0

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation


Version
8.0

Revision Date:
04/14/2025

SDS Number:
935022-00017

Date of last issue: 09/28/2024
Date of first issue: 10/12/2016

NFPA 704:



HMIS® IV:

HEALTH	*	4
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/28/2024
8.0	04/14/2025	935022-00017	Date of first issue: 10/12/2016

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/14/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8