according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

SECTION 1. IDENTIFICATION

Product name : Cephapirin / Prednisolone Formulation

Other means of identification : Mastiplan (A011329)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization : Category 1

Reproductive toxicity : Category 2

Other hazards

None known.

GHS label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H334 May cause allergy or asthma symptoms or breathing diffi-

culties if inhaled.

H361d Suspected of damaging the unborn child.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P261 Avoid breathing mist or vapors.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

P285 In case of inadequate ventilation wear respiratory protec-

tion.

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

Response:

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P308 + P313 IF exposed or concerned: Get medical attention. P342 + P311 If experiencing respiratory symptoms: Call a doc-

tor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Peanut oil	8002-03-7*	>= 80 - <= 100	TSC
Glyceryl monostearate	123-94-4*	>= 3 - <= 7	TSC
Cefapirin	21593-23-7*	>= 1 - <= 5	TSC
prednisolone	50-24-8*	>= 0.1 - <= 1	TSC

^{*} Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

In case of eye contact

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

TSC- the actual concentration or concentration range is withheld as a trade secret

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis,

reactive airways dysfunction syndrome).

May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Suspected of damaging the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Metal oxides Silicon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation. Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease,

should consult their physician regarding working with

respiratory irritants or sensitizers.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Peanut oil	8002-03-7	TWA (mist - total)	10 mg/m ³	NIOSH REL
		TWA (mist -	5 mg/m³	NIOSH REL

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

		respirable)			
Glyceryl monostearate	123-94-4	TWA (Inhal-	10 mg/m³	ACGIH	
		able particu- late matter)			
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH	
Cefapirin	21593-23-7	TWA	0.4 mg/m3 (OEB 2)	Internal	
	Further information: RSEN				
prednisolone	50-24-8	TWA	10 μg/m3 (OEB 3)	Internal	
		Wipe limit	100 µg/100 cm ²	Internal	

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled

release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid, oily

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Peanut oil:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Glyceryl monostearate:

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 04/14/2025 764062-00018 Date of first issue: 06/16/2016 8.0

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Cefapirin:

Acute oral toxicity LD50 (Mouse): 26,000 mg/kg

Acute toxicity (other routes of : LD50 (Mouse): > 7,600 mg/kg

administration)

Application Route: Intraperitoneal

LD50 (Rat): 7,800 mg/kg

Application Route: Intraperitoneal

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg

LD50 (Rat): > 3,857 mg/kg

Remarks: No data available Acute inhalation toxicity

Acute dermal toxicity Remarks: No data available

Acute toxicity (other routes of :

administration)

LD50 (Rat): 147 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Components:

Peanut oil:

Species Rabbit

Result No skin irritation

Remarks Based on data from similar materials

Glyceryl monostearate:

Species Rabbit

Result No skin irritation

Remarks Based on data from similar materials

prednisolone:

Remarks : No data available

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Peanut oil:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Glyceryl monostearate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

prednisolone:

Remarks : No data available

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Glyceryl monostearate:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Cefapirin:

Assessment : Probability or evidence of high respiratory sensitization rate in

humans

prednisolone:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

Peanut oil:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

Glyceryl monostearate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Cefapirin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

prednisolone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Test Type: sister chromatid exchange assay

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Oral

Result: negative

Test Type: sister chromatid exchange assay

Species: Humans Result: negative

Carcinogenicity

Not classified based on available information.

Components:

prednisolone:

Species : Rat
Application Route : Oral
Exposure time : 18 Months
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Glyceryl monostearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Cefapirin:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Intraperitoneal injection Fertility: LOAEL: > 500 mg/kg body weight

Result: No effects on fertility.

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rat

Application Route: Intraperitoneal injection

Developmental Toxicity: LOAEL: > 200 mg/kg body weight

prednisolone:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Subcutaneous Fertility: NOAEL: 1 mg/kg body weight

Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

Developmental Toxicity: LOAEL: 0.5 mg/kg body weight

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 04/14/2025 764062-00018 Date of first issue: 06/16/2016 8.0

Result: Malformations were observed., Cleft palate

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight

Result: decreased blood formation

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: No effects on fetal development.

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

prednisolone:

Target Organs : Bone marrow, Adrenal gland, Liver

: Causes damage to organs through prolonged or repeated Assessment

exposure.

Repeated dose toxicity

Components:

Glyceryl monostearate:

Species : Rat

NOAEL

: >= 12,500 mg/kg : Ingestion : 84 Days Application Route Exposure time

Remarks : Based on data from similar materials

Cefapirin:

Species : Rat

: >= 200 mg/kgLOAEL Application Route : Intraperitoneal

Target Organs Blood Remarks : anemia

Species Dog LOAEL 20 mg/kg Application Route Oral Exposure time : 4 Months

Target Organs : Gastrointestinal tract

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

Species : Dog
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 10 Months

Target Organs : Blood, Gastrointestinal tract

Remarks : anemia

prednisolone:

Species : Rat
LOAEL : 0.6 mg/kg
Application Route : Oral
Exposure time : 63 Days
Target Organs : Bone marrow

Species : Dog
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 6 Weeks
Target Organs : Adrenal gland

Species : Rabbit
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 24 Weeks
Target Organs : Liver

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Cefapirin:

Ingestion : Symptoms: Nausea, Vomiting, Abdominal pain, Diarrhea,

vaginitis, colitis, anorexia, Rash, anaphylaxis

prednisolone:

Ingestion : Symptoms: sodium retention, Headache, Vertigo, fluid reten-

tion, subcutaneous bleeding, striae, skin atrophy, menstrual

irregularities

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Peanut oil:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 04/14/2025 764062-00018 Date of first issue: 06/16/2016 8.0

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Glyceryl monostearate:

Toxicity to fish LL50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 32 mg/l

Exposure time: 47 h

Method: Directive 67/548/EEC, Annex V, C.2. Remarks: No toxicity at the limit of solubility.

Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 0.22 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility.

Based on data from similar materials

EC10 (Pseudomonas putida): > 1 mg/l Toxicity to microorganisms

Exposure time: 18 h

Remarks: Based on data from similar materials

prednisolone:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 85 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 160

mg/l

Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160

mg/l

Exposure time: 72 h

Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (water flea)): 0.23 mg/l

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 7 d

Persistence and degradability

Components:

Glyceryl monostearate:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Glyceryl monostearate:

Partition coefficient: n-

: log Pow: 6.1

octanol/water prednisolone:

Partition coefficient: n-

octanol/water

: log Pow: 1.46

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

49 CFR

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

Reproductive toxicity

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

 Peanut oil
 8002-03-7

 Glyceryl monostearate
 123-94-4

 Zeolites
 1318-02-1

 Cefapirin
 21593-23-7

California Permissible Exposure Limits for Chemical Contaminants

Peanut oil 8002-03-7 Glyceryl monostearate 123-94-4

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information


according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concern-

according to the OSHA Hazard Communication Standard



Cephapirin / Prednisolone Formulation

Version Revision Date: SDS Number: Date of last issue: 09/28/2024 8.0 04/14/2025 764062-00018 Date of first issue: 06/16/2016

ing the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8