according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 04/14/2025 1078734-00020 Date of first issue: 11/18/2016 9.0

### **SECTION 1. IDENTIFICATION**

Product name Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formu-

lation

Manufacturer or supplier's details

Company name of supplier Merck & Co., Inc Address 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone 908-740-4000 Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) Category 4

Eye irritation Category 2B

single exposure

Specific target organ toxicity : Category 1 (Nervous system)

# Other hazards

None known.

### **GHS** label elements

Hazard pictograms





Signal Word Danger

Hazard Statements H312 + H332 Harmful in contact with skin or if inhaled.

H320 Causes eye irritation.

H370 Causes damage to organs (Nervous system).

Precautionary Statements Prevention:

> P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016 P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves and clothing. Response: P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a doctor if you feel unwell. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. Storage: P405 Store locked up. Disposal:

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

## Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Corn oil	8001-30-7*	>= 80 - <= 100	TSC
Decamethylcyclopentasilox- ane	541-02-6*	>= 3 - <= 7	TSC
lambda-cyhalothrin (ISO)	91465-08-6*	>= 0.5 - <= 1.5	TSC

<sup>\*</sup> Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

disposal plant.

### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

P501 Dispose of contents and container to an approved waste

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention.

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person. Harmful in contact with skin or if inhaled.

Most important symptoms and effects, both acute and

and effects, both acute a delayed

Causes eye irritation.

Protection of first-aiders

Causes damage to organs.

First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds Silicon oxides Formaldehyde

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : Use personal protective equipment.

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

tive equipment and emergency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Do not breathe decomposition products.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

Self-reactive substances and mixtures

Organic peroxides

**Explosives** Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Corn oil	8001-30-7	TWA (mist - total)	10 mg/m³	NIOSH REL
		TWA (mist - respirable)	5 mg/m³	NIOSH REL
Decamethylcyclopentasiloxane	541-02-6	TWA	10 ppm	US WEEL
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 μg/m3 (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	50 μg/100 cm <sup>2</sup>	Internal

# Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Formaldehyde	50-00-0	TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH
		TWA	0.016 ppm	NIOSH REL
		С	0.1 ppm	NIOSH REL
		PEL	0.75 ppm	OSHA CARC
		STEL	2 ppm	OSHA CARC
		TWA	0.016 ppm	NIOSH REL
			(Formaldehyde)	
		С	0.1 ppm	NIOSH REL
			(Formaldehyde)	

### **Engineering measures**

The information below is intended for larger pilot/commercialscale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 04/14/2025 1078734-00020 Date of first issue: 11/18/2016 9.0

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

#### Personal protective equipment

Respiratory protection General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material Chemical-resistant gloves

Remarks Consider double gloving.

Wear safety glasses with side shields or goggles. Eye protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Work uniform or laboratory coat. Skin and body protection

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/03/2024

 9.0
 04/14/2025
 1078734-00020
 Date of first issue: 11/18/2016

Appearance : liquid

Color : gold

Odor : oily

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point :  $> 199.9 \, ^{\circ}\text{F} / > 93.3 \, ^{\circ}\text{C}$ 

Method: Tag closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.924 - 0.974 g/cm³ (68 °F / 20 °C)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 61.69 - 73.9 mm<sup>2</sup>/s

Explosive properties : Not explosive

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics

Particle size : Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Hazardous decomposition products will be formed at elevated

temperatures.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition products

Thermal decomposition : Formaldehyde

### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Harmful in contact with skin or if inhaled.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 9,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.1 mg/l

Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 1,900 mg/kg

### **Components:**

Corn oil:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: Date of last issue: 12/03/2024 SDS Number: 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

Decamethylcyclopentasiloxane:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LC50 (Rat): 8.67 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

LD50 (Mouse): 20 mg/kg

: LC50 (Rat): 0.06 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of : LD50 (Rat): 250 - 750 mg/kg

administration)

Application Route: Intraperitoneal

#### Skin corrosion/irritation

Not classified based on available information.

**Product:** 

**Species** Rabbit

Result Mild skin irritation

**Components:** 

Corn oil:

Species Rabbit

Method **OECD Test Guideline 404** 

Result : No skin irritation

Remarks Based on data from similar materials

Decamethylcyclopentasiloxane:

Species Rabbit

Result No skin irritation

lambda-cyhalothrin (ISO):

**Species** Rabbit

No skin irritation Result

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

## Serious eye damage/eye irritation

Causes eye irritation.

**Product:** 

Species : Rabbit

Result : Mild eye irritation

**Components:** 

Corn oil:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Decamethylcyclopentasiloxane:

Species : Rabbit

Result : No eye irritation

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

**Product:** 

Species : Guinea pig

Result : Not a skin sensitizer.

**Components:** 

Corn oil:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact Result : negative

Decamethylcyclopentasiloxane:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact
Species : Mouse
Result : negative

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Corn oil:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Decamethylcyclopentasiloxane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Rat

Application Route: inhalation (vapor) Method: OECD Test Guideline 474

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Inhalation Method: OECD Test Guideline 486

Result: negative

lambda-cyhalothrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: unscheduled DNA synthesis assay

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

#### Carcinogenicity

Not classified based on available information.

### Components:

### lambda-cyhalothrin (ISO):

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Species : Rat

Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

## **Components:**

#### Decamethylcyclopentasiloxane:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapor)

Method: OPPTS 870.3800

Result: negative

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

Effects on fetal development : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapor)

Method: OPPTS 870.3800

Result: negative

lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: oral (feed)

General Toxicity Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight

Symptoms: Reduced offspring weight gain.

Result: No effects on fertility.

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on fetal development., Reduced maternal

body weight gain., Reduced fetal weight. Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on fetal development., Reduced maternal

body weight gain., Reduced fetal weight. Remarks: Based on data from similar materials

STOT-single exposure

Causes damage to organs (Nervous system).

**Components:** 

lambda-cyhalothrin (ISO):

Target Organs : Nervous system

Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

### Repeated dose toxicity

### **Components:**

#### Corn oil:

Species : Rat

NOAEL : > 300 mg/kg

Application Route : Ingestion

Exposure time : 28 Days

Remarks : Based on data from similar materials

Remarks

## Decamethylcyclopentasiloxane:

Species

: 1,000 mg/kg : > 1,000 mg/kg NOAEL LOAEL Application Route

Method : OECD Test Guideline 408

### lambda-cyhalothrin (ISO):

Species : Dog : 2.5 mg/kg : 12.5 mg/kg NOAEL LOAEL Application Route : oral (feed)
Exposure time : 90 d
Symptoms : reduced bo

: reduced body weight gain, reduced food consumption Symptoms

Species : Rat
NOAEL : 10 mg/kg
LOAEL : 50 mg/kg
Application Route : Dermal
Exposure time : 21 d
Target Organs : Nervous system

Rat

Species :
NOAEL :
LOAEL :
Application Route :
Exposure time :
Target Organs : 0.08 mg/kg : 0.9 mg/kg : Inhalation 21 d

Target Organs Nervous system

Species : Dog
NOAEL : 0.1 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 1 y
Target Organs : Nervous system
Symptoms : Gastrointestinal of

: Gastrointestinal disturbance, Vomiting, Convulsions, ataxia,

Liver effects

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: Date of last issue: 12/03/2024 SDS Number: 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

**Product:** 

Symptoms: May cause, Local irritation Skin contact

Symptoms: irritating Eye contact

**Components:** 

lambda-cyhalothrin (ISO):

Symptoms: Cough, Local irritation, sneezing Inhalation

Symptoms: Skin irritation, tingling, superficial burning sensa-Skin contact

tion, Local irritation

Remarks: Can be absorbed through skin.

Symptoms: Eye irritation Eye contact

Ingestion Symptoms: Gastrointestinal disturbance

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### Components:

#### Corn oil:

plants

ic toxicity)

Toxicity to fish LL50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Method: ISO 7346/1

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

Toxicity to algae/aquatic

EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

NOELR (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

### Decamethylcyclopentasiloxane:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 16 µg/l

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 2.9 μg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 12

μg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

EC10 (Pseudokirchneriella subcapitata (green algae)): > 12

μg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 14 μg/l

Exposure time: 90 d

Method: OECD Test Guideline 210

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 15 μg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility.

Toxicity to microorganisms : EC50: > 2,000 mg/l

Exposure time: 3 h Method: 88/302/EC

lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.000062

mg/l

Exposure time: 32 d

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: Date of last issue: 12/03/2024 SDS Number: 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other: aguatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0035 µg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

## Persistence and degradability

## **Components:**

#### Corn oil:

Biodegradability Result: Readily biodegradable.

Remarks: Based on data from similar materials

# Decamethylcyclopentasiloxane:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 0.14 % Exposure time: 28 d

Method: OECD Test Guideline 310

# **Bioaccumulative potential**

#### **Components:**

#### Corn oil:

Partition coefficient: n-: log Pow: > 4

Method: OECD Test Guideline 117 octanol/water

#### Decamethylcyclopentasiloxane:

Bioaccumulation Species: Pimephales promelas (fathead minnow)

Bioconcentration factor (BCF): 7,060 - 13,300

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 8.023

### lambda-cyhalothrin (ISO):

Bioaccumulation Bioconcentration factor (BCF): 2,240

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 7.0 (68 °F / 20 °C)

# Mobility in soil

### **Components:**

# lambda-cyhalothrin (ISO):

Distribution among environ-: log Koc: 5.5

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version **Revision Date:** SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

mental compartments

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

**International Regulations** 

**UNRTDG** 

UN 3082 UN number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(lambda-cyhalothrin (ISO))

Class 9 Packing group Ш 9 Labels Environmentally hazardous yes

**IATA-DGR** 

UN 3082 UN/ID No.

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(lambda-cyhalothrin (ISO))

Class Packing group Ш

Labels Miscellaneous

Packing instruction (cargo 964

aircraft)

Packing instruction (passen-

ger aircraft)

964

Environmentally hazardous yes

**IMDG-Code** 

UN 3082 UN number

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(lambda-cyhalothrin (ISO))

Class 9 Ш Packing group Labels 9 **EmS Code** F-A, S-F

Marine pollutant ves

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **Domestic regulation**

**49 CFR** 

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(lambda-cyhalothrin (ISO))

Class : 9 Packing group : III

Labels : CLASS 9 ERG Code : 171

Marine pollutant : yes(lambda-cyhalothrin (ISO))

Remarks : Above applies only to containers over 119 gallons or 450

liters.

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Specific target organ toxicity (single or repeated exposure)

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## **US State Regulations**

#### Pennsylvania Right To Know

Corn oil 8001-30-7 Decamethylcyclopentasiloxane 541-02-6

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

### California Prop. 65

WARNING: This product can expose you to chemicals including Formaldehyde, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **California Permissible Exposure Limits for Chemical Contaminants**

Corn oil 8001-30-7

## The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:

HEALTH	1	4
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / C : Ceiling value not be exceeded at any time.

OSHA CARC / PEL : Permissible exposure limit (PEL)

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 9.0 04/14/2025 1078734-00020 Date of first issue: 11/18/2016

OSHA CARC / STEL : Excursion limit US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DOT - Department of Transportation: DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship: RCRA - Resource Conservation and Recovery Act: REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific

according to the OSHA Hazard Communication Standard



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/03/2024

 9.0
 04/14/2025
 1078734-00020
 Date of first issue: 11/18/2016

context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8