according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

#### **SECTION 1. IDENTIFICATION**

Product name : Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 37 McCarville Street

Charlottetown, PE C1E 2A7

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2B

Specific target organ toxicity

- single exposure

Category 1 (Nervous system)

**GHS** label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H315 + H320 Causes skin and eye irritation.

H370 Causes damage to organs (Nervous system).

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves.

Response:

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel

unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue ringing

to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a doctor.

P332 + P313 If skin irritation occurs: Get medical attention. P337 + P313 If eye irritation persists: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Corn oil		8001-30-7	>= 80 - < 100 *
2-(2- Butoxyethoxy)ethyl 6- propylpiperonyl ether	Piperonyl Butox- ide	51-03-6	>= 5 - < 10 *
lambda-cyhalothrin (ISO)	A mixture of: α-cyano-3-phenoxybenzyl (Z)-(1R,3R)-[(S)-3-(2-chloro-3,3,3-trifluoro-prop-1-enyl)]-2,2-dimethylcyclo-propanecarboxylate	91465-08-6	>= 1 - < 5 *

\* Actual concentration or concentration range is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

Harmful if swallowed.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Causes skin and eye irritation. Causes damage to organs.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

according to the Hazardous Products Regulations



## Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 04/14/2025 1366448-00021 Date of first issue: 03/01/2017 5.0

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions** Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation. Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

according to the Hazardous Products Regulations



## Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 04/14/2025 1366448-00021 Date of first issue: 03/01/2017 5.0

Self-reactive substances and mixtures

Organic peroxides

**Explosives** Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Corn oil	8001-30-7	TWAEV (Mist)	10 mg/m³	CA QC OEL	
2-(2-Butoxyethoxy)ethyl 6- propylpiperonyl ether	51-03-6	TWA	4 mg/m3 (OEB 1)	Internal	
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 μg/m3 (OEB 4)	Internal	
	Further information: Skin				
		Wipe limit	50 μg/100 cm <sup>2</sup>	Internal	

### **Engineering measures**

The information below is intended for larger pilot/commercialscale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

#### Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection. Combined particulates and organic vapor type

Filter type

Hand protection

Material Chemical-resistant gloves

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : clear, light yellow

Odor : mild, oily

Odor Threshold : No data available

pH : 6.16

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : 105.5 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

according to the Hazardous Products Regulations



## Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure No data available

Relative vapor density No data available

0.9326 Relative density

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight Not applicable

Particle characteristics

Particle size Not applicable

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known. Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

Inhalation Skin contact

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

Ingestion Eye contact

**Acute toxicity** 

Harmful if swallowed.

**Product:** 

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg

TDLo (Rat): 300 mg/kg

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Components:

Corn oil:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of : L

administration)

LD50 (Rat): 250 - 750 mg/kg Application Route: Intraperitoneal

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

П

Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Species : Rabbit Result : irritating

**Components:** 

Corn oil:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species : Rabbit

Result : Mild eye irritation

Components:

Corn oil:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

**Product:** 

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Dermal

Assessment : Does not cause skin sensitization.

Result : negative

Test Type : Magnusson-Kligman-Test

Routes of exposure : Dermal

Result : Not a skin sensitizer.

Components:

Corn oil:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact Result : negative

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Corn oil:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

according to the Hazardous Products Regulations



## Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: Date of last issue: 12/03/2024 SDS Number: 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

П

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

lambda-cyhalothrin (ISO):

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

#### Carcinogenicity

Not classified based on available information.

### Components:

## 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species Rat Application Route Ingestion : 107 weeks : OECD Test Guideline 451 Exposure time

Method

Result

lambda-cyhalothrin (ISO):

Species : Mouse : oral (fee : 2 Years : negative : Mouse Application Route : oral (feed) Exposure time : negative Result

Remarks Based on data from similar materials

Species : Rat Application Route : oral (feed) Exposure time 2 Years Result : negative

according to the Hazardous Products Regulations



## Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 04/14/2025 1366448-00021 Date of first issue: 03/01/2017 5.0

Remarks Based on data from similar materials

#### Reproductive toxicity

Not classified based on available information.

#### **Components:**

#### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

#### lambda-cyhalothrin (ISO):

Effects on fertility Test Type: Three-generation study

Species: Rat

Application Route: oral (feed)

General Toxicity Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight

Symptoms: Reduced offspring weight gain.

Result: No effects on fertility.

Remarks: Based on data from similar materials

Effects on fetal development Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on fetal development., Reduced maternal

body weight gain., Reduced fetal weight. Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on fetal development., Reduced maternal

body weight gain., Reduced fetal weight. Remarks: Based on data from similar materials

## STOT-single exposure

Causes damage to organs (Nervous system).

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

## **Components:**

#### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Assessment : May cause respiratory irritation.

## lambda-cyhalothrin (ISO):

Target Organs : Nervous system

Assessment : Causes damage to organs.

#### STOT-repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

#### Components:

#### Corn oil:

Species : Rat

NOAEL : > 300 mg/kg Application Route : Ingestion Exposure time : 28 Days

Remarks : Based on data from similar materials

## 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat

NOAEL : 1,323 mg/kg
Application Route : Ingestion
Exposure time : 7 Weeks

## lambda-cyhalothrin (ISO):

Species : Dog
NOAEL : 2.5 mg/kg
LOAEL : 12.5 mg/kg
Application Route : oral (feed)

Exposure time : 90 d

Symptoms : reduced body weight gain, reduced food consumption

Species : Rat

NOAEL : 10 mg/kg

LOAEL : 50 mg/kg

Application Route : Dermal

Exposure time : 21 d

Target Organs : Nervous system

Species : Rat

NOAEL : 0.08 mg/kg LOAEL : 0.9 mg/kg Application Route : Inhalation

Exposure time : 21 d

Target Organs : Nervous system

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

Species : Dog
NOAEL : 0.1 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 1 y

Target Organs : Nervous system

Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia,

Liver effects

#### **Aspiration toxicity**

Not classified based on available information.

#### Experience with human exposure

### **Components:**

#### lambda-cyhalothrin (ISO):

Inhalation : Symptoms: Cough, Local irritation, sneezing

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensa-

tion, Local irritation

Remarks: Can be absorbed through skin.

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

#### Corn oil:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h Method: ISO 7346/1

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

NOELR (Daphnia magna (Water flea)): > 1 mg/l

Toxicity to daphnia and other :

Exposure time: 21 d

aquatic invertebrates (Chronic toxicity)

Test substance: Water Accommodated Fraction

according to the Hazardous Products Regulations



## Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: Date of last issue: 12/03/2024 SDS Number: 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94

mq/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.51 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.18 mg/l

Exposure time: 35 d

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.03 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

lambda-cyhalothrin (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

NOEC (Pimephales promelas (fathead minnow)): 0.000062

mg/l

according to the Hazardous Products Regulations



## Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

Exposure time: 32 d

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

NOEC (Daphnia magna (Water flea)): 0.0035 µg/l

Toxicity to daphnia and other: aquatic invertebrates (Chron-

Exposure time: 21 d

ic toxicity)

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

### Persistence and degradability

#### **Components:**

#### Corn oil:

Result: Readily biodegradable. Biodegradability

Remarks: Based on data from similar materials

#### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301D

#### **Bioaccumulative potential**

#### **Components:**

#### Corn oil:

Partition coefficient: n-: log Pow: > 4

octanol/water Method: OECD Test Guideline 117

#### 2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Partition coefficient: n-: log Pow: 5

octanol/water

## lambda-cyhalothrin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 2,240

Method: OECD Test Guideline 305

Partition coefficient: n-: log Pow: 7.0 (20 °C)

octanol/water

#### Mobility in soil

## **Components:**

#### lambda-cyhalothrin (ISO):

Distribution among environ- : log Koc: 5.5

mental compartments

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-

cyhalothrin (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-

cyhalothrin (ISO))

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-

cyhalothrin (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

according to the Hazardous Products Regulations



## Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**TDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-

cyhalothrin (ISO))

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-

cyhalothrin (ISO))

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

## Full text of other abbreviations

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

according to the Hazardous Products Regulations



# Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 12/03/2024 5.0 04/14/2025 1366448-00021 Date of first issue: 03/01/2017

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8