according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 07/06/2024 04/14/2025 3903444-00020 Date of first issue: 12/10/2018 4.0

SECTION 1. IDENTIFICATION

Product name Albendazole Sulfoxide (1.9%) Formulation

Manufacturer or supplier's details

Company name of supplier Merck & Co., Inc. Address 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone 908-740-4000 Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Not applicable Restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization Category 1

Reproductive toxicity Category 2

single exposure (Oral)

Specific target organ toxicity : Category 2 (Gastrointestinal tract, Central nervous system)

Specific target organ toxicity :

repeated exposure (Oral)

Category 2 (Gastrointestinal tract, Central nervous system, Im-

mune system, Liver)

Other hazards

None known.

GHS label elements

Hazard pictograms





Signal Word Warning

Hazard Statements H317 May cause an allergic skin reaction.

H361d Suspected of damaging the unborn child.

H371 May cause damage to organs (Gastrointestinal tract, Cen-

tral nervous system) if swallowed.

H373 May cause damage to organs (Gastrointestinal tract, Central nervous system, Immune system, Liver) through prolonged

or repeated exposure if swallowed.

Precautionary Statements Prevention:

P201 Obtain special instructions before use.

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07/06/2024
4.0	04/14/2025	3903444-00020	Date of first issue: 12/10/2018

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P308 + P311 IF exposed or concerned: Call a doctor.

P308 + P313 IF exposed or concerned: Get medical attention. P333 + P313 If skin irritation or rash occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.
Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Glycerine	56-81-5*	>= 3 - <= 7	TSC
Albendazole Sulfoxide	54029-12-8*	>= 1 - <= 5	TSC

^{*} Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.

TSC- the actual concentration or concentration range is withheld as a trade secret

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

and effects, both acute a delayed

In case of eye contact

May cause an allergic skin reaction.

Suspected of damaging the unborn child.

May cause damage to organs if swallowed.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation
Advice on safe handling

Use only with adequate ventilation.

Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Albendazole Sulfoxide	54029-12-8	TWA	45 μg/m3 (OEB 3)	Internal

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

II	Further information: DSEN			
		Wipe limit	100 μg/100 cm2	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: 4.0 04/14/2025

SDS Number: 3903444-00020

Date of last issue: 07/06/2024 Date of first issue: 12/10/2018

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Color : white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 07/06/2024 04/14/2025 3903444-00020 Date of first issue: 12/10/2018 4.0

Explosive properties Not explosive

The substance or mixture is not classified as oxidizing. Oxidizing properties

Molecular weight No data available

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Guinea pig): > 5,000 mg/kg Acute dermal toxicity

Albendazole Sulfoxide:

Acute oral toxicity LD50 (Mouse): 1,500 mg/kg

LD50 (Rat): 2,400 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 265 mg/kg

Application Route: Intravenous

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

П

Skin corrosion/irritation

Not classified based on available information.

Components:

Glycerine:

Species : Rabbit

Result : No skin irritation

Albendazole Sulfoxide:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Glycerine:

Species : Rabbit

Result : No eye irritation

Albendazole Sulfoxide:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Test Type : Maximization Test

Routes of exposure : Dermal

Assessment : Probability or evidence of low to moderate skin sensitization

rate in humans

Result : positive

Test Type : Maximization Test

Routes of exposure : Dermal Result : Sensitizer

Germ cell mutagenicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

Components:

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Albendazole Sulfoxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Glycerine:

Species: RatApplication Route: IngestionExposure time: 2 YearsResult: negative

Albendazole Sulfoxide:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 400 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 20 mg/kg body weight

Result : negative

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

Carcinogenicity - Assess- : No evidence of carcinogenicity in animal studies.

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Albendazole Sulfoxide:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 30 mg/kg body weight

Result: No effects on fertility.

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations.,

Maternal toxicity observed.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 5.8 mg/kg body weight

Result: Effects on postnatal development.

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Reproductive toxicity - As-

sessment

: Suspected of damaging the unborn child.

STOT-single exposure

May cause damage to organs (Gastrointestinal tract, Central nervous system) if swallowed.

Components:

Albendazole Sulfoxide:

Routes of exposure : Oral

Target Organs : Gastrointestinal tract, Central nervous system

Assessment : May cause damage to organs.

STOT-repeated exposure

May cause damage to organs (Gastrointestinal tract, Central nervous system, Immune system, Liver) through prolonged or repeated exposure if swallowed.

Components:

Albendazole Sulfoxide:

Routes of exposure : Oral

Target Organs : Gastrointestinal tract, Central nervous system, Immune sys-

tem, Liver

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Glycerine:

 Species
 : Rat

 NOAEL
 : 0.167 mg/l

 LOAEL
 : 0.622 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

Species : Rat

NOAEL : 8,000 - 10,000 mg/kg

Application Route : Ingestion Exposure time : 2 y

Species : Rabbit
NOAEL : 5,040 mg/kg
Application Route : Skin contact
Exposure time : 45 Weeks

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

Albendazole Sulfoxide:

Species : Rat

LOAEL : 168 mg/kg Application Route : Oral Exposure time : 4 Weeks

Target Organs : Gastrointestinal tract, Testis

Symptoms : Diarrhea, Vomiting

Species : Dog LOAEL : 48 mg/kg Application Route : Oral Exposure time : 4 Weeks

Target Organs : Gastrointestinal tract Symptoms : Diarrhea, Vomiting

Species: MouseLOAEL: 40 mg/kgApplication Route: OralExposure time: 3 Months

Target Organs : Blood, Liver, Nose

Symptoms : Hematologic effects, Liver effects

Species : Rat

LOAEL : >= 30 mg/kg
Application Route : Oral
Exposure time : 6 Months
Target Organs : Blood

Symptoms : Hematologic effects

Species : Dog
LOAEL : 40 mg/kg
Application Route : Oral
Exposure time : 6 Months
Target Organs : Blood, Liver

Symptoms : Hematologic effects, Liver effects

Species : Rat

NOAEL : 7 mg/kg

Application Route : Oral

Exposure time : 60 d

Target Organs : Liver, Testis

Symptoms : Liver effects, male reproductive effects

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Albendazole Sulfoxide:

General Information : Symptoms: Allergic reactions, hair loss, Gastrointestinal dis-

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 04/14/2025 3903444-00020 Date of first issue: 12/10/2018 4.0

turbance, Headache, Dizziness

Skin contact Target Organs: Skin

Symptoms: Allergic reactions

Remarks: May cause sensitization by skin contact.

Ingestion Target Organs: Gastrointestinal tract

Symptoms: Gastrointestinal disturbance, Diarrhea, Abdominal

pain

Target Organs: Central nervous system Symptoms: Headache, Dizziness

Target Organs: Liver

Symptoms: liver function change Target Organs: Immune system Symptoms: immune system effects

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Glycerine:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

: NOEC (Pseudomonas putida): > 10,000 mg/l Toxicity to microorganisms

> Exposure time: 16 h Method: DIN 38 412 Part 8

Albendazole Sulfoxide:

Toxicity to fish EC50 (Brachydanio rerio (zebrafish)): 0.042 mg/l

Exposure time: 144 hrs

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.068 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)):

0.024 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

Components:

Glycerine:

Result: Readily biodegradable. Biodegradability

> Biodegradation: 92 % Exposure time: 30 d

Method: OECD Test Guideline 301D

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 07/06/2024 04/14/2025 3903444-00020 Date of first issue: 12/10/2018 4.0

Ш

Bioaccumulative potential

Components:

Glycerine:

Partition coefficient: n-

octanol/water

log Pow: -1.75

Albendazole Sulfoxide:

Partition coefficient: n-

octanol/water

log Pow: 1.27

pH: 7

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Empty containers should be taken to an approved waste Contaminated packaging

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Albendazole Sulfoxide)

Class 9 Ш Packing group 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Albendazole Sulfoxide)

Class 9 Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

964

964

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Albendazole Sulfoxide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Albendazole Sulfoxide)

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171

Marine pollutant : yes(Albendazole Sulfoxide)

Remarks : Above applies only to containers over 119 gallons or 450

liters.

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

 Water
 7732-18-5

 Glycerine
 56-81-5

 Benzoic acid
 65-85-0

California Permissible Exposure Limits for Chemical Contaminants

Glycerine 56-81-5

The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Sub-

according to the OSHA Hazard Communication Standard



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 4.0 04/14/2025 3903444-00020 Date of first issue: 12/10/2018

stances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8