according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 04/14/2025 4150780-00014 Date of first issue: 04/15/2019 4.0

SECTION 1. IDENTIFICATION

Product name Estradiol (with Peanut Oil) Formulation

Manufacturer or supplier's details

Company name of supplier Merck & Co., Inc Address 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation Category 2A

Skin sensitization Category 1

Carcinogenicity : Category 1A

Reproductive toxicity Category 1A

repeated exposure

Specific target organ toxicity : Category 1 (Liver, Bone, Blood, Endocrine system)

Other hazards

None known.

GHS label elements

Hazard pictograms





Signal Word Danger

Hazard Statements H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs (Liver, Bone, Blood, Endocrine

system) through prolonged or repeated exposure.

Precautionary Statements Prevention:

P201 Obtain special instructions before use.

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 12/04/2024

 4.0
 04/14/2025
 4150780-00014
 Date of first issue: 04/15/2019

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention. P333 + P313 If skin irritation or rash occurs: Get medical atten-

tion.

P337 + P313 If eye irritation persists: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before

euse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Peanut oil	8002-03-7*	>= 80 - <= 100	TSC
Benzyl alcohol	100-51-6*	>= 7 - <= 13	TSC
Estradiol	50-28-2*	>= 0.1 - <= 1	TSC

^{*} Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May cause an allergic skin reaction. Causes serious eye irritation.

Most important symptoms and effects, both acute and

delayed

May cause cancer.

May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Personal precautions, protec: :

tive equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
Peanut oil	8002-03-7	TWA (mist - total)	10 mg/m³	NIOSH REL		
		TWA (mist - respirable)	5 mg/m ³	NIOSH REL		
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL		
Estradiol	50-28-2	TWA	0.05 μg/m3 (OEB 5)	Internal		
	Further inform	Further information: Skin				
		Wipe limit	0.5 μg/100 cm ²	Internal		

Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Color : yellow

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.920 g/cm³

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Peanut oil:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Estradiol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute toxicity (other routes of : LD50 (Rat): > 300 mg/kg

administration) Application Route: Subcutaneous

Skin corrosion/irritation

Not classified based on available information.

Components:

Peanut oil:

Species : Rabbit

Result : No skin irritation

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Peanut oil:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Estradiol:

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact Species : Humans Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization

rate in humans

Estradiol:

Routes of exposure : Skin contact Species : Guinea pig

Assessment : Does not cause skin sensitization.

Result : negative

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Germ cell mutagenicity

Not classified based on available information.

Components:

Peanut oil:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Estradiol:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro) Test system: mammalian cells

Result: positive

Test Type: Chromosome aberration test in vitro

Test system: mammalian cells

Result: positive

Test Type: Chromosomal aberration Test system: mammalian cells

Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow

Result: negative

Test Type: Chromosomal aberration

Species: Mouse

Cell type: Bone marrow

Result: negative

Carcinogenicity

May cause cancer.

Components:

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Method : OECD Test Guideline 451

Result : negative

Estradiol:

Species : Mouse
Application Route : Ingestion
Exposure time : 24 Months
LOAEL : 100 µg/kg
Result : positive

Target Organs : female reproductive organs

Species : Rat

Application Route : Subcutaneous Exposure time : 13 weeks

LOAEL : 20 mg/kg body weight

Result : positive

Target Organs : Endocrine system

Carcinogenicity - Assess- : Positive evidence from human epidemiological studies

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP Known to be human carcinogen

Estradiol 50-28-2

(Estrogens, Steroidal)

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Estradiol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Fertility: LOAEL: 0.5 mg/kg body weight

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Result: Effects on fertility.

Test Type: One-generation reproduction toxicity study

Species: Rat

Duration of Single Treatment: 90 d Fertility: LOAEL: 0.69 mg/kg body weight

Result: Effects on fertility.

Test Type: Two-generation study

Species: Mouse Application Route: Oral

Fertility: LOAEL: 0.1 mg/kg body weight

Result: Effects on fertility.

Effects on fetal development: Test Type: Embryo-fetal development

Species: Mouse, female

Application Route: Subcutaneous

Teratogenicity: LOAEL: 4 mg/kg body weight Symptoms: Malformations were observed. Result: positive, Teratogenic effects.

Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Subcutaneous

Teratogenicity: LOAEL: 2.5 µg/kg body weight

Symptoms: Reduced body weight

Result: positive, Embryotoxic effects and adverse effects on

the offspring were detected.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 0.2 mg/kg body weight Symptoms: Early Resorptions / resorption rate., Reduced

number of viable fetuses., Reduced body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - As-

sessment

: May damage fertility. May damage the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Components:

Estradiol:

Target Organs : Liver, Bone, Blood, Endocrine system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Repeated dose toxicity

Components:

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 28 Days

Method : OECD Test Guideline 412

Estradiol:

Species : Rat

LOAEL : >= 0.17 mg/kg
Application Route : Ingestion
Exposure time : 90 d

Target Organs : Mammary gland, Ovary, Uterus (including cervix), Liver, Bone,

Endocrine system, Blood, Testis

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Estradiol:

Inhalation : Symptoms: tingling, Nose bleeding

Skin contact : Symptoms: Skin irritation, Redness, pruritis

Ingestion : Symptoms: Headache, Gastrointestinal disturbance, Dizzi-

ness, Vomiting, Diarrhea, water retention, liver function change, changes in libido, breast tenderness, menstrual irreg-

ularities

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Peanut oil:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

EC50 (Daphnia magna (Water flea)): > 100 mg/l

aquatic invertebrates Exposure time: 48 h

Remarks: Based on data from similar materials

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 04/14/2025 4150780-00014 Date of first issue: 04/15/2019 4.0

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Estradiol:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.7 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): 0.000003 mg/l

Exposure time: 160 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.2 mg/l

Exposure time: 21 d

Toxicity to microorganisms

EC50: > 100 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 100 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

Estradiol:

Biodegradability : Result: rapidly degradable

Biodegradation: 84 % Exposure time: 24 hrs

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-

octanol/water

: log Pow: 1.05

Estradiol:

Partition coefficient: n-

octanol/water

: log Pow: 4.01

Mobility in soil

Components:

Estradiol:

Distribution among environ-

mental compartments

: log Koc: 3.81

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

N.O.S.

(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171

Marine pollutant : yes(Estradiol, 2,6-Di-tert-butyl-p-cresol)

Remarks : Above applies only to containers over 119 gallons or 450

liters.

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization

Carcinogenicity
Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

 Peanut oil
 8002-03-7

 Benzyl alcohol
 100-51-6

 Estradiol
 50-28-2

California Prop. 65

WARNING: This product can expose you to chemicals including Estradiol, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Permissible Exposure Limits for Chemical Contaminants

Peanut oil 8002-03-7

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information


according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

NIOSH REL : USA. NIOSH Recommended Exposure Limits

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concern-

according to the OSHA Hazard Communication Standard



Estradiol (with Peanut Oil) Formulation

Version Revision Date: SDS Number: Date of last issue: 12/04/2024 4.0 04/14/2025 4150780-00014 Date of first issue: 04/15/2019

ing the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8