according to the Hazardous Products Regulations



## Carbimazole Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 04/14/2025 4098646-00017 Date of first issue: 03/22/2019 6.0

### **SECTION 1. IDENTIFICATION**

Carbimazole Formulation Product name Other means of identification Vidalta 10 (A010622)

Vidalta 15 (A011752)

VIDALTA 15 MG TABLETS FOR CATS (66165) VIDALTA 10 MG TABLETS FOR CATS (66158)

### Manufacturer or supplier's details

Company name of supplier Merck & Co., Inc Address 37 McCarville Street

Charlottetown, PE C1E 2A7

Telephone 908-740-4000 Emergency telephone 1-908-423-6000

EHSDATASTEWARD@merck.com E-mail address

#### Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 1A

- repeated exposure

(Dermal)

Specific target organ toxicity : Category 2 (Thyroid, Adrenal gland, Testis)

#### **GHS** label elements

Hazard pictograms



Signal Word Danger

H360 May damage fertility or the unborn child. **Hazard Statements** 

H373 May cause damage to organs (Thyroid, Adrenal gland, Testis) through prolonged or repeated exposure in contact with

skin.

**Precautionary Statements** Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

according to the Hazardous Products Regulations



### Carbimazole Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 04/14/2025 4098646-00017 Date of first issue: 03/22/2019 6.0

P308 + P313 IF exposed or concerned: Get medical attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

#### Other hazards

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

# Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Cellulose	No data availa- ble	9004-34-6	>= 30 - < 60 *
Carbimazole	No data availa- ble	22232-54-8	>= 10 - < 30 *
Talc	Talc (Mg3H2(SiO3)4)	14807-96-6	>= 1 - < 5 *

Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. Contact with dust can cause mechanical irritation or drying of

Most important symptoms and effects, both acute and

delayed

the skin. Dust contact with the eyes can lead to mechanical irritation.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated

according to the Hazardous Products Regulations



## Carbimazole Formulation

Version **Revision Date:** SDS Number: Date of last issue: 07/06/2024 04/14/2025 4098646-00017 Date of first issue: 03/22/2019 6.0

exposure in contact with skin.

First Aid responders should pay attention to self-protection, Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions** Avoid release to the environment.

> Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are

according to the Hazardous Products Regulations



## **Carbimazole Formulation**

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

**Explosives** 

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total	10 mg/m <sup>3</sup>	CA BC OEL
		dust)		
		TWA (respir-	3 mg/m³	CA BC OEL
		able dust		

according to the Hazardous Products Regulations



## Carbimazole Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

		fraction)		
		TWAEV (to- tal dust)	10 mg/m³	CA QC OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
Carbimazole	22232-54-8	TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 μg/100 cm <sup>2</sup>	Internal
Talc	14807-96-6	TWA (Respirable particulates)	2 mg/m³	CA AB OEL
		TWA (Res- pirable)	2 mg/m³	CA BC OEL
		TWA	2 fibres per cubic centimeter	CA ON OEL
		TWA (Respirable fraction)	2 mg/m³	CA ON OEL
		TWAEV (respirable aerosol frac- tion)	2 mg/m³	CA QC OEL
		TWA (Respirable particulate matter)	2 mg/m³	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

according to the Hazardous Products Regulations



## Carbimazole Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : tablet, powder

Color : pink

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

according to the Hazardous Products Regulations



## Carbimazole Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 04/14/2025 4098646-00017 Date of first issue: 03/22/2019 6.0

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

Not applicable Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Stable under normal conditions. Chemical stability

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

Oxidizing agents

products

: No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

#### **Components:**

#### Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

according to the Hazardous Products Regulations



## **Carbimazole Formulation**

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Carbimazole:

Acute oral toxicity : LD50 (Rat): 2,250 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

LD50 (Mouse): 860 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Talc:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Carbimazole:

Remarks : No data available

Talc:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Carbimazole:

Remarks : No data available

Talc:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

according to the Hazardous Products Regulations



### **Carbimazole Formulation**

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

### Respiratory sensitization

Not classified based on available information.

#### **Components:**

Carbimazole:

Remarks : No data available

Talc:

Routes of exposure : Skin contact Species : Humans Result : negative

#### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

#### Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Carbimazole:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: positive

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Subcutaneous

Result: equivocal

Remarks: Based on data from similar materials

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Subcutaneous

Result: negative

Remarks: Based on data from similar materials

Talc:

according to the Hazardous Products Regulations



### **Carbimazole Formulation**

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro

Species: Rat

Application Route: Ingestion

Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

#### Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

#### Carbimazole:

Species : Mouse
Application Route : Oral
Result : positive

Remarks : Based on data from similar materials

Species : Rat
Application Route : Oral
Result : positive

Remarks : Based on data from similar materials

### Talc:

Species : Mouse

Application Route : inhalation (dust/mist/fume)

Exposure time : 2 Years
Result : negative

### Reproductive toxicity

May damage fertility or the unborn child.

#### **Components:**

#### Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

according to the Hazardous Products Regulations



## Carbimazole Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

П

Carbimazole:

Reproductive toxicity - As-

: May damage fertility or the unborn child.

sessment

Talc:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Thyroid, Adrenal gland, Testis) through prolonged or repeated exposure in contact with skip.

posure in contact with skin.

Components: Carbimazole:

Routes of exposure : Skin contact

Target Organs : Thyroid, Adrenal gland, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

**Components:** 

Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg

Application Route : Ingestion Exposure time : 90 Days

Carbimazole:

Species : Rat
LOAEL : 0.5 mg/kg
Application Route : Intraperitoneal
Exposure time : 15 Days
Target Organs : Thyroid

Species : Rat LOAEL : 1.35

LOAEL : 1.35 mg/kg
Application Route : Oral
Exposure time : 8 Weeks
Target Organs : Thyroid, Testis

**Aspiration toxicity** 

Not classified based on available information.

according to the Hazardous Products Regulations



## **Carbimazole Formulation**

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

Experience with human exposure

Components:

Carbimazole:

Ingestion : Symptoms: Rash, hearing loss, Headache, Nausea, hair loss

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Carbimazole:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 120 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.43 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

LC50 (Americamysis): 2.1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 25

ma/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Remarks: Based on data from similar materials

NOEC: > 1,000 mg/l Exposure time: 3 h

Test Type: Respiration inhibition

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



## Carbimazole Formulation

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

Talc:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l

Exposure time: 24 h

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

**Bioaccumulative potential** 

No data available

Mobility in soil

No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

**International Regulations** 

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Carbimazole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Carbimazole)

956

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 956

13 / 16

according to the Hazardous Products Regulations



### **Carbimazole Formulation**

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Carbimazole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

**TDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Carbimazole)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(Carbimazole)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### **SECTION 16. OTHER INFORMATION**

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

according to the Hazardous Products Regulations



## **Carbimazole Formulation**

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA ON OEL / TWA : Time-Weighted Average Limit (TWA

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation. Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Revision Date : 04/14/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

according to the Hazardous Products Regulations



# **Carbimazole Formulation**

Version Revision Date: SDS Number: Date of last issue: 07/06/2024 6.0 04/14/2025 4098646-00017 Date of first issue: 03/22/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8