according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

SECTION 1. IDENTIFICATION

Product name : Cloprostenol (with Propylene Glycol) Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 37 McCarville Street

Charlottetown, PE C1E 2A7

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Propylene glycol	1,2-Propanediol	57-55-6	>= 10 - < 30 *
Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]$ - $(+/-)$ -7- $[2$ - $[4$ - $(3$ -chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate	ble	55028-72-3	>= 0 - < 0.1 *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 5266431-00014 Date of first issue: 11/14/2019 5.0

Get medical attention if symptoms occur.

Wash with water and soap as a precaution. In case of skin contact

Get medical attention if symptoms occur.

Flush eyes with water as a precaution. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Protection of first-aiders

Notes to physician

None known.

No special precautions are necessary for first aid responders.

Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 5266431-00014 Date of first issue: 11/14/2019 5.0

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Use only with adequate ventilation.

Avoid prolonged or repeated contact with skin. Advice on safe handling

> Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
Propylene glycol	57-55-6	exposure) TWA (Va- pour and aerosols)	50 ppm 155 mg/m ³	CA ON OEL
		TWA (aero- sol)	10 mg/m ³	CA ON OEL
Sodium [1α(Z),2β(1E,3R*),3α,5α]-(+/-)- 7-[2-[4-(3-chlorophenoxy)-3- hydroxybut-1-enyl]-3,5-	55028-72-3	TWA	0.01 ug/m3 (OEB 5)	Internal

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

dihydroxycyclopentyl]hept-5- enoate						
	Further information: RSEN, Skin					
		Wipe limit	0.1 ug/100 cm2	Internal		

Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems

are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into

the workplace.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type Hand protection Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Aqueous solution

Color : colorless

Odor : characteristic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : -6 °C

Initial boiling point and boiling

range

99 °C

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.02 - 1.08

Density : No data available

Solubility(ies)

Water solubility : soluble

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 1.56 - 1.62 mm²/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]$ -(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:

Acute oral toxicity : LD50 (Rat): > 25 mg/kg

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of :

administration)

LD50 (Rat): > 50 mg/kg

Application Route: Subcutaneous

LD50 (Rat): > 50 mg/kg

Application Route: Intramuscular

LD50 (Rat): 5 mg/kg

Application Route: Intravenous

Remarks: No mortality observed at this dose.

LD50 (Mouse): 350 mg/kg Application Route: Intramuscular

LD50 (Mouse): 54.7 mg/kg Application Route: Intravenous

TDLo (Monkey): 0.0025 - 0.025 mg/kg Application Route: Intramuscular

Target Organs: Lungs

Symptoms: Diarrhea, Vomiting, Rapid respiration

TDLo (Monkey): 0.0013 mg/kg Application Route: Intramuscular

Target Organs: ovaries

Skin corrosion/irritation

Not classified based on available information.

Components:

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Remarks : Not classified due to lack of data.

Can be absorbed through skin.

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Propylene glycol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Remarks : Not classified due to lack of data.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Propylene glycol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Result : Sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 5266431-00014 Date of first issue: 11/14/2019

Result: negative

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: equivocal

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Remarks : Not classified due to lack of data.

Reproductive toxicity

Not classified based on available information.

Components:

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5.0 06/18/2025 5266431-00014 Date of first issue: 11/14/2019

Result: negative

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: Oral

General Toxicity F1: NOAEL: 0.015 mg/kg body weight

Fertility: NOAEL: > 0.04 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Species: Cattle

Application Route: Intramuscular

General Toxicity Parent: LOAEL: 0.16 µg/kg

Result: positive Remarks: Abortion

Effects on fetal development : Test Type: Development

Species: Rabbit

Application Route: Subcutaneous Teratogenicity: NOAEL: 0.250 µg/kg Result: No teratogenic effects.

Test Type: Development

Species: Rat

Application Route: Oral

Teratogenicity: NOAEL: 100 μg/kg Result: No teratogenic effects.

Reproductive toxicity - As-

sessment

: May damage fertility.

STOT-single exposure

Not classified based on available information.

Components:

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Target Organs : Lungs

Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

Components:

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Target Organs : Ovary

Assessment : Causes damage to organs through prolonged or repeated

exposure.

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

Repeated dose toxicity

Components:

Propylene glycol:

Species : Rat, male

NOAEL : >= 1,700 mg/kg

Application Route : Ingestion

Exposure time : 2 y

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Species : Rat

NOAEL : 0.05 mg/kg
LOAEL : 0.15 mg/kg
Application Route : Oral
Exposure time : 3 Months
Target Organs : Ovary

Species : Rat

LOAEL : 0.0125 mg/kg
Application Route : Subcutaneous
Exposure time : 30 Days
Target Organs : Ovary

Species: MonkeyNOAEL: 0.05 mg/kgLOAEL: 0.15 mg/kgApplication Route: OralExposure time: 3 MonthsTarget Organs: Heart, Testis

Aspiration toxicity

Not classified based on available information.

Components:

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

Not applicable

Experience with human exposure

Components:

Sodium $[1\alpha(Z),2\beta(1E,3R^*),3\alpha,5\alpha]-(+/-)-7-[2-[4-(3-chlorophenoxy)-3-hydroxybut-1-enyl]-3,5-dihydroxycyclopentyl]hept-5-enoate:$

General Information : Target Organs: Uterus (including cervix)

Symptoms: Embryo-fetal toxicity., Fetal mortality., menstrual

irregularities, miscarriage

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 5266431-00014 Date of first issue: 11/14/2019 5.0

Target Organs: Lungs

Symptoms: Asthma, bronchospasm

Target Organs: Lungs Inhalation

Symptoms: bronchospasm, Asthma

Remarks: May cause sensitization of susceptible persons by

inhalation of aerosol or dust.

Target Organs: Uterus (including cervix)

Symptoms: Embryolethal effects., menstrual irregularities

Target Organs: Lungs Skin contact

Symptoms: bronchospasm

Remarks: Can be absorbed through skin. Target Organs: Uterus (including cervix) Symptoms: Embryolethal effects.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propylene glycol:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l

Exposure time: 7 d

: NOEC (Pseudomonas putida): > 20,000 mg/l Toxicity to microorganisms

Exposure time: 18 h

$Sodium\ [1\alpha(Z), 2\beta(1E, 3R^*), 3\alpha, 5\alpha] - (+/-) - 7 - [2 - [4 - (3-chlorophenoxy) - 3-hydroxybut - 1-enyl] - 3, 5-hydroxybut - (-4/-) - ($ dihydroxycyclopentyl]hept-5-enoate:

Ecotoxicology Assessment

Acute aquatic toxicity Toxic effects cannot be excluded

Chronic aquatic toxicity Toxic effects cannot be excluded

Persistence and degradability

Components:

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

Method: Regulation (EC) No. 440/2008, Annex, A.8

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

according to the Hazardous Products Regulations



Cloprostenol (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 5266431-00014 Date of first issue: 11/14/2019

compile the Material Safety

Data Sheet

eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/18/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8