

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version 5.0 Revision Date: 06/18/2025 SDS Number: 5357334-00012 Date of last issue: 04/14/2025
Date of first issue: 12/17/2019

SECTION 1. IDENTIFICATION

Product name : Acetyl Methionine Formulation
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 37 McCarville Street
Charlottetown, PE C1E 2A7
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
N-Acetyl-DL-methionine	2-Acetamido-4-(methylsulfonyl)butanoic acid	1115-47-5	$\geq 10 - < 30$ *
Nicotinamide	3-Pyridinecarboxamide	98-92-0	$\geq 1 - < 5$ *
Caffeine	1H-Purine-2,6-dione, 3,7-dihydro-1,3,7-trimethyl-	58-08-2	$\geq 1 - < 5$ *
Pyridoxine Hydrochloride	3,4-Pyridinedimethanol, 5-hydroxy-6-methyl-, hydro-	58-56-0	$\geq 0.1 - < 1$ *

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

|| chloride

|| * Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	None known.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO _x) Sulfur oxides Chlorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protection	:	Follow safe handling advice (see section 7) and personal
----------------------------------	---	--

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version 5.0 Revision Date: 06/18/2025 SDS Number: 5357334-00012 Date of last issue: 04/14/2025
Date of first issue: 12/17/2019

- tive equipment and emergency procedures protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N-Acetyl-DL-methionine	1115-47-5	TWA	2000 µg/m ³ (OEB 1)	Internal
Pyridoxine Hydrochloride	58-56-0	TWA	OEB 3 (>= 10 <	Internal

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

			100 µg/m3	
--	--	--	-----------	--

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : Colorless to pale yellow

Odor : characteristic

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

Odor Threshold	:	No data available
pH	:	3.30 - 4.30
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	99 °C
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	1.03 - 1.09
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Components:

N-Acetyl-DL-methionine:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 5.25 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials

Nicotinamide:

Acute oral toxicity	:	LD50 (Rat): > 2,500 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat): > 3.8 mg/l Exposure time: 4 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Caffeine:

Acute oral toxicity : LD50 (Rat): 367.7 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.94 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Pyridoxine Hydrochloride:

Acute oral toxicity : LD50 (Rat): 4,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

N-Acetyl-DL-methionine:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Nicotinamide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Caffeine:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Pyridoxine Hydrochloride:

Species : Rabbit
Result : No skin irritation

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Nicotinamide:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 7 days
Method	: OECD Test Guideline 405

Caffeine:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Pyridoxine Hydrochloride:

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

N-Acetyl-DL-methionine:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

Nicotinamide:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Caffeine:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

Pyridoxine Hydrochloride:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

N-Acetyl-DL-methionine:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials

Nicotinamide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative

Caffeine:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: positive

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Pyridoxine Hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Caffeine:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Nicotinamide:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Caffeine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Pyridoxine Hydrochloride:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

N-Acetyl-DL-methionine:

Species	: Rat
NOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

Nicotinamide:

Species	: Rat
NOAEL	: 215 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407

Caffeine:

Species	: Rat, male
NOAEL	: 151 mg/kg
LOAEL	: 271.9 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N-Acetyl-DL-methionine:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOEC (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
----------------------------------	---

Nicotinamide:

Toxicity to fish	: LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 24 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): 560 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: NOEC (Pseudomonas putida): 4,235 mg/l Exposure time: 18 h Method: OECD Test Guideline 209

Caffeine:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): 87 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 182 mg/l Exposure time: 48 h Method: DIN 38412
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC10 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC10 (Pseudomonas putida): 1,530 mg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

Exposure time: 17 h
Method: DIN 38 412 Part 8

Pyridoxine Hydrochloride:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h

Persistence and degradability

Components:

N-Acetyl-DL-methionine:

Biodegradability	:	Result: Readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

Nicotinamide:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 95 % Exposure time: 28 d Method: OECD Test Guideline 301E
------------------	---	---

Caffeine:

Biodegradability	:	Result: Readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

Pyridoxine Hydrochloride:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 94 % Exposure time: 28 d Method: OECD Test Guideline 301E
------------------	---	---

Bioaccumulative potential

Components:

N-Acetyl-DL-methionine:

Partition coefficient: n-octanol/water	:	log Pow: -0.313 Remarks: Calculation
--	---	---

Nicotinamide:

Partition coefficient: n-octanol/water	:	log Pow: -0.38
--	---	----------------

Caffeine:

Partition coefficient: n-octanol/water	:	log Pow: -0.091
--	---	-----------------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

Pyridoxine Hydrochloride:

Partition coefficient: n-octanol/water : log Pow: 4.32

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/18/2025
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Acetyl Methionine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	5357334-00012	Date of first issue: 12/17/2019

context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8