according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 06/20/2025 7677539-00014 Date of first issue: 12/15/2020 3.0

### **SECTION 1. IDENTIFICATION**

Imidocarb Formulation Product name Other means of identification No data available

### Manufacturer or supplier's details

Company name of supplier Merck & Co., Inc 37 McCarville Street Address

Charlottetown, PE C1E 2A7

Telephone 908-740-4000 Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity Category 2

- single exposure (Oral)

Specific target organ toxicity : Category 1 (Central nervous system)

- repeated exposure (Oral)

Specific target organ toxicity : Category 1 (Liver, Kidney)

#### **GHS** label elements

Hazard pictograms



Signal Word Danger

Hazard Statements H361d Suspected of damaging the unborn child.

H370 Causes damage to organs (Central nervous system) if

swallowed.

H372 Causes damage to organs (Liver, Kidney) through pro-

longed or repeated exposure if swallowed.

Precautionary Statements Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 05/09/2025 06/20/2025 7677539-00014 Date of first issue: 12/15/2020 3.0

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P308 + P311 IF exposed or concerned: Call a doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Propylene glycol	1,2-Propanediol	57-55-6	>= 30 - < 60 *
	No data availa- ble	27885-92-3	>= 5 - < 10 *

\* Actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

In case of eye contact

and effects, both acute and

delayed

Suspected of damaging the unborn child. Causes damage to organs if swallowed.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders First Aid responders should pay attention to self-protection,

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 3.0 06/20/2025 7677539-00014 Date of first issue: 12/15/2020

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and

according to the Hazardous Products Regulations



### **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 3.0 06/20/2025 7677539-00014 Date of first issue: 12/15/2020

disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
Propylene glycol	57-55-6	TWA (Va-	50 ppm	CA ON OEL
		pour and	155 mg/m³	
		aerosols)		
		TWA (aero-	10 mg/m <sup>3</sup>	CA ON OEL
		sol)		
Imidocarb	27885-92-3	TWA	55 μg/m3 (OEB 3)	Internal
		Wipe limit	550 μg/100 cm2	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 3.0 06/20/2025 7677539-00014 Date of first issue: 12/15/2020

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type Hand protection

: Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : Colorless to pale yellow

Odor : No data available

Odor Threshold : No data available

pH : 4.0 - 5.5

Melting point/freezing point : No data available

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 3.0 06/20/2025 7677539-00014 Date of first issue: 12/15/2020

Initial boiling point and boiling :

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.900 - 1.100 g/cm<sup>3</sup>

No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 3.0 06/20/2025 7677539-00014 Date of first issue: 12/15/2020

Possibility of hazardous reac- :

tions

: Can react with strong oxidizing agents.

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

### **Components:**

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Imidocarb:

Acute oral toxicity : LD50 (Rat): 1,216 - 1,652 mg/kg

LD50 (Mouse): 544 - 702 mg/kg

LD50 (Rabbit): 317 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of :

administration)

LD50 (Rat): 32.7 mg/kg

Application Route: Intravenous

LD50 (Mouse): 22.3 mg/kg Application Route: Intravenous

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 3.0 06/20/2025 7677539-00014 Date of first issue: 12/15/2020

### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

### Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Imidocarb:

Remarks : No data available

### Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

### Propylene glycol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Imidocarb:

Remarks : No data available

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

### **Components:**

### Propylene glycol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Imidocarb:

Remarks : No data available

### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

#### Propylene glycol:

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 3.0 06/20/2025 7677539-00014 Date of first issue: 12/15/2020

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Imidocarb:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Oral

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Application Route: Oral Result: negative

### Carcinogenicity

Not classified based on available information.

#### **Components:**

# Propylene glycol:

Species : Rat

Application Route : Ingestion

Exposure time : 2 Years

Result : negative

### Imidocarb:

Species : Rat
Application Route : Oral

Exposure time : 104 weeks

LOAEL : 240 mg/kg body weight

Result : negative

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 3.0 06/20/2025 7677539-00014 Date of first issue: 12/15/2020

Target Organs : Mammary gland

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

### Reproductive toxicity

Suspected of damaging the unborn child.

#### **Components:**

Propylene glycol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Imidocarb:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: LOAEL: 135 mg/kg body weight Result: Adverse neonatal effects.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 45 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 76 mg/kg body weight Result: Effects on fetal development., No teratogenic effects.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 19 mg/kg body weight

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 20 mg/kg body weight

Result: No effects on fetal development.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

according to the Hazardous Products Regulations



### **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 06/20/2025 7677539-00014 Date of first issue: 12/15/2020 3.0

### **STOT-single exposure**

Causes damage to organs (Central nervous system) if swallowed.

#### Components:

#### Imidocarb:

Target Organs : Central nervous system Assessment Causes damage to organs.

### **STOT-repeated exposure**

Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

#### **Components:**

#### Imidocarb:

Target Organs : Liver, Kidney

Assessment : Causes damage to organs through prolonged or repeated

exposure.

#### Repeated dose toxicity

#### Components:

# Propylene glycol:

Species : Rat, male : >= 1,/uu : Ingestion : 2 y NOAEL >= 1,700 mg/kgApplication Route Exposure time

#### Imidocarb:

Species Rat

Species
LOAEL
Application Route
Exposure time
Target Organs 125 mg/kg : Oral 90 Days Target Organs : Liver

Species
NOAEL
LOAEL
Application Route
Exposure time : Rat Species 76 mg/kg : 415 mg/kg : Oral : 90 Days Target Organs : Liver

Species : Dog LOAEL : 5 mg/kg Application Route
Exposure time
Target Organs
Symptoms : Oral : 90 Days : Liver, Kidney

: muscle twitching, Salivation, recumbency, ataxia, splayed legs Symptoms

Species Rat NOAEL 15 mg/kg LOAEL 60 mg/kg

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 06/20/2025 7677539-00014 Date of first issue: 12/15/2020 3.0

Application Route Oral

Exposure time 104 Weeks

Target Organs Liver, Kidney, Blood

Species Monkey NOAEL 5 mg/kg Application Route Oral Exposure time 30 Days

Remarks No significant adverse effects were reported

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### **Components:**

#### Imidocarb:

Inhalation Target Organs: Central nervous system

Symptoms: Salivation, muscle twitching, Tremors, Lachry-

mation, ataxia, lethargy

Remarks: Based on Animal Evidence

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Components:**

# Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other: aguatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l

Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

#### Persistence and degradability

### **Components:**

# Propylene glycol:

Result: Readily biodegradable. Biodegradability

Biodegradation: 98.3 %

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version **Revision Date:** 06/20/2025 3.0

SDS Number: 7677539-00014 Date of last issue: 05/09/2025 Date of first issue: 12/15/2020

Exposure time: 28 d

Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-

log Pow: -1.07

octanol/water Method: Regulation (EC) No. 440/2008, Annex, A.8

Imidocarb:

Partition coefficient: n-

octanol/water

log Pow: 3.88

Mobility in soil

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**UNRTDG** 

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

Not regulated as a dangerous good

Special precautions for user

Not applicable

according to the Hazardous Products Regulations



### **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 06/20/2025 7677539-00014 Date of first issue: 12/15/2020 3.0

#### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:

DSL not determined

**AICS** not determined

**IECSC** not determined

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

CA ON OEL Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA ON OEL / TWA Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

compile the Material Safety

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

according to the Hazardous Products Regulations



# **Imidocarb Formulation**

Version Revision Date: SDS Number: Date of last issue: 05/09/2025 3.0 06/20/2025 7677539-00014 Date of first issue: 12/15/2020

Data Sheet cy, http://echa.europa.eu/

Revision Date : 06/20/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8