according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 3.0 04/14/2025 5918679-00013 Date of first issue: 05/20/2020

SECTION 1. IDENTIFICATION

Product name : Dihydrostreptomycin Sulfate Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 37 McCarville Street

Charlottetown, PE C1E 2A7

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A

Specific target organ toxicity

- repeated exposure (Oral)

: Category 1 (ear, Kidney, inner ear)

GHS label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H319 Causes serious eye irritation.

H372 Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection and face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P314 Get medical attention if you feel unwell.

P337 + P313 If eye irritation persists: Get medical attention.

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 3.0 04/14/2025 5918679-00013 Date of first issue: 05/20/2020

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Dihydrostreptomycin sulphate	, ,		>= 30 - < 60 *
	Disulfurous acid, sodium salt (1:2)	7681-57-4	>= 1 - < 5 *

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

te and

Causes serious eye irritation.
Causes damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 3.0 04/14/2025 5918679-00013 Date of first issue: 05/20/2020

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Sulfur oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 3.0 04/14/2025 5918679-00013 Date of first issue: 05/20/2020

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Do not breathe decomposition products.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Dihydrostreptomycin sulphate	5490-27-7	TWA	4 mg/m3 (OEB 1)	
	Further information: OTO			
Sodium metabisulphite	7681-57-4	TWA	5 mg/m³	CA AB OEL
		TWA	5 mg/m³	CA BC OEL
		TWAEV	5 mg/m³	CA QC OEL
		TWA	5 mg/m³	ACGIH

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sulphur dioxide	7446-09-5	TWA	2 ppm 5.2 mg/m³	CA AB OEL
		STEL	5 ppm 13 mg/m³	CA AB OEL
		TWA	2 ppm	CA BC OEL
		STEL	5 ppm	CA BC OEL
		STEL	5 ppm 10.4 mg/m³	CA ON OEL
		TWA	2 ppm 5.2 mg/m ³	CA ON OEL

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version **Revision Date:** SDS Number: Date of last issue: 02/11/2025 04/14/2025 5918679-00013 Date of first issue: 05/20/2020 3.0

TWAEV	2 ppm 5.2 mg/m³	CA QC OEL
STEV	5 ppm 13 mg/m³	CA QC OEL
STEL	0.25 ppm	ACGIH

Engineering measures Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

If adequate local exhaust ventilation is not available or Respiratory protection

> exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Combined particulates and inorganic gas/vapor type

Filter type

Hand protection

Material Chemical-resistant gloves

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance No data available

Color No data available

Odor No data available

Odor Threshold No data available

pН No data available

Melting point/freezing point No data available

Initial boiling point and boiling No data available

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version **Revision Date:** SDS Number: Date of last issue: 02/11/2025 04/14/2025 5918679-00013 Date of first issue: 05/20/2020 3.0

range

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure No data available

No data available Relative vapor density

Relative density No data available

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

No data available Autoignition temperature

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Hazardous decomposition products will be formed at elevated

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 3.0 04/14/2025 5918679-00013 Date of first issue: 05/20/2020

temperatures.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition products

Thermal decomposition : Sulphur dioxide

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Dihydrostreptomycin sulphate:

Acute oral toxicity : LD50 (Rat): 9,000 - 25,000 mg/kg

LD50 Oral (Mouse): 30,000 mg/kg

Sodium metabisulphite:

Acute oral toxicity : LD50 (Rat): 1,540 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium metabisulphite:

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 04/14/2025 5918679-00013 Date of first issue: 05/20/2020 3.0

Serious eve damage/eye irritation

Causes serious eye irritation.

Components:

Sodium metabisulphite:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Sodium metabisulphite:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact : Mouse Species

: OECD Test Guideline 429 Method

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

: Test Type: Chromosome aberration test in vitro Genotoxicity in vitro

Test system: Human lymphocytes

Result: negative

Sodium metabisulphite:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

> cytogenetic assay) Species: Mouse

Application Route: Subcutaneous

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 3.0 04/14/2025 5918679-00013 Date of first issue: 05/20/2020

П

Carcinogenicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 5 mg/kg body weight

Result : negative

Sodium metabisulphite:

Species : Mouse
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Embryo-fetal development

Species: Guinea pig

Application Route: Intramuscular

General Toxicity Maternal: LOAEL: 100 - 200 mg/kg body

weight

Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Maternal toxicity observed., Embryotoxic effects and

adverse effects on the offspring were detected.

Sodium metabisulphite:

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion

Result: negative

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 04/14/2025 5918679-00013 Date of first issue: 05/20/2020 3.0

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Components:

Dihydrostreptomycin sulphate:

Causes damage to organs through prolonged or repeated Assessment

exposure.

Repeated dose toxicity

Components:

Dihydrostreptomycin sulphate:

Species Guinea pig LOAEL 40 mg/kg LOAEL : 40 r
Application Route : Ora
Exposure time : 90 c
Target Organs : ear
Symptoms : hea : Oral : 90 d

Symptoms : hearing loss

: Cat

Species LOAEL Application Route Exposure time Target Organs Symptoms 100 mg/kg Oral : 60 d : ear

Symptoms : ataxia, hearing loss, Reduced body weight

Cat

Species
LOAEL
Application Route
Exposure time 300 mg/kg Oral 21 d Target Organs : ear

Symptoms ataxia, hearing loss, Reduced body weight

Sodium metabisulphite:

Species : Rat : 110 mg/ ; : 220 mg/kg NOAEL LOAEL . ∠∠∪ mg/kg : Ingestion Application Route : 104 Weeks Exposure time

Aspiration toxicity

Not classified based on available information.

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 04/14/2025 5918679-00013 Date of first issue: 05/20/2020 3.0

Experience with human exposure

Components:

Dihydrostreptomycin sulphate:

General Information Symptoms: Erythema, hearing loss, Nausea, Rash, Vomiting,

Headache, hypotension

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sodium metabisulphite:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 178 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 89 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Desmodesmus subspicatus (green algae)): 43.8 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 33.3 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): >= 316 mg/l

Exposure time: 34 d

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): >= 10 mg/l

Exposure time: 21 d

: EC10 (Pseudomonas putida): 30.8 mg/l Toxicity to microorganisms

Exposure time: 17 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 3.0 04/14/2025 5918679-00013 Date of first issue: 05/20/2020

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

Version Revision Date: SDS Number: Date of last issue: 02/11/2025 3.0 04/14/2025 5918679-00013 Date of first issue: 05/20/2020

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

CA AB OEL / TWA : 8-hour Occupational exposure limit
CA AB OEL / STEL : 15-minute occupational exposure limit

CA BC OEL / TWA : 8-hour time weighted average CA BC OEL / STEL : short-term exposure limit

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA ON OEL / STEL : Short-Term Exposure Limit (STEL)
CA QC OEL / TWAEV : Time-weighted average exposure value

CA QC OEL / STEV : Short-term exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 04/14/2025 Date format : mm/dd/yyyy

according to the Hazardous Products Regulations



Dihydrostreptomycin Sulfate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/11/2025

 3.0
 04/14/2025
 5918679-00013
 Date of first issue: 05/20/2020

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8