

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

SECTION 1. IDENTIFICATION

Product name : Milbemycin Oxime / Lufenuron Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1
Reproductive toxicity : Category 1B
Specific target organ toxicity : Category 1 (Central nervous system)
- repeated exposure
Specific target organ toxicity : Category 1 (Central nervous system, Lungs, Liver, Stomach)
- repeated exposure (Oral)

Other hazards

None known.

GHS label elements

Hazard pictograms	:
Signal Word	: Danger
Hazard Statements	: H317 May cause an allergic skin reaction. H360D May damage the unborn child. H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure. H372 Causes damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.
Precautionary Statements	: Prevention: P201 Obtain special instructions before use.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version 4.0 Revision Date: 06/20/2025 SDS Number: 6365226-00013 Date of last issue: 05/09/2025
Date of first issue: 09/21/2020

P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing dust, fume, gas, mist, vapors or spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Lufenuron (ISO)	103055-07-8*	>= 15 - <= 40	TSC
Polyethylene glycol	25322-68-3*	>= 10 - <= 30	TSC
Cellulose	9004-34-6*	>= 10 - <= 30	TSC
Starch	9005-25-8*	>= 3 - <= 7	TSC
Milbemycin Oxime	129496-10-2*	>= 1 - <= 5	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

In case of skin contact	: Get medical attention. In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x) Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid breathing dust, fume, gas, mist, vapors or spray.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version 4.0 Revision Date: 06/20/2025 SDS Number: 6365226-00013 Date of last issue: 05/09/2025
Date of first issue: 09/21/2020

		exposure)	concentration	
Lufenuron (ISO)	103055-07-8	TWA	200 µg/m ³ (OEB 2)	Internal
	Further information: DSEN			
		Wipe limit	100 µg/100 cm ²	Internal
Polyethylene glycol	25322-68-3	TWA (aero-sol)	10 mg/m ³	US WEEL
Cellulose	9004-34-6	TWA	10 mg/m ³	ACGIH
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
Starch	9005-25-8	TWA	10 mg/m ³	ACGIH
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
Milbemycin Oxime	129496-10-2	TWA	0.1 mg/m ³ (OEB2)	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

II Skin and body protection : aerosols.
Hygiene measures : Work uniform or laboratory coat.
: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: solid
Color	: brown
Odor	: odorless
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: No data available
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 75 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Lufenuron (ISO):

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): 2,350 mg/m³
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Polyethylene glycol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Milbemycin Oxime:

Acute oral toxicity : LD50 (Rat): 532 - 863 mg/kg
LD50 (Mouse): 722 - 946 mg/kg
Acute inhalation toxicity : LC50 (Rat): 1,200 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Components:

Lufenuron (ISO):

Species	: Rabbit
Method	: Draize Test
Result	: No skin irritation

Polyethylene glycol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

Milbemycin Oxime:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Lufenuron (ISO):

Species	: Rabbit
Result	: No eye irritation
Method	: Draize Test

Polyethylene glycol:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Starch:

Species	: Rabbit
Result	: No eye irritation

Milbemycin Oxime:

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Components:

Lufenuron (ISO):

Test Type	: Maximization Test
Species	: Guinea pig
Assessment	: May cause sensitization by skin contact.
Result	: Sensitizer

Polyethylene glycol:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

Starch:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

Milbemycin Oxime:

Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Lufenuron (ISO):

Genotoxicity in vitro	: Test Type: Ames test Result: negative
	Test Type: Mouse Lymphoma Test system: Chinese hamster cells Result: negative
	Test Type: Cytogenetic assay Test system: Chinese hamster ovary cells Result: negative
	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
	Test system: Human lymphocytes Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative
	Test Type: Unscheduled DNA synthesis test (UDS) in testicular cells Species: Rat Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Polyethylene glycol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
-----------------------	---

Cellulose:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

Starch:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Milbemycin Oxime:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Components:

Lufenuron (ISO):

Species	: Rat
Application Route	: Ingestion
Exposure time	: 18 month(s)
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Cellulose:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 72 weeks
Result	: negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage the unborn child.

Components:

Lufenuron (ISO):

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity Parent: NOAEL: 8.3 mg/kg wet weight Early Embryonic Development: NOAEL: 20.9 mg/kg body weight Result: Animal testing did not show any effects on fertility.
----------------------	---

Effects on fetal development	: Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 500 mg/kg body weight Developmental Toxicity: NOAEL: 1,000 mg/kg body weight Symptoms: No adverse effects. Remarks: No significant adverse effects were reported
------------------------------	--

	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion General Toxicity Maternal: NOAEL: 20.9 mg/kg body weight Embryo-fetal toxicity.: 8.3 mg/kg body weight
--	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

	Result: Fetal abnormalities.
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.

Cellulose:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative

Milbemycin Oxime:

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Dog Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative
	: Test Type: Embryo-fetal development Species: Rabbit Application Route: Ingestion Result: negative
	: Test Type: Embryo-fetal development Species: Dog Application Route: Ingestion Result: negative

STOT-single exposure

Not classified based on available information.

Components:

Lufenuron (ISO):

Assessment	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
------------	--

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
Causes damage to organs (Central nervous system, Lungs, Liver, Stomach) through prolonged or repeated exposure if swallowed.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version 4.0 Revision Date: 06/20/2025 SDS Number: 6365226-00013 Date of last issue: 05/09/2025
Date of first issue: 09/21/2020

Components:

Lufenuron (ISO):

Routes of exposure : Oral
Target Organs : Central nervous system, Lungs, Liver, Stomach
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Milbemycin Oxime:

Routes of exposure : Ingestion
Target Organs : Central nervous system
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Lufenuron (ISO):

Species : Rat
NOAEL : 5.34 mg/kg
Application Route : oral (feed)
Exposure time : 4 Months
Target Organs : Central nervous system, digestive system
Symptoms : central nervous system effects

Species : Rat
NOAEL : 1.93 mg/kg
Application Route : oral (feed)
Exposure time : 2 y
Symptoms : central nervous system effects, Convulsions

Species : Mouse
NOAEL : 2.12 mg/kg
Application Route : oral (feed)
Exposure time : 18 Months
Target Organs : Central nervous system, Liver, Prostate
Symptoms : central nervous system effects, Convulsions

Species : Dog
NOAEL : 7.02 mg/kg
Application Route : oral (feed)
Exposure time : 1 y
Target Organs : Central nervous system, Liver, Lungs
Symptoms : Convulsions, Fatality, Irregularities

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Starch:

Species	: Rat
NOAEL	: $\geq 2,000$ mg/kg
Application Route	: Skin contact
Exposure time	: 28 Days
Method	: OECD Test Guideline 410

Milbemycin Oxime:

Species	: Rat
NOAEL	: 3 mg/kg
LOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Symptoms	: Liver disorders, Blood disorders

Species	: Dog
LOAEL	: 8.6 mg/kg
Application Route	: Ingestion
Exposure time	: 3 Days
Symptoms	: Tremors

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Lufenuron (ISO):

General Information	: Remarks: May be harmful if swallowed. May cause neurotoxic effects.
---------------------	--

Milbemycin Oxime:

Ingestion	: Symptoms: Salivation, Convulsions, Diarrhea, Weakness, Vomiting, Tremors, Coma Remarks: Based on Animal Evidence
-----------	--

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Lufenuron (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): $> 73,100$ $\mu\text{g/l}$ Exposure time: 96 h Method: OECD Test Guideline 203 LC50 (Oncorhynchus mykiss (rainbow trout)): $> 29,000$ $\mu\text{g/l}$ Exposure time: 96 h Method: OECD Test Guideline 203 LC50 (Oncorhynchus mykiss (rainbow trout)): 370 $\mu\text{g/l}$
------------------	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

	Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Americamysis): 0.042 µg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 EC50 (Daphnia magna (Water flea)): 0.41 µg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Raphidocelis subcapitata (freshwater green alga)): 209 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Scenedesmus subspicatus): 17 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 80 µg/l Exposure time: 33 d Method: OECD Test Guideline 210 NOEC (Oncorhynchus mykiss (rainbow trout)): 20 µg/l Exposure time: 359 d Method: OECD Test Guideline 229
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 8.38 µg/l Exposure time: 21 d Method: OECD Test Guideline 211 NOEC (Daphnia magna (Water flea)): 90 µg/l Exposure time: 21 d Method: OECD Test Guideline 211 NOEC (Chironomus riparius (harlequin fly)): 2 µg/l Exposure time: 21 d Method: OECD Test Guideline 211

Polyethylene glycol:

Toxicity to fish	: LC50 (Poecilia reticulata (guppy)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
------------------	---

Cellulose:

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	--

Milbemycin Oxime:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.16 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.03 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50: > 87 µg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.01 µg/l

Persistence and degradability

Components:

Polyethylene glycol:

Biodegradability	: Result: rapidly degradable Remarks: Based on data from similar materials
------------------	---

Cellulose:

Biodegradability	: Result: Readily biodegradable.
------------------	----------------------------------

Bioaccumulative potential

Components:

Lufenuron (ISO):

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 28 Method: OECD Test Guideline 305
-----------------	---

Partition coefficient: n-octanol/water	: log Pow: 5.12
--	-----------------

Polyethylene glycol:

Partition coefficient: n-octanol/water	: log Pow: < 3
--	----------------

Milbemycin Oxime:

Bioaccumulation	: Bioconcentration factor (BCF): 440
-----------------	--------------------------------------

Partition coefficient: n-octanol/water	: log Pow: 7
--	--------------

Mobility in soil

Components:

Lufenuron (ISO):

Distribution among environmental compartments	: log Koc: 5.38 Method: OECD Test Guideline 106
---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Milbemycin Oxime, Lufenuron (ISO))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime, Lufenuron (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

49 CFR

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Milbemycin Oxime, Lufenuron (ISO))
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(Milbemycin Oxime, Lufenuron (ISO))
Remarks	: Above applies only to containers over 119 gallons or 450 liters. Above applies only to containers over 119 gallons or 450 liters. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	: Respiratory or skin sensitization Reproductive toxicity Specific target organ toxicity (single or repeated exposure)
-----------------------------	--

SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---

US State Regulations

Pennsylvania Right To Know

Lufenuron (ISO)	103055-07-8
Polyethylene glycol	25322-68-3
Cellulose	9004-34-6
D-Glucose, 4-O-β-D-galactopyranosyl-, monohydrate	64044-51-5
Starch	9005-25-8

California Permissible Exposure Limits for Chemical Contaminants

Cellulose	9004-34-6
-----------	-----------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

Starch

9005-25-8


The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Milbemycin Oxime / Lufenuron Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 05/09/2025
4.0	06/20/2025	6365226-00013	Date of first issue: 09/21/2020

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/20/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8