according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

SECTION 1. IDENTIFICATION

Product name : Amitraz (12.5%) Immersion Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 37 McCarville Street

Charlottetown, PE C1E 2A7

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Specific target organ toxicity

- single exposure

Category 3

Specific target organ toxicity

- repeated exposure

Category 2 (Liver, Central nervous system)

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :







Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H373 May cause damage to organs (Liver, Central nervous

system) through prolonged or repeated exposure.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

P308 + P313 IF exposed or concerned: Get medical attention.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) |
|--|--|------------|-----------------------|
| Solvent naphtha (pe- troleum), light aromatic | | 64742-95-6 | >= 60 - < 80 * |
| Nonylphenol, ethox- ylated | Poly(oxy-1,2- ethanediyl), .alp ha (nonylphenyl)- .omega hydroxy- | 9016-45-9 | >= 10 - < 30 * |
| Amitraz (ISO) | No data availa- ble | 33089-61-1 | >= 10 - < 30 * |

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control center immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

Harmful if swallowed.

May be fatal if swallowed and enters airways.

delayed Causes skin irritation.

Causes serious eye damage. May cause drowsiness or dizziness.

May cause genetic defects.

May cause cancer.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

The et as weet a set is all a set al asset a set is all a

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not use a solid water stream as it may scatter and spread

tire

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases Explosives

Gases

Very acutely toxic substances and mixtures

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|------------|-------------------------------------|--|-----------|
| Solvent naphtha (petroleum), light aromatic | 64742-95-6 | TWA | 200 mg/m³ (total hydrocarbon vapor) | CA AB OEL |
| | | TWA | 200 mg/m³ (total hydrocarbon vapor) | ACGIH |
| Amitraz (ISO) | 33089-61-1 | TWA | 10 μg/m3 (OEB 3) | Internal |
| | | Wipe limit | 1250 µg/100 cm ² | Internal |

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Use explosion-proof electrical, ventilating and lighting

equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is

flammable, which may impact the selection of hand

protection.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light yellow

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 57 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.930 - 1.008 g/cm³

Solubility(ies)

Water solubility : No data available

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/17/2025 6976325-00009 Date of first issue: 11/02/2020 4.0

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature No data available

Decomposition temperature : No data available

Viscosity

: No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Stable under normal conditions. Chemical stability Flammable liquid and vapor.

Possibility of hazardous reac-

tions

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute toxicity estimate: 1,493 mg/kg Acute oral toxicity

Method: Calculation method

Components:

Solvent naphtha (petroleum), light aromatic:

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Nonylphenol, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Amitraz (ISO):

Acute oral toxicity : LD50 (Rat): > 400 mg/kg

LD50 (Mouse): > 1,085 mg/kg

LD50 (Guinea pig): > 400 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 1,600 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Nonylphenol, ethoxylated:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Amitraz (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

Nonylphenol, ethoxylated:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

Amitraz (ISO):

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Solvent naphtha (petroleum), light aromatic:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Nonylphenol, ethoxylated:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Amitraz (ISO):

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

May cause genetic defects.

Components:

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermato-

gonia

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo heritable germ cell mutagenicity

tests in mammals

Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

Amitraz (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Carcinogenicity

May cause cancer.

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Mouse
Application Route : Skin contact
Exposure time : 2 Years
Result : positive

Carcinogenicity - Assess-

ment

: Sufficient evidence of carcinogenicity in animal experiments

Amitraz (ISO):

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : > 10.18 mg/kg body weight

Result : negative

Species : Mouse Exposure time : 2 Years

LOAEL : 2.3 mg/kg body weight

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

Result : positive

Target Organs : Liver, Stomach

Reproductive toxicity

Not classified based on available information.

Components:

Solvent naphtha (petroleum), light aromatic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: inhalation (vapor)

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: inhalation (vapor)

Result: negative

Amitraz (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: > 4.8 mg/kg body weight

Result: No significant adverse effects were reported

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 3 mg/kg body weight Remarks: No significant adverse effects were reported

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Result: Effects on fetal development.

STOT-single exposure

May cause drowsiness or dizziness.

Components:

Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

Components:

Amitraz (ISO):

Target Organs : Liver, Central nervous system

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Species : Rat

LOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Amitraz (ISO):

Species: MouseNOAEL: 3 mg/kgApplication Route: OralExposure time: 90 DaysTarget Organs: Liver

Species : Dog
NOAEL : 0.25 mg/kg
Application Route : Oral
Exposure time : 90 Days

Target Organs : Central nervous system, Liver

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Amitraz (ISO):

Ingestion : Target Organs: Central nervous system

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): 4.5 mg/l

aquatic invertebrates Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l

plants Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5

mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to daphnia and other : N

aquatic invertebrates (Chron-

ic toxicity)

NOELR (Daphnia magna (Water flea)): 2.6 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Nonylphenol, ethoxylated:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic : ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10

plants

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox- : NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/17/2025 6976325-00009 Date of first issue: 11/02/2020 4.0

mq/l

icity) Exposure time: 100 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 28 d

Remarks: Based on data from similar materials

Amitraz (ISO):

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.45 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04

NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01

mg/l

Exposure time: 91 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.00148

mg/l

Exposure time: 32 d

aquatic invertebrates (Chron-

ic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.0011 mg/l

Exposure time: 21 d

Persistence and degradability

Components:

Solvent naphtha (petroleum), light aromatic:

Result: Inherently biodegradable. Biodegradability

Biodegradation: 94 % Exposure time: 25 d

Nonylphenol, ethoxylated:

Biodegradability Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Nonylphenol, ethoxylated:

Partition coefficient: n-

log Pow: 4.48

octanol/water

Amitraz (ISO):

Species: Lepomis macrochirus (Bluegill sunfish) Bioaccumulation

Bioconcentration factor (BCF): 1,333

Partition coefficient: nlog Pow: 5.5

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

octanol/water

Mobility in soil

Components:

Amitraz (ISO):

Distribution among environ-

: log Koc: 3.3

mental compartments

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or

death.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Solvent naphtha (petroleum), light aromatic)

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.

(Solvent naphtha (petroleum), light aromatic)

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo

aircraft)

Packing instruction (passen:

355

366

ger aircraft)

IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

(Solvent naphtha (petroleum), light aromatic, Amitraz (ISO))

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Solvent naphtha (petroleum), light aromatic)

Class : 3
Packing group : III
Labels : 3
ERG Code : 128

Marine pollutant : yes(Amitraz (ISO))

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

ACGIH / TWA : 8-hour, time-weighted average CA AB OEL / TWA : 8-hour Occupational exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

according to the Hazardous Products Regulations



Amitraz (12.5%) Immersion Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 6976325-00009 Date of first issue: 11/02/2020

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/17/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8