

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

SECTION 1. IDENTIFICATION

Product name : Metamizol Injection Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Skin sensitization : Category 1
Reproductive toxicity : Category 2
Specific target organ toxicity : Category 1 (Blood)
- repeated exposure (Oral)

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.

GHS label elements

Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. H317 May cause an allergic skin reaction. H361 Suspected of damaging fertility or the unborn child. H372 Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version 6.0 Revision Date: 06/17/2025 SDS Number: 10558934-00014 Date of last issue: 04/14/2025
Date of first issue: 01/14/2022

P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Metamizol	68-89-3*	$\geq 30 - \leq 60$	TSC
Benzyl alcohol	100-51-6*	$\geq 1 - \leq 5$	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

In case of eye contact	: Thoroughly clean shoes before reuse. If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	: Keep in properly labeled containers. Store locked up. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version 6.0 Revision Date: 06/17/2025 SDS Number: 10558934-00014 Date of last issue: 04/14/2025
Date of first issue: 01/14/2022

Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Metamizol	68-89-3	TWA	3 mg/m3 (OEB 1)	Internal
Benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	colorless
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--

Components:

Metamizol:

Acute oral toxicity	:	LD50 Oral (Rat): 3,000 mg/kg Target Organs: Central nervous system LD50 Oral (Rabbit): 2,150 mg/kg Target Organs: Central nervous system
---------------------	---	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

LD50 Oral (Guinea pig): 1,000 mg/kg
Target Organs: Central nervous system

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Benzyl alcohol:

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Skin contact
Species : Humans
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization rate in humans

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

Germ cell mutagenicity

Not classified based on available information.

Components:

Metamizol:

Genotoxicity in vitro	:	Test Type: Ames test Result: negative
		Test Type: Mutagenicity (in vitro mammalian cytogenetic test) Test system: Chinese hamster lung cells Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative

Benzyl alcohol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Metamizol:

Species	:	Mouse, male
Application Route	:	oral (feed)
Exposure time	:	2 Years
	:	375 mg/kg bw/day
Result	:	negative
Species	:	Mouse, female
Application Route	:	oral (feed)
Exposure time	:	2 Years
	:	442 mg/kg bw/day
Result	:	negative
Species	:	Rat, male
Application Route	:	oral (drinking water)
Exposure time	:	2 Years
	:	150 mg/kg bw/day
Result	:	negative
Species	:	Rat, female
Application Route	:	oral (drinking water)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

Exposure time	: 2 Years
	: 193 mg/kg bw/day
Result	: negative

Benzyl alcohol:

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

Metamizol:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Early Embryonic Development: NOAEL: 100 mg/kg body weight Result: Fetotoxicity., Maternal toxicity observed., May cause adverse reproductive effects. Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Early Embryonic Development: NOAEL: 400 mg/kg body weight Result: Fetotoxicity., Increased resorptions. Test Type: Fertility/early embryonic development Species: Rabbit Application Route: Oral Early Embryonic Development: NOAEL: 25 mg/kg body weight Result: Fetotoxicity., Increased resorptions.
Effects on fetal development	: Test Type: Two-generation study Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 250 mg/kg body weight Result: Maternal toxicity observed., Reduced maternal body

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

weight gain., Reduced maternal food consumption., Reduced number of viable fetuses.

Reproductive toxicity - Assessment : Suspected of damaging fertility. Suspected of damaging the unborn child.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Ingestion
Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Blood) through prolonged or repeated exposure if swallowed.

Components:

Metamizol:

Routes of exposure : Oral
Target Organs : Blood
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Metamizol:

Species : Rat
NOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 28 d
Target Organs : Blood
Symptoms : blood effects

Species : Rat
NOAEL : 150 mg/kg
Application Route : Intravenous
Exposure time : 28 d
Target Organs : Blood
Symptoms : blood effects

Species : Rat
NOAEL : 300 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

Application Route	: Oral
Exposure time	: 26 Weeks
Target Organs	: Blood
Symptoms	: blood effects

Species	: Dog
NOAEL	: 150 mg/kg
Application Route	: Subcutaneous
Exposure time	: 28 d
Target Organs	: Blood
Symptoms	: blood effects

Species	: Dog
NOAEL	: 50 mg/kg
Application Route	: Intravenous
Exposure time	: 28 d
Target Organs	: Blood, Gastrointestinal tract
Symptoms	: blood effects, Salivation, Vomiting

Species	: Dog
NOAEL	: 100 mg/kg
Application Route	: Oral
Exposure time	: 26 Weeks
Target Organs	: Blood, Liver, Kidney, spleen
Symptoms	: blood effects

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Metamizol:

Ingestion	: Target Organs: Blood Symptoms: blood effects, Bloody urine, Diarrhea, Nausea, Rash, hypotension
-----------	--

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Metamizol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
------------------	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

	Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 47 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Raphidocelis subcapitata (freshwater green alga)): > 50.8 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10 (Daphnia magna (Water flea)): 0.725 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Benzyl alcohol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Persistence and degradability

Components:

Metamizol:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 18 - 23 %
------------------	---

Benzyl alcohol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Metamizol)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Metamizol)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Metamizol)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Metamizol)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Metamizol)
Remarks	:	Above applies only to containers over 119 gallons or 450 liters. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Combustible dust Respiratory or skin sensitization Reproductive toxicity Specific target organ toxicity (single or repeated exposure)
-----------------------------	---	--

SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---	---

US State Regulations

Pennsylvania Right To Know

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

Water	7732-18-5
Metamizol	68-89-3
Benzyl alcohol	100-51-6


The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA	: 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Metamizol Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/17/2025	10558934-00014	Date of first issue: 01/14/2022

Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/17/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8