according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

### **SECTION 1. IDENTIFICATION**

Product name : Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodi-

um Selenate Formulation

Other means of identification : Converge (A010119)

### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 37 McCarville Street

Charlottetown, PE C1E 2A7

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Respiratory sensitization : Sub-category 1B

Skin sensitization : Sub-category 1B

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity

- repeated exposure

Category 1 (Respiratory Tract, Thyroid, Heart, Blood)

Specific target organ toxicity

- repeated exposure (Oral)

Category 2 (Blood, Testis)

### **GHS** label elements

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: Date of last issue: 04/14/2025 SDS Number: 06/17/2025 10813899-00008 Date of first issue: 07/12/2022 4.0

> H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H372 Causes damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure. H373 May cause damage to organs (Blood, Testis) through

prolonged or repeated exposure if swallowed.

Precautionary Statements

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P284 Wear respiratory protection.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P308 + P313 IF exposed or concerned: Get medical attention.

P333 + P313 If skin irritation or rash occurs: Get medical atten-

P342 + P311 If experiencing respiratory symptoms: Call a doc-

P362 + P364 Take off contaminated clothing and wash it before

reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Levamisole hydrochlo- ride	No data availa- ble	16595-80-5	>= 5 - < 10 *
Cobalt disodium eth- ylenediaminetetraace- tate	No data availa- ble	15137-09-4	>= 1 - < 5 *
Benzyl alcohol	Benzenemetha- nol	100-51-6	>= 1 - < 5 *
Citric acid	2- hydroxypro- pane-1,2,3- tricarboxylic acid	77-92-9	>= 1 - < 5 *
Sodium selenate	No data availa- ble	13410-01-0	>= 0.1 - < 1 *
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	No data availa- ble	71751-41-2	>= 0.1 - < 0.5 *

<sup>\*</sup> Actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

In case of eye contact

Most important symptoms

delayed

and effects, both acute and

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis,

reactive airways dysfunction syndrome).

Harmful if swallowed.

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

difficulties if inhaled.

Suspected of causing genetic defects.

Suspected of causing cancer.

Suspected of damaging fertility. Suspected of damaging the

unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Oxides of phosphorus Cobalt compounds Nitrogen oxides (NOx)

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: Date of last issue: 04/14/2025 SDS Number: 06/17/2025 10813899-00008 Date of first issue: 07/12/2022 4.0

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Do not get on skin or clothing. Advice on safe handling

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Use only with adequate ventilation.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Already sensitized individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease,

should consult their physician regarding working with

respiratory irritants or sensitizers.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Keep in properly labeled containers. Conditions for safe storage

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Gases

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
		exposure)	concentration	
Levamisole hydrochloride	16595-80-5	TWA	20 μg/m3 (OEB 3)	Internal
	Further inform			
		Wipe limit	200 μg/100 cm <sup>2</sup>	Internal
Sodium selenate	13410-01-0	TWA	20 μg/m3 (OEB 3)	Internal
		Wipe limit	200 µg/100 cm <sup>2</sup>	Internal
		TWA	0.2 mg/m³ (selenium)	CA AB OEL
		TWAEV	0.2 mg/m³ (selenium)	CA QC OEL
		TWA	0.1 mg/m³ (selenium)	CA BC OEL
		TWA	0.2 mg/m³ (selenium)	ACGIH
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	15 μg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Hand protection

Combined particulates and organic vapor type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : suspension

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

# **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### **Acute toxicity**

Harmful if swallowed.

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 935.59 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Levamisole hydrochloride:

Acute oral toxicity : LD50 (Rat): 180 mg/kg

LD50 (Mouse): 223 mg/kg

LD50 (Rabbit): 458 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Cobalt disodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Citric acid:

Acute oral toxicity : LD50 (Mouse): 5,400 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Sodium selenate:

Acute oral toxicity : LD50 (Rat): > 5 - 50 mg/kg

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.052 - 0.51 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg

LD50 (Mouse): 10 mg/kg

LDLo (Monkey): 24 mg/kg

Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg

LD50 (Rabbit): 2,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

### Levamisole hydrochloride:

Remarks : No data available

### Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Citric acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

#### Sodium selenate:

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Result : Skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Levamisole hydrochloride:

Remarks : No data available

Cobalt disodium ethylenediaminetetraacetate:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Citric acid:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Sodium selenate:

Species : Bovine cornea

Method : OECD Test Guideline 437

Result : No eye irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : Mild eye irritation

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

### Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### **Components:**

#### Levamisole hydrochloride:

Remarks : No data available

### Cobalt disodium ethylenediaminetetraacetate:

Routes of exposure : inhalation (dust/mist/fume)

Species : Humans Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate respiratory

sensitization rate in humans

Benzyl alcohol:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact
Species : Humans
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitization

rate in humans

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximization Test Routes of exposure : Skin contact

Result : Not a skin sensitizer.

# Germ cell mutagenicity

Suspected of causing genetic defects.

#### **Components:**

### Levamisole hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

### Cobalt disodium ethylenediaminetetraacetate:

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: positive

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Remarks: Based on data from similar materials

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Remarks: Based on data from similar materials

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Citric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

Test Type: in vitro micronucleus test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Sodium selenate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Test Type: Alkaline elution assay

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Suspected of causing cancer.

**Components:** 

Levamisole hydrochloride:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 80 mg/kg body weight

Remarks : No significant adverse effects were reported

Species : Rat Application Route : Oral

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

Exposure time : 2 Years

NOAEL : 40 mg/kg body weight

Remarks : No significant adverse effects were reported

### Cobalt disodium ethylenediaminetetraacetate:

Species : Rat

Application Route : inhalation (dust/mist/fume)

Exposure time : 105 weeks Result : positive

Remarks : Based on data from similar materials

Species : Mouse

Application Route : inhalation (dust/mist/fume)

Exposure time : 105 weeks Result : positive

Remarks : Based on data from similar materials

Carcinogenicity - Assess- : Limited evidence of carcinogenicity in animal studies

ment Remarks: Based on data from similar materials

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

### **Components:**

#### Levamisole hydrochloride:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

**Application Route: Oral** 

Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 20 mg/kg body weight

Result: Fetotoxicity.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

#### Cobalt disodium ethylenediaminetetraacetate:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

Species: Mouse

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

Species: Mouse

Application Route: inhalation (dust/mist/fume)

Result: positive

Remarks: Based on data from similar materials

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: inhalation (dust/mist/fume)

Result: positive

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

Remarks: Based on data from similar materials

### Benzyl alcohol:

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development: Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Citric acid:

Effects on fetal development : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Sodium selenate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility

Species: Rat, male Application Route: Oral Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: NOAEL: 0.12 mg/kg body

weight

Result: Fetotoxicity.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight Developmental Toxicity: NOAEL: 0.2 mg/kg body weight

Result: Cleft palate

Remarks: Adverse developmental effects were observed

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 2 mg/kg body weight

Result: Cleft palate, Teratogenic effects., Reduced embryonic

survival

Remarks: Adverse developmental effects were observed

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 1.6 mg/kg body weight

Result: Teratogenic effects.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

#### STOT-single exposure

Not classified based on available information.

### **Components:**

### Citric acid:

Assessment : May cause respiratory irritation.

#### STOT-repeated exposure

Causes damage to organs (Respiratory Tract, Thyroid, Heart, Blood) through prolonged or repeated exposure.

May cause damage to organs (Blood, Testis) through prolonged or repeated exposure if swallowed.

#### **Components:**

#### Levamisole hydrochloride:

Target Organs : Blood, Testis

Assessment : May cause damage to organs through prolonged or repeated

exposure.

### Cobalt disodium ethylenediaminetetraacetate:

Routes of exposure : inhalation (dust/mist/fume)

Target Organs : Respiratory Tract

Assessment : Shown to produce significant health effects in animals at con-

centrations of 0.02 mg/l/6h/d or less.

Remarks : Based on data from similar materials

Routes of exposure : Ingestion

Target Organs : Thyroid, Heart, Blood

Assessment : Shown to produce significant health effects in animals at con-

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: Date of last issue: 04/14/2025 SDS Number: 06/17/2025 10813899-00008 Date of first issue: 07/12/2022 4.0

centrations of >10 to 100 mg/kg bw. Remarks Based on data from similar materials

Sodium selenate:

Routes of exposure : Ingestion

Assessment Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure : Ingestion

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

**Components:** 

Levamisole hydrochloride:

Species Rat NOAEL : 2.5 mg/kg Application Route : Oral Exposure time : 18 Months Target Organs Testis

Species Dog LOAEL : 20 mg/kg Application Route Oral Exposure time 18 Months Target Organs Blood

**Species** Dog LOAEL 40 mg/kg Application Route Oral Exposure time 3 Months

Cobalt disodium ethylenediaminetetraacetate:

Species Rat

LOAEL > 10 mg/kg Application Route Ingestion Exposure time 90 Days

Remarks Based on data from similar materials

Species Rat

< 0.01 mg/l

LOAEL
Application Route : inhalation (dust/mist/fume)

Exposure time : 13 Weeks

**OECD Test Guideline 413** Method

Based on data from similar materials Remarks

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: Date of last issue: 04/14/2025 SDS Number: 06/17/2025 10813899-00008 Date of first issue: 07/12/2022 4.0

**Species** : Mouse LOAEL < 0.01 mg/l

Application Route : inhalation (dust/mist/fume)
Exposure time : 13 Weeks

: OECD Test Guideline 413 Method

Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Rat NOAEL : 1.072 mg/l

Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days

Method : OECD Test Guideline 412

Citric acid:

Species : Rat

: Rat : 4,000 mg/kg : 8,000 mg/kg : Ingestion NOAEL LOAEL LOAEL
Application Route : 10 Days Exposure time

Sodium selenate:

Species : Rat Species : Rat
NOAEL : 0.4 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks Exposure time

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species Rat NOAEL : 1.5 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Central nervous system
Symptoms : Tremors, ataxia

Symptoms

Species : Mouse

NOAEL : 4.0 mg/kg

Application Route : Oral

Exposure time : 24 Months

Target Organs : Central nervous system

Symptoms : Tremors, ataxia : Mouse

Symptoms : Tremors, ataxia

Species NOAEL LOAEL Application Route Exposure time Target Organs Symptoms : Dog : 0.25 mg/kg : 0.5 mg/kg Oral : 53 Weeks

Central nervous system Tremors, weight loss

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: Date of last issue: 04/14/2025 SDS Number: 06/17/2025 10813899-00008 Date of first issue: 07/12/2022 4.0

Remarks mortality observed

Species Monkey NOAEL 1.0 mg/kg Application Route Oral Exposure time 14 Weeks

Target Organs : Central nervous system

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

Levamisole hydrochloride:

Ingestion Symptoms: Nausea, Vomiting, Headache, Dizziness, hypo-

tension

Cobalt disodium ethylenediaminetetraacetate:

Inhalation Target Organs: Respiratory system

Remarks: Based on data from similar materials

Ingestion Target Organs: Blood

Remarks: Based on data from similar materials

Target Organs: Heart Target Organs: Thyroid

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion Symptoms: May cause, Tremors, Diarrhea, central nervous

system effects, Salivation, tearing

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Components:** 

Levamisole hydrochloride:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): 37.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 64 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Cobalt disodium ethylenediaminetetraacetate:

Toxicity to daphnia and other:

EC50 (Daphnia magna (Water flea)): > 100 mg/l

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: Date of last issue: 04/14/2025 SDS Number: 06/17/2025 10813899-00008 Date of first issue: 07/12/2022 4.0

Toxicity to algae/aquatic ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

plants 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

EC10 (Danio rerio (zebra fish)): > 1 mg/l

Exposure time: 34 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

EC10 (Hyalella azteca (Amphipod)): > 0.01 - 0.1 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Benzyl alcohol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other: aguatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Citric acid:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1,535 mg/l

Exposure time: 24 h

Sodium selenate:

: LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l Toxicity to fish

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

aquatic invertebrates Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Chlamydomonas reinhardtii (green algae)): 245 µg/l

Exposure time: 96 h

NOEC (Chlamydomonas reinhardtii (green algae)): 197 µg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Lepomis macrochirus (Bluegill sunfish)): > 0.01 - 0.1

mg/l

Exposure time: 258 d

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: > 0.1 - 1 mg/l Exposure time: 28 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (activated sludge): 590 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 μg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 μg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 μg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Americamysis): 0.022 µg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 μg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 100

mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l

Exposure time: 32 d

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.03 μg/l

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l

Exposure time: 28 d

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Persistence and degradability

**Components:** 

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

Citric acid:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 % Exposure time: 28 d

Method: OECD Test Guideline 301B

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

**Bioaccumulative potential** 

**Components:** 

Cobalt disodium ethylenediaminetetraacetate:

Partition coefficient: n- : log Pow: -3.86

octanol/water Remarks: Calculation

Benzyl alcohol:

Partition coefficient: n- : log Pow: 1.05

l octanol/water
Citric acid:

Doublition on afficients

Partition coefficient: n- : log Pow: -1.72

octanol/water

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n-

octanol/water

log Pow: 4

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/17/2025 10813899-00008 Date of first issue: 07/12/2022 4.0

### Mobility in soil

#### **Components:**

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

: log Koc: > 3.6

Distribution among environ-

mental compartments

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste Contaminated packaging

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

**UNRTDG** 

**UN** number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class 9 Packing group Ш 9 Labels Environmentally hazardous yes

**IATA-DGR** 

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class 9 Packing group Ш

Labels Miscellaneous

Packing instruction (cargo

aircraft)

ger aircraft)

Packing instruction (passen-964

Environmentally hazardous yes

**IMDG-Code** 

**UN** number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class : 9
Packing group : III
Labels : 9
EmS Code : E-A

EmS Code : F-A, S-F Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

**TDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(abamectin (combination of avermectin B1a and avermectin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

Class : 9
Packing group : III
Labels : 9
ERG Code : 171

Marine pollutant : yes(abamectin (combination of avermectin B1a and avermec-

tin B1b) (ISO), Cobalt disodium ethylenediaminetetraacetate)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10813899-00008 Date of first issue: 07/12/2022

borne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals: ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Revision Date : 06/17/2025 Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the

according to the Hazardous Products Regulations



# Abamectin / Levamisole Hydrochloride / Cobalt EDTA / Sodium Selenate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/14/2025

 4.0
 06/17/2025
 10813899-00008
 Date of first issue: 07/12/2022

SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8