

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

### SECTION 1. IDENTIFICATION

Product name : Chlorhexidine / Glycerine Formulation  
Other means of identification : Hibitane Plus (A3521)

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2B  
Specific target organ toxicity : Category 2 (Liver)  
- repeated exposure

#### GHS label elements

Hazard pictograms	:
Signal Word	: Warning
Hazard Statements	: H320 Causes eye irritation. H373 May cause damage to organs (Liver) through prolonged or repeated exposure.
Precautionary Statements	: <b>Prevention:</b> P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling. <b>Response:</b> P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical attention if you feel unwell. P337 + P313 If eye irritation persists: Get medical attention. <b>Disposal:</b> P501 Dispose of contents and container to an approved waste

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version 3.0      Revision Date: 06/17/2025      SDS Number: 10829217-00009      Date of last issue: 04/14/2025  
Date of first issue: 08/10/2022

|| disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Glycerine	1,2,3-Propanetriol	56-81-5	$\geq 60 - < 80$ *
Chlorhexidine	No data available	55-56-1	$\geq 10 - < 30$ *

|| \* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes eye irritation.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing : None known.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

media

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  
Local/Total ventilation : Use only with adequate ventilation.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version 3.0      Revision Date: 06/17/2025      SDS Number: 10829217-00009      Date of last issue: 04/14/2025  
Date of first issue: 08/10/2022

- Advice on safe handling : Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable mist)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
Chlorhexidine	55-56-1	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapor type
- Hand protection

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution
Color	:	dark blue
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	< 8.5 (20 °C)
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	1.145 - 1.155 (20 °C)
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

##### Chlorhexidine:

Acute oral toxicity : LD50 Oral (Mouse): 1,260 mg/kg  
LD50 Oral (Rabbit): 1,100 mg/kg  
LD50 Oral (Rat): 2,000 mg/kg  
Acute toxicity (other routes of administration) : LD50 (Rat): 21 mg/kg  
Application Route: Intravenous

### Skin corrosion/irritation

Not classified based on available information.

#### Components:

##### Glycerine:

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes eye irritation.

#### Components:

##### Glycerine:

Species : Rabbit  
Result : No eye irritation

##### Chlorhexidine:

Species : Rabbit  
Result : Mild eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

### Respiratory sensitization

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Glycerine:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative

#### Chlorhexidine:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
Genotoxicity in vivo	:	Test Type: dominant lethal test Species: Mouse Result: negative
		Test Type: Cytogenetic assay Species: Hamster Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Glycerine:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

#### Chlorhexidine:

Species	:	Rat
Application Route	:	oral (drinking water)



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

Exposure time	: 2 Years
Frequency of Treatment	: daily
NOAEL	: 38 mg/kg body weight
Result	: negative

Species	: Rat
Application Route	: oral (drinking water)
Exposure time	: 2 Years
Frequency of Treatment	: daily
NOAEL	: 158 mg/kg body weight
Result	: negative

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### **Glycerine:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

##### **Chlorhexidine:**

Effects on fertility	: Species: Rat Fertility: NOAEL: 100 mg/kg body weight
Effects on fetal development	: Species: Rat Developmental Toxicity: NOAEL: 300 mg/kg body weight  Species: Rabbit Developmental Toxicity: NOAEL: 40 mg/kg body weight

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

#### Components:

##### **Chlorhexidine:**

Target Organs	: Liver
Assessment	: May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

### Repeated dose toxicity

#### Components:

##### Glycerine:

Species	: Rat
NOAEL	: 0.167 mg/l
LOAEL	: 0.622 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 13 Weeks

Species	: Rat
NOAEL	: 8,000 - 10,000 mg/kg
Application Route	: Ingestion
Exposure time	: 2 y

Species	: Rabbit
NOAEL	: 5,040 mg/kg
Application Route	: Skin contact
Exposure time	: 45 Weeks

##### Chlorhexidine:

Species	: Rat
NOAEL	: 158 mg/kg
Application Route	: Oral
Exposure time	: 2 y

Species	: Rabbit
LOAEL	: 250 mg/kg
Application Route	: Dermal
Exposure time	: 13 Weeks
Target Organs	: Skin, Liver

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Chlorhexidine:

General Information	: Symptoms: Headache
Inhalation	: Target Organs: Lungs Symptoms: Asthmatic appearance, bronchospasm, discomfort in the chest, upper respiratory tract infection
Ingestion	: Target Organs: Gastrointestinal tract Symptoms: Gastrointestinal disturbance, Gastrointestinal tract damage

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **Glycerine:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8

##### **Chlorhexidine:**

Toxicity to fish	:	(Fish): 2.088 mg/l Exposure time: 96 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.222 mg/l Exposure time: 48 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124 mg/l End point: Growth rate Exposure time: 96 hrs Method: ECOSAR (Ecological Structure Activity Relationships)

#### Persistence and degradability

##### Components:

##### **Glycerine:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92 % Exposure time: 30 d Method: OECD Test Guideline 301D
------------------	---	---

##### **Chlorhexidine:**

Biodegradability	:	Remarks: Not inherently biodegradable.
------------------	---	--

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

### Bioaccumulative potential

#### Components:

##### Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1.75

##### Chlorhexidine:

Partition coefficient: n-octanol/water : log Pow: 4.85

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Chlorhexidine)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Chlorhexidine)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

#### IMDG-Code

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorhexidine)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorhexidine)
Class	:	9
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(Chlorhexidine)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

CA QC OEL / TWA EV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/17/2025  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Chlorhexidine / Glycerine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10829217-00009	Date of first issue: 08/10/2022

---

CA / Z8