

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

SECTION 1. IDENTIFICATION

Product name : Cloxacillin / Ampicillin Formulation
Other means of identification : Bovaclox Dry Cow (A004495)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 37 McCarville Street
Charlottetown, PE C1E 2A7
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Respiratory sensitization : Category 1

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary Statements : **Prevention:**
P261 Avoid breathing vapors.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.
P284 Wear respiratory protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P342 + P311 If experiencing respiratory symptoms: Call a doc-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version 3.0 Revision Date: 06/17/2025 SDS Number: 10843364-00008 Date of last issue: 04/14/2025
Date of first issue: 08/30/2022

tor.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	Paraffinum liquidum	8042-47-5	$\geq 60 - < 80$ *
cloxacillin	No data available	61-72-3	$\geq 10 - < 30$ *
Ampicillin	6-[(Aminophenylacetyl)amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid	69-53-4	$\geq 5 - < 10$ *
Hydroxyaluminum distearate	Aluminum, hydroxybis(octadecanoato- κ O)-	300-92-5	$\geq 1 - < 5$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

In case of eye contact	:	Wash clothing before reuse. Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.
If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Chlorine compounds Nitrogen oxides (NO _x) Sulfur compounds Sulfur oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
---	---	--

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe vapors.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version
3.0

Revision Date:
06/17/2025

SDS Number:
10843364-00008

Date of last issue: 04/14/2025
Date of first issue: 08/30/2022

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m ³	CA AB OEL
		STEL (Mist)	10 mg/m ³	CA AB OEL
		TWAEV (Mist - Inhalable dust)	5 mg/m ³	CA QC OEL
		TWA (Mist)	1 mg/m ³	CA BC OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
cloxacillin	61-72-3	TWA	100 µg/m ³ (OEB 2)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm ²	Internal
Ampicillin	69-53-4	TWA	0.6 mg/m ³ (OEB 2)	Internal
Further information: RSEN				
Hydroxyaluminum distearate	300-92-5	TWA	10 mg/m ³	CA AB OEL
		TWA (Respirable)	1 mg/m ³ (Aluminum)	CA BC OEL
		TWA (Inhalable)	10 mg/m ³	CA BC OEL
		TWA (Respirable)	3 mg/m ³	CA BC OEL
		TWAEV (respirable aerosol fraction)	5 mg/m ³	CA QC OEL
		TWAEV (inhalable dust)	10 mg/m ³	CA QC OEL
		TWAEV (respirable aerosol fraction)	3 mg/m ³	CA QC OEL
		TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	1 mg/m ³ (Aluminum)	ACGIH

Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : | Combined particulates and organic vapor type |
| Hand protection | : | |
| Material | : | Chemical-resistant gloves |
| Eye protection | : | Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|---|---|-------------------|
| Appearance | : | cream |
| Color | : | off-white |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | Not applicable |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	< 30 µm

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

cloxacillin:

Acute oral toxicity	: LD50 (Rat): 5,000 mg/kg LD50 (Mouse): 5,000 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Mouse): 1,117 mg/kg Application Route: Intramuscular LD50 (Mouse): 916 mg/kg Application Route: Intravenous LD50 (Mouse): 1,500 mg/kg Application Route: Subcutaneous LD50 (Rat): 1,660 mg/kg Application Route: Intravenous LD50 (Rat): 4,200 mg/kg Application Route: Subcutaneous

Ampicillin:

Acute oral toxicity	: LD50 (Rat): 10,000 mg/kg LD50 (Mouse): 15,200 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 6,200 mg/kg

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

administration) Application Route: Intravenous

LD50 (Mouse): 4,600 mg/kg
Application Route: Intravenous

Hydroxyaluminum distearate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5.15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Skin corrosion/irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit
Result : No skin irritation

cloxacillin:

Remarks : Not classified due to lack of data.

Hydroxyaluminum distearate:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 431
Remarks : Based on data from similar materials

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439
Remarks : Based on data from similar materials

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species : Rabbit
Result : No eye irritation

cloxacillin:

Remarks : Not classified due to lack of data.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

Hydroxyaluminum distearate:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Remarks	:	Based on data from similar materials

Result	:	No eye irritation
--------	---	-------------------

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

White mineral oil (petroleum):

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

cloxacillin:

Routes of exposure	:	Dermal
Assessment	:	Probability or evidence of skin sensitization in humans
Result	:	positive

Assessment	:	Probability of respiratory sensitization in humans based on animal testing
Result	:	positive

Ampicillin:

Routes of exposure	:	Inhalation
Result	:	Sensitizer

Hydroxyaluminum distearate:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test
-----------------------	---	---

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

Genotoxicity in vivo	: Result: negative
	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	: Species: Mouse
	: Application Route: Intraperitoneal injection
	: Method: OECD Test Guideline 474
	: Result: negative
	: Remarks: Based on data from similar materials

cloxacillin:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	: Result: negative
	: Remarks: Information given is based on data obtained from similar substances.
Genotoxicity in vivo	: Test Type: Micronucleus test
	: Species: Mouse
	: Result: negative
	: Remarks: Information given is based on data obtained from similar substances.

Ampicillin:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	: Result: negative
	: Test Type: In vitro mammalian cell gene mutation test
	: Test system: mouse lymphoma cells
	: Result: negative
	: Test Type: sister chromatid exchange assay
	: Test system: Chinese hamster ovary cells
	: Result: negative
	: Test Type: Chromosomal aberration
	: Test system: Chinese hamster ovary cells
	: Result: negative
	: Test Type: Chromosomal aberration
	: Test system: Human lymphocytes
	: Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test
	: Species: Rat
	: Application Route: Oral
	: Result: negative

Hydroxyaluminum distearate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	: Method: OECD Test Guideline 471
	: Result: negative
	: Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Species	: Rat
Application Route	: Ingestion
Exposure time	: 24 Months
Result	: negative

cloxacillin:

Remarks	: Not classified due to lack of data.
---------	---------------------------------------

Ampicillin:

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
	: 750 mg/kg body weight
Tumor Type	: adrenal, Leukemia, breast tumors

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
	: 3,000 mg/kg body weight
Tumor Type	: Lungs
Remarks	: Benign tumor(s)

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Reproductive toxicity

Not classified based on available information.

Components:

White mineral oil (petroleum):

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact Result: negative
----------------------	--

Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative
------------------------------	---

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

II

cloxacillin:

Effects on fertility	: Test Type: Multi-generation study Species: Rat Application Route: Oral Fertility: NOAEL: 500 mg/kg body weight Result: No effects on fertility., No effects on reproduction parameters.
Effects on fetal development	: Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 100 mg/kg body weight Result: No malformations were observed.
	: Test Type: Development Species: Rabbit Application Route: Intramuscular Developmental Toxicity: NOAEL: 250 mg/kg body weight Result: No effects on fetal development.

Ampicillin:

Effects on fertility	: Test Type: Fertility Species: Guinea pig Target Organs: Uterus (including cervix)
Effects on fetal development	: Test Type: Development Species: Rat Developmental Toxicity: NOAEL: 250 mg/kg body weight Result: No effects on fetal development.

Hydroxyaluminum distearate:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species	: Rat
LOAEL	: 160 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

Species	: Rat
LOAEL	: ≥ 1 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 4 Weeks
Method	: OECD Test Guideline 412

cloxacillin:

Species	: Rat
LOAEL	: 7,000 mg/kg
Application Route	: Intravenous
Exposure time	: 4 Weeks
Symptoms	: Hypoglycemia

Ampicillin:

Species	: Rat
LOAEL	: 3,000 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Symptoms	: Diarrhea

Species	: Mouse
LOAEL	: 2,000 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Symptoms	: Diarrhea

Species	: Rat
LOAEL	: 750 mg/kg
Application Route	: Oral
Exposure time	: 2 y
Target Organs	: Thyroid, forestomach
Symptoms	: Diarrhea, Salivation, decreased activity

Species	: Mouse
LOAEL	: 2,000 mg/kg
Application Route	: Oral
Exposure time	: 2 y
Target Organs	: forestomach
Symptoms	: Ulceration, Inflammation, fungal infections

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

Experience with human exposure

Components:

cloxacillin:

Inhalation	: Remarks: May cause sensitization of susceptible persons.
Skin contact	: Symptoms: Dermatitis Remarks: May irritate skin.
Eye contact	: Remarks: May irritate eyes.
Ingestion	: Symptoms: May cause, Gastrointestinal disturbance, Rash Remarks: May cause sensitization of susceptible persons.

Ampicillin:

Inhalation	: Symptoms: Asthma, Hay fever Remarks: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion	: Symptoms: skin rash, Nausea, Diarrhea, Vomiting, colitis, urticaria

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1,000 mg/l Exposure time: 21 d

Ampicillin:

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 1,000 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): > 100 mg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

aquatic invertebrates	Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae): 190 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Anabaena flos-aquae): 13 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC: 9 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Hydroxyaluminum distearate:

Ecotoxicology Assessment

Chronic aquatic toxicity	: No toxicity at the limit of solubility.
--------------------------	---

Persistence and degradability

Components:

White mineral oil (petroleum):

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d
------------------	---

Ampicillin:

Biodegradability	: Result: rapidly degradable Biodegradation: 35 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

Hydroxyaluminum distearate:

Biodegradability	: Result: Readily biodegradable.
------------------	----------------------------------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version 3.0	Revision Date: 06/17/2025	SDS Number: 10843364-00008	Date of last issue: 04/14/2025 Date of first issue: 08/30/2022
----------------	------------------------------	-------------------------------	---

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

cloxacillin:

Partition coefficient: n-octanol/water : log Pow: 2.44

Ampicillin:

Partition coefficient: n-octanol/water : log Pow: -2.0
pH: 7

Hydroxyaluminum distearate:

Partition coefficient: n-octanol/water : log Pow: 15.088
Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843364-00008	Date of first issue: 08/30/2022

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/17/2025
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8