

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

### SECTION 1. IDENTIFICATION

Product name : Cloxacillin / Ampicillin Formulation  
Other means of identification : Bovaclox Dry Cow (A004495)

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)


Respiratory sensitization : Category 1

Skin sensitization : Category 1

#### Other hazards

None known.

#### GHS label elements

Hazard pictograms	: 
Signal Word	: Danger
Hazard Statements	: H317 May cause an allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Precautionary Statements	: <b>Prevention:</b> P261 Avoid breathing vapors. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves. P285 In case of inadequate ventilation wear respiratory protection.  <b>Response:</b> P302 + P352 IF ON SKIN: Wash with plenty of water.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version 3.0      Revision Date: 06/17/2025      SDS Number: 10843346-00008      Date of last issue: 04/14/2025  
Date of first issue: 08/30/2022

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P342 + P311 If experiencing respiratory symptoms: Call a doctor.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
White mineral oil (petroleum)	8042-47-5*	$\geq 65 - \leq 85$	TSC
cloxacillin	61-72-3*	$\geq 10 - \leq 30$	TSC
Ampicillin	69-53-4*	$\geq 5 - \leq 10$	TSC
Hydroxyaluminum dis-tearate	300-92-5*	$\geq 1 - \leq 5$	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

Most important symptoms and effects, both acute and delayed	: Rinse mouth thoroughly with water. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Chlorine compounds Nitrogen oxides (NO <sub>x</sub> ) Sulfur compounds Sulfur oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version 3.0      Revision Date: 06/17/2025      SDS Number: 10843346-00008      Date of last issue: 04/14/2025  
Date of first issue: 08/30/2022

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapors.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhalable particu-	5 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version 3.0      Revision Date: 06/17/2025      SDS Number: 10843346-00008      Date of last issue: 04/14/2025  
Date of first issue: 08/30/2022

		late matter)		
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
cloxacillin	61-72-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Ampicillin	69-53-4	TWA	0.6 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: RSEN				
Hydroxylaluminum distearate	300-92-5	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	1 mg/m <sup>3</sup> (Aluminum)	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**  
**Material** : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: cream
Color	: off-white
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: Not applicable
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: Not applicable
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	< 30 µm

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	None known.
Incompatible materials	:	None.
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### White mineral oil (petroleum):

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **cloxacillin:**

Acute oral toxicity : LD50 (Rat): 5,000 mg/kg  
LD50 (Mouse): 5,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): 1,117 mg/kg  
Application Route: Intramuscular

LD50 (Mouse): 916 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 1,500 mg/kg  
Application Route: Subcutaneous

LD50 (Rat): 1,660 mg/kg  
Application Route: Intravenous

LD50 (Rat): 4,200 mg/kg  
Application Route: Subcutaneous

### **Ampicillin:**

Acute oral toxicity : LD50 (Rat): 10,000 mg/kg  
LD50 (Mouse): 15,200 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 6,200 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 4,600 mg/kg  
Application Route: Intravenous

### **Hydroxyaluminum distearate:**

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 5.15 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

**White mineral oil (petroleum):**



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

Species	: Rabbit
Result	: No skin irritation

### **cloxacillin:**

Remarks	: Not classified due to lack of data.
---------	---------------------------------------

### **Hydroxyaluminum distearate:**

Species	: reconstructed human epidermis (RhE)
Method	: OECD Test Guideline 431
Remarks	: Based on data from similar materials

Species	: reconstructed human epidermis (RhE)
Method	: OECD Test Guideline 439
Remarks	: Based on data from similar materials

Result	: No skin irritation
--------	----------------------

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **White mineral oil (petroleum):**

Species	: Rabbit
Result	: No eye irritation

### **cloxacillin:**

Remarks	: Not classified due to lack of data.
---------	---------------------------------------

### **Hydroxyaluminum distearate:**

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Remarks	: Based on data from similar materials

Result	: No eye irritation
--------	---------------------

### **Respiratory or skin sensitization**

#### **Skin sensitization**

May cause an allergic skin reaction.

#### **Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### **Components:**

#### **White mineral oil (petroleum):**

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

### **cloxacillin:**

Routes of exposure	: Dermal
Assessment	: Probability or evidence of skin sensitization in humans
Result	: positive

Assessment	: Probability of respiratory sensitization in humans based on animal testing
Result	: positive

### **Ampicillin:**

Routes of exposure	: Inhalation
Result	: Sensitizer

### **Hydroxyaluminum distearate:**

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Remarks	: Based on data from similar materials

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **White mineral oil (petroleum):**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

### **cloxacillin:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained from similar substances.
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative Remarks: Information given is based on data obtained from similar substances.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

### Ampicillin:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative  Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Result: negative  Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative  Test Type: Chromosomal aberration Test system: Human lymphocytes Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Rat Application Route: Oral Result: negative

### Hydroxyaluminum distearate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials  Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
-----------------------	---

### Carcinogenicity

Not classified based on available information.

### Components:

#### White mineral oil (petroleum):

Species	: Rat
Application Route	: Ingestion
Exposure time	: 24 Months
Result	: negative

### cloxacillin:

Remarks	: Not classified due to lack of data.
---------	---------------------------------------

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

### Ampicillin:

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
	: 750 mg/kg body weight
Tumor Type	: adrenal, Leukemia, breast tumors

Species	: Mouse
Application Route	: Oral
Exposure time	: 2 Years
	: 3,000 mg/kg body weight
Tumor Type	: Lungs
Remarks	: Benign tumor(s)

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### White mineral oil (petroleum):

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact Result: negative
----------------------	--

Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative
------------------------------	---

#### cloxacillin:

Effects on fertility	: Test Type: Multi-generation study Species: Rat Application Route: Oral Fertility: NOAEL: 500 mg/kg body weight Result: No effects on fertility., No effects on reproduction parameters.
----------------------	---

Effects on fetal development	: Test Type: Development Species: Rabbit Application Route: Oral
------------------------------	--

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version 3.0      Revision Date: 06/17/2025      SDS Number: 10843346-00008      Date of last issue: 04/14/2025  
Date of first issue: 08/30/2022

Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: No malformations were observed.

Test Type: Development  
Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: NOAEL: 250 mg/kg body weight  
Result: No effects on fetal development.

### Ampicillin:

Effects on fertility : Test Type: Fertility  
Species: Guinea pig  
Target Organs: Uterus (including cervix)

Effects on fetal development : Test Type: Development  
Species: Rat  
Developmental Toxicity: NOAEL: 250 mg/kg body weight  
Result: No effects on fetal development.

### Hydroxyaluminum distearate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

#### White mineral oil (petroleum):

Species : Rat  
LOAEL : 160 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

Species : Rat  
LOAEL :  $\geq 1$  mg/l  
Application Route : inhalation (dust/mist/fume)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

Exposure time	: 4 Weeks
Method	: OECD Test Guideline 412

### **cloxacillin:**

Species	: Rat
LOAEL	: 7,000 mg/kg
Application Route	: Intravenous
Exposure time	: 4 Weeks
Symptoms	: Hypoglycemia

### **Ampicillin:**

Species	: Rat
LOAEL	: 3,000 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Symptoms	: Diarrhea

Species	: Mouse
LOAEL	: 2,000 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Symptoms	: Diarrhea

Species	: Rat
LOAEL	: 750 mg/kg
Application Route	: Oral
Exposure time	: 2 y
Target Organs	: Thyroid, forestomach
Symptoms	: Diarrhea, Salivation, decreased activity

Species	: Mouse
LOAEL	: 2,000 mg/kg
Application Route	: Oral
Exposure time	: 2 y
Target Organs	: forestomach
Symptoms	: Ulceration, Inflammation, fungal infections

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

### **cloxacillin:**

Inhalation	: Remarks: May cause sensitization of susceptible persons.
Skin contact	: Symptoms: Dermatitis Remarks: May irritate skin.
Eye contact	: Remarks: May irritate eyes.
Ingestion	: Symptoms: May cause, Gastrointestinal disturbance, Rash Remarks: May cause sensitization of susceptible persons.

### **Ampicillin:**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

Inhalation	: Symptoms: Asthma, Hay fever Remarks: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Ingestion	: Symptoms: skin rash, Nausea, Diarrhea, Vomiting, colitis, urticaria

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **White mineral oil (petroleum):**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1,000 mg/l Exposure time: 21 d

##### **Ampicillin:**

Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): > 1,000 mg/l Exposure time: 96 h  LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae): 190 µg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Anabaena flos-aquae): 13 µg/l Exposure time: 72 h Method: OECD Test Guideline 201  EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

	Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: > 1,000 mg/l
	Exposure time: 3 h
	Test Type: Respiration inhibition
	Method: OECD Test Guideline 209
	NOEC: 9 mg/l
	Exposure time: 3 h
	Test Type: Respiration inhibition
	Method: OECD Test Guideline 209

### Hydroxyaluminum distearate:

### Ecotoxicology Assessment

Chronic aquatic toxicity	: No toxicity at the limit of solubility.
--------------------------	---

### Persistence and degradability

#### Components:

#### White mineral oil (petroleum):

Biodegradability	: Result: Not readily biodegradable.
	Biodegradation: 31 %
	Exposure time: 28 d

#### Ampicillin:

Biodegradability	: Result: rapidly degradable
	Biodegradation: 35 %
	Exposure time: 28 d
	Method: OECD Test Guideline 301B

#### Hydroxyaluminum distearate:

Biodegradability	: Result: Readily biodegradable.
	Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

#### cloxacillin:

Partition coefficient: n-octanol/water	: log Pow: 2.44
--	-----------------

#### Ampicillin:

Partition coefficient: n-octanol/water	: log Pow: -2.0
--	-----------------



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version 3.0	Revision Date: 06/17/2025	SDS Number: 10843346-00008	Date of last issue: 04/14/2025 Date of first issue: 08/30/2022
----------------	------------------------------	-------------------------------	---

|| octanol/water pH: 7

### Hydroxyaluminum distearate:

|| Partition coefficient: n- : log Pow: 15.088  
|| octanol/water Remarks: Calculation

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Contaminated packaging : Empty containers should be taken to an approved waste  
handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

### Special precautions for user

Not applicable

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Respiratory or skin sensitization

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

White mineral oil (petroleum)	8042-47-5
cloxacillin	61-72-3
Ampicillin	69-53-4
Hydroxyaluminum distearate	300-92-5

#### California List of Hazardous Substances

White mineral oil (petroleum)	8042-47-5
-------------------------------	-----------

#### California Permissible Exposure Limits for Chemical Contaminants

White mineral oil (petroleum)	8042-47-5
Hydroxyaluminum distearate	300-92-5

#### The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation


Version  
3.0

Revision Date:  
06/17/2025

SDS Number:  
10843346-00008

Date of last issue: 04/14/2025  
Date of first issue: 08/30/2022

### NFPA 704:



### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Cloxacillin / Ampicillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
3.0	06/17/2025	10843346-00008	Date of first issue: 08/30/2022

---

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/17/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8