according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

SECTION 1. IDENTIFICATION

Product name : Abamectin (0.6%) Liquid Formulation

Other means of identification : COOPERS MAVERICK POUR ON FOR SHEEP (61710)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Eye irritation : Category 2A

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity

- repeated exposure

Category 2 (Central nervous system)

Other hazards

None known.

GHS label elements

Hazard pictograms





Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H373 May cause damage to organs (Central nervous system)

through prolonged or repeated exposure.

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel

unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention.

P333 + P313 If skin irritation or rash occurs: Get medical atten-

tion.

P337 + P313 If eye irritation persists: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste

disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Polyalkylene oxide deriva- tive of a synthetic alcohol	103818-93-5*	>= 30 - <= 60	TSC
Propylene glycol	57-55-6*	>= 10 - <= 30	TSC
abamectin (combination of avermectin B1a and aver- mectin B1b) (ISO)	71751-41-2*	>= 0.1 - <= 1	TSC
1-[1,3-Bis(hydroxymethyl)- 2,5-dioxoimidazolidin-4-yl]- 1,3-bis(hydroxymethyl)urea	78491-02-8*	>= 0.1 - <= 1	TSC

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/17/2025 10852650-00007 Date of first issue: 09/15/2022 4.0

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

> If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water. May cause an allergic skin reaction.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

Harmful if inhaled.

Suspected of damaging fertility. Suspected of damaging the

unborn child.

May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

^{*} Indicates that the identifier is a CAS No.

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m ³	US WEEL
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	15 μg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear

dark blue

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- :

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 4,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 3.83 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg

LD50 (Mouse): 10 mg/kg

LDLo (Monkey): 24 mg/kg Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg

LD50 (Rabbit): 2,000 mg/kg

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/17/2025 10852650-00007 Date of first issue: 09/15/2022 4.0

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

Acute oral toxicity LD50 (Rat): > 2,000 mg/kg

Method: OPPTS 870.1100

: LD50 (Rabbit): > 2,000 mg/kg Acute dermal toxicity

Method: OPPTS 870.1200

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Polyalkylene oxide derivative of a synthetic alcohol:

Species reconstructed human epidermis (RhE)

Method **OECD Test Guideline 439**

Result : No skin irritation

Propylene glycol:

Species : Rabbit

Method : OECD Test Guideline 404

Result No skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species Rabbit

Result No skin irritation

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

Species Result No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Polyalkylene oxide derivative of a synthetic alcohol:

Species Bovine cornea

Method **OECD Test Guideline 437**

Result : Irritation to eyes, reversing within 21 days

Propylene glycol:

Species Rabbit

Result No eye irritation

Method **OECD Test Guideline 405**

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : Mild eye irritation

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Propylene glycol:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximization Test Routes of exposure : Skin contact

Result : Not a skin sensitizer.

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact Result : positive

Assessment : Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Test Type: Alkaline elution assay

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: positive

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 486

Result: negative

Carcinogenicity

Not classified based on available information.

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

Components:

Propylene glycol:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species: MouseApplication Route: OralExposure time: 93 weeksResult: negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Propylene glycol:

Effects on fertility: Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility

Species: Rat, male Application Route: Oral Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study

Species: Rat

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

Application Route: Oral

Early Embryonic Development: NOAEL: 0.12 mg/kg body

weight

Result: Fetotoxicity.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight Developmental Toxicity: NOAEL: 0.2 mg/kg body weight

Result: Cleft palate

Remarks: Adverse developmental effects were observed

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 2 mg/kg body weight

Result: Cleft palate, Teratogenic effects., Reduced embryonic

survival

Remarks: Adverse developmental effects were observed

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 1.6 mg/kg body weight

Result: Teratogenic effects.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

Effects on fetal development: Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Test Type: Embryo-fetal development

Species: Rat

Application Route: Skin contact

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure : Ingestion

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/17/2025 10852650-00007 Date of first issue: 09/15/2022 4.0

Target Organs Central nervous system

Assessment Causes damage to organs through prolonged or repeated

Repeated dose toxicity

Components:

Propylene glycol:

Species : Rat, male NOAEL : >= 1,700 mg/kgApplication Route : Ingestion Exposure time : 2 y

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species Rat NOAEL 1.5 mg/kg Application Route Oral : 24 Months Exposure time

: Central nervous system Target Organs

Symptoms : Tremors, ataxia

Species NOAEL Application Route Exposure time Target Organs Symptoms Mouse 4.0 mg/kg Oral : 24 Months

: Central nervous system

Symptoms Tremors, ataxia

Species : Dog

NOAEL : 0.25 mg/kg LOAEL : 0.5 mg/kg : Oral : 53 Weeks

LOAEL
Application Route
Exposure time
Target Organs
Symptoms
Remarks : Central nervous system : Tremors, weight loss : mortality observed Remarks

Species Monkey NOAEL 1.0 mg/kg Application Route Oral Exposure time 14 Weeks

Target Organs : Central nervous system

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

Species Rat 200 mg/kg NOAEL : Application Route Ingestion Exposure time 92 Days

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/17/2025 10852650-00007 Date of first issue: 09/15/2022 4.0

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Symptoms: May cause, Tremors, Diarrhea, central nervous Ingestion

system effects, Salivation, tearing

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Polyalkylene oxide derivative of a synthetic alcohol:

Toxicity to fish LC50 : > 1 - 10 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 3.2 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Propylene glycol:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l

aguatic invertebrates (Chronic toxicity)

Exposure time: 7 d

Toxicity to microorganisms

: NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 μg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 μg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 μg/l

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/14/2025 06/17/2025 10852650-00007 Date of first issue: 09/15/2022 4.0

LC50 (Cyprinus carpio (Carp)): 42 µg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Americamysis): 0.022 µg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 μg/l

Exposure time: 48 h

Toxicity to algae/aguatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 100

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

: NOEC (Pimephales promelas (fathead minnow)): 0.52 μg/l

Exposure time: 32 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.03 μg/l

Exposure time: 21 d

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l

Exposure time: 28 d

Toxicity to microorganisms

: EC50: > 1,000 mg/lExposure time: 3 h

Test Type: Respiration inhibition

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

LC50 (Lepomis macrochirus (Bluegill sunfish)): > 67 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 58 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 5.78

mg/l

Exposure time: 72 h

Method: Regulation (EC) No. 440/2008, Annex, C.3

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.6

mq/l

Exposure time: 72 h

Method: Regulation (EC) No. 440/2008, Annex, C.3

: EC50 (activated sludge): 567 mg/l Toxicity to microorganisms

Exposure time: 3 h

Method: OECD Test Guideline 209

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/17/2025 10852650-00007 Date of first issue: 09/15/2022 4.0

Persistence and degradability

Components:

Polyalkylene oxide derivative of a synthetic alcohol:

Biodegradability Result: Readily biodegradable.

Remarks: Based on data from similar materials

Propylene glycol:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 24 % Exposure time: 28 d

Method: Directive 67/548/EEC Annex V, C.4.C.

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: nlog Pow: -1.07

octanol/water Method: Regulation (EC) No. 440/2008, Annex, A.8

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation Bioconcentration factor (BCF): 52

Partition coefficient: nlog Pow: 4

octanol/water

1-[1,3-Bis(hydroxymethyl)-2,5-dioxoimidazolidin-4-yl]-1,3-bis(hydroxymethyl)urea:

Partition coefficient: n-: log Pow: < 0.9

Method: OECD Test Guideline 117 octanol/water

Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environ- : log Koc: > 3.6

mental compartments

Other adverse effects

No data available

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen-

964 964

ger aircraft)

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(abamectin (combination of avermectin B1a and avermectin

B1b) (ISO))

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171

Marine pollutant : yes(abamectin (combination of avermectin B1a and avermec-

tin B1b) (ISO))

Remarks : Above applies only to containers over 119 gallons or 450

liters.

Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Respiratory or skin sensitization

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water 7732-18-5
Polyalkylene oxide derivative of a synthetic alcohol 103818-93-5
Propylene glycol 57-55-6

California Prop. 65

WARNING: This product can expose you to chemicals including abamectin (combination of avermectin B1a and avermectin B1b) (ISO), which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to

according to the OSHA Hazard Communication Standard



Abamectin (0.6%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 4.0 06/17/2025 10852650-00007 Date of first issue: 09/15/2022

50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/17/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8