

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

SECTION 1. IDENTIFICATION

Product name : Kanamycin Acid Sulfate Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION


GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity : Category 1 (Auditory system)
- repeated exposure (Oral)

Other hazards

None known.

GHS label elements

Hazard pictograms	: 
Signal Word	: Danger
Hazard Statements	: H372 Causes damage to organs (Auditory system) through prolonged or repeated exposure if swallowed.
Precautionary Statements	: Prevention: P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Response: P314 Get medical attention if you feel unwell. Disposal: P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.0 Revision Date: 06/17/2025 SDS Number: 11272711-00006 Date of last issue: 04/14/2025
Date of first issue: 09/18/2023

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Kanamycin acid sulfate	64013-70-3*	>= 10 - <= 30	TSC
Phenol	108-95-2*	>= 0.1 - <= 1	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing method : Use extinguishing measures that are appropriate to local cir-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

ods cumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.
for fire-fighters Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Use personal protective equipment.
tive equipment and emer-
gency procedures Follow safe handling advice (see section 7) and personal
protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or
oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages
cannot be contained.

Methods and materials for : Soak up with inert absorbent material.
containment and cleaning up For large spills, provide diking or other appropriate
containment to keep material from spreading. If diked material
can be pumped, store recovered material in appropriate
container.
Clean up remaining materials from spill with suitable
absorbent.
Local or national regulations may apply to releases and
disposal of this material, as well as those materials and items
employed in the cleanup of releases. You will need to
determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding
certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE
CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety
practice, based on the results of the workplace exposure
assessment
Do not eat, drink or smoke when using this product.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.0 Revision Date: 06/17/2025 SDS Number: 11272711-00006 Date of last issue: 04/14/2025
Date of first issue: 09/18/2023

Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Kanamycin acid sulfate	64013-70-3	TWA	100 µg/m ³ (OEB 2)	Internal
Phenol	108-95-2	TWA	5 ppm	ACGIH
		TWA	5 ppm 19 mg/m ³	NIOSH REL
		C	15.6 ppm 60 mg/m ³	NIOSH REL
		TWA	5 ppm 19 mg/m ³	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Phenol	108-95-2	Phenol	Urine	End of shift (As soon as possible after exposure ceases)	250 mg/g creatinine	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : characteristic

Odor Threshold : No data available

pH : 3.5 - 5.5

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.05 - 1.10 g/cm ³
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Kanamycin acid sulfate:

Acute oral toxicity : LD50 (Rat): > 4,000 mg/kg
LD50 (Mouse): 12,000 mg/kg
LD50 (Rabbit): > 3,000 mg/kg

Phenol:

Acute oral toxicity : LD50 (Rat): 650 mg/kg
Method: OECD Test Guideline 401
Acute toxicity estimate (Humans): 140 - 290 mg/kg
Method: Expert judgment

Acute inhalation toxicity : LC0 (Rat): 0.9 mg/l
Exposure time: 8 h
Test atmosphere: dust/mist
Assessment: Corrosive to the respiratory tract.

Acute toxicity estimate (Humans): > 0.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Expert judgment

Acute dermal toxicity : LD50 (Rabbit): 660 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

Acute toxicity estimate (Humans): 300 mg/kg
Method: Expert judgment

Skin corrosion/irritation

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Remarks : No data available

Phenol:

Species : Rabbit
Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Remarks : No data available

Phenol:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Test Type : Maximization Test
Species : Guinea pig
Assessment : Did not cause sensitization on laboratory animals.
Result : negative

Phenol:

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

Germ cell mutagenicity

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Genotoxicity in vitro	:	Test Type: Ames test Result: negative Test Type: mitotic recombination assay Test system: Escherichia coli Result: negative Test Type: DNA Repair Test system: Escherichia coli Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Result: negative

Phenol:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: positive Remarks: Annex VI From 1272/2008
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

Not classified based on available information.

Components:

Phenol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Kanamycin acid sulfate:

Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Intravenous injection Developmental Toxicity: 100 mg/kg body weight Symptoms: No adverse effects.
	Test Type: reproductive and developmental toxicity study Application Route: Intravenous injection Developmental Toxicity: NOAEL: 400 mg/kg body weight Symptoms: No adverse effects. Target Organs: Auditory system Result: Post-natal toxicity
	Test Type: Reproduction/Developmental toxicity screening test Species: Guinea pig Application Route: Intramuscular Developmental Toxicity: NOAEL: > 100 mg/kg body weight Target Organs: Auditory system Remarks: Significant toxicity observed in testing

Phenol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Auditory system) through prolonged or repeated exposure if swallowed.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

Components:

Kanamycin acid sulfate:

Routes of exposure	: Oral
Target Organs	: Auditory system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Phenol:

Target Organs	: Central nervous system, Kidney, Liver, Skin
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Kanamycin acid sulfate:

Species	: Rat
LOAEL	: TDLo = 12000 mg/kg
Application Route	: Intraperitoneal
Exposure time	: 30 d
Target Organs	: Kidney, Ureter, Bladder
Remarks	: Significant toxicity observed in testing

Species	: Dog
LOAEL	: TDLo= 6500 mg/kg
Application Route	: Subcutaneous
Exposure time	: 17 d
Target Organs	: Auditory system, Eye, Kidney, olfactory sense organs
Remarks	: Significant toxicity observed in testing

Species	: Guinea pig
NOAEL	: 100 mg/kg
LOAEL	: > 200 mg/kg
Application Route	: Intramuscular
Exposure time	: 4 Weeks
Target Organs	: Auditory system
Remarks	: Significant toxicity observed in testing

Species	: Rabbit, male
LOAEL	: > 50 mg/kg
Application Route	: Intramuscular
Exposure time	: 30 d
Target Organs	: Auditory system, Kidney
Remarks	: Significant toxicity observed in testing

Phenol:

Species	: Rat
LOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

|| Method : OECD Test Guideline 408

|| Species : Rat
|| NOAEL : ≥ 0.1 mg/l
|| Application Route : inhalation (vapor)
|| Exposure time : 74 Days

|| Species : Rabbit
|| LOAEL : 260 mg/kg
|| Application Route : Skin contact
|| Exposure time : 18 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Kanamycin acid sulfate:

|| General Information : Target Organs: Auditory system
Symptoms: Abdominal pain, altered taste, Dizziness
Remarks: The most common side effects are:
Target Organs: Kidney
Symptoms: Vomiting, skin rash, numbness

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Kanamycin acid sulfate:

|| Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

|| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

|| Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.74 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.31 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (blue-green algae): 0.03 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

	NOEC (blue-green algae): 0.01 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: > 461 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	NOEC: 4.9 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic organisms.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

Phenol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 24.9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 3.1 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Selenastrum capricornutum (green algae)): 61.1 mg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	: NOEC: 0.077 mg/l Exposure time: 60 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 16 d
Toxicity to microorganisms	: IC50 (Nitrosomonas sp.): 21 mg/l Exposure time: 24 h

Persistence and degradability

Components:

Kanamycin acid sulfate:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	--

Phenol:

Biodegradability	: Result: Readily biodegradable.
------------------	----------------------------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

Biodegradation: 62 %
Exposure time: 10 d
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Phenol:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 17.5
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 1.47

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Kanamycin acid sulfate)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Kanamycin acid sulfate)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version 4.0 Revision Date: 06/17/2025 SDS Number: 11272711-00006 Date of last issue: 04/14/2025
Date of first issue: 09/18/2023

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Kanamycin acid sulfate)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Kanamycin acid sulfate)

Class : 9

Packing group : III

Labels : CLASS 9

ERG Code : 171

Marine pollutant : yes(Kanamycin acid sulfate)

Remarks : Above applies only to containers over 119 gallons or 450 liters.
Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	200000

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sulphuric acid	7664-93-9	1000	200000

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Water	7732-18-5
Kanamycin acid sulfate	64013-70-3
Sulphuric acid	7664-93-9
Phenol	108-95-2

The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

	its for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / C	: Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/17/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Kanamycin Acid Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
4.0	06/17/2025	11272711-00006	Date of first issue: 09/18/2023

relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8