

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

### SECTION 1. IDENTIFICATION

Product name : Fipronil (0.4%) Formulation  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use


Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 2  
Eye irritation : Category 2A  
Carcinogenicity : Category 2  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 2 (Thyroid)  
- repeated exposure

#### GHS label elements

Hazard pictograms	: 
Signal Word	: Danger
Hazard Statements	: H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H361d Suspected of damaging the unborn child. H373 May cause damage to organs (Thyroid) through prolonged or repeated exposure.
Precautionary Statements	: <b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read

## Fipronil (0.4%) Formulation

Version 6.0      Revision Date: 06/18/2025      SDS Number: 11396389-00006      Date of last issue: 04/14/2025  
Date of first issue: 05/30/2024

and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Ethanol#	Ethyl alcohol	64-17-5	$\geq 60 - < 80$
2-(2-Butoxyethoxy)ethanol	Butoxydiglycol	112-34-5	$\geq 10 - < 30$ *
Propan-2-ol	Isopropyl alcohol	67-63-0	$\geq 10 - < 30$ *
2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine	Polyvinyl pyrrolidoneiodine	25655-41-8	$\geq 1 - < 5$ *
Fipronil	5-Amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile	120068-37-3	$\geq 0.1 - < 1$ *
tert-Butyl-4-methoxyphenol	Phenol, (1,1-dimethylethyl)-4-methoxy-	25013-16-5	$\geq 0.1 - < 1$ *

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

# Voluntarily-disclosed substance

||\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- |   |   |
|---|---|
| General advice  | : In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.  |
| If inhaled  | : If inhaled, remove to fresh air.<br>Get medical attention.  |
| In case of skin contact                                     | : In case of contact, immediately flush skin with plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse.  |
| In case of eye contact                                      | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention.  |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.   |
| Most important symptoms and effects, both acute and delayed | : There may be delayed neurological effects, including brain oedema.<br>Must not be confused with organophosphorous compounds!<br>Causes serious eye irritation.<br>Suspected of causing cancer.<br>Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : Treat symptomatically and supportively.   |

### SECTION 5. FIRE-FIGHTING MEASURES

- |                                       |   |
|---------------------------------------|---|
| Suitable extinguishing media          | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO2)<br>Dry chemical   |
| Unsuitable extinguishing media        | : High volume water jet   |
| Specific hazards during fire fighting | : Do not use a solid water stream as it may scatter and spread fire.<br>Flash back possible over considerable distance.<br>Vapors may form explosive mixtures with air.<br>Exposure to combustion products may be a hazard to health. |
| Hazardous combustion prod-            | : Carbon oxides   |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

ucts	Nitrogen oxides (NOx) Iodine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water spray jet. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

Advice on safe handling	:	<p>ventilation. Use explosion-proof electrical, ventilating and lighting equipment. Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.</p>
Conditions for safe storage	:	<p>Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.</p>
Materials to avoid	:	<p>Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures which in contact with water emit flammable gases Explosives Gases Very acutely toxic substances and mixtures</p>

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m <sup>3</sup>	CA AB OEL
		STEL	1,000 ppm	CA BC OEL
		STEV	1,000 ppm	CA QC OEL
		STEL	1,000 ppm	ACGIH
2-(2-Butoxyethoxy)ethanol	112-34-5	TWAEV (inhalable fraction and vapour)	10 ppm	CA QC OEL

## Fipronil (0.4%) Formulation

Version 6.0      Revision Date: 06/18/2025      SDS Number: 11396389-00006      Date of last issue: 04/14/2025  
Date of first issue: 05/30/2024

		TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
Propan-2-ol	67-63-0	STEL	400 ppm 984 mg/m <sup>3</sup>	CA AB OEL
		TWA	200 ppm 492 mg/m <sup>3</sup>	CA AB OEL
		TWA	200 ppm	CA BC OEL
		STEL	400 ppm	CA BC OEL
		TWAEV	200 ppm	CA QC OEL
		STEV	400 ppm	CA QC OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Fipronil	120068-37-3	TWA	2 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	20 µg/100 cm <sup>2</sup>	Internal

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

**Engineering measures** : Use explosion-proof electrical, ventilating and lighting equipment.

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

### Personal protective equipment

- |                          |   |   |
|--------------------------|---|---|
| Respiratory protection   | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  |
| Filter type              | : | Combined particulates and organic vapor type  |
| Hand protection          | : |   |
| Material                 | : | Chemical-resistant gloves   |
| Remarks                  | : | Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.  |
| Eye protection           | : | Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  |
| Skin and body protection | : | Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.   |
| Hygiene measures         | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- |   |   |                   |
|---|---|-------------------|
| Appearance                              | : | liquid            |
| Color                                   | : | dark green        |
| Odor                                    | : | No data available |
| Odor Threshold                          | : | No data available |
| pH                                      | : | No data available |
| Melting point/freezing point            | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point                             | : | 15.9 °C           |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	0.83 g/cm <sup>3</sup>
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	3 mm <sup>2</sup> /s
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Highly flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

#### Components:

##### Ethanol:

Acute oral toxicity	:	LD50 (Rat): 10,470 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat, male): 116.9 mg/l Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 (Rabbit): > 15,800 mg/kg

##### 2-(2-Butoxyethoxy)ethanol:

Acute oral toxicity	:	LD50 (Mouse): 2,410 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): 2,764 mg/kg

##### Propan-2-ol:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapor
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

II

### 2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:

Acute oral toxicity	: LD50 (Rat): > 4,640 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2,500 mg/kg

### Fipronil:

Acute oral toxicity	: LD50 (Rat): 92 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.36 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): 354 mg/kg

### tert-Butyl-4-methoxyphenol:

Acute oral toxicity	: LD50 (Rabbit): 2,100 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Ethanol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

#### 2-(2-Butoxyethoxy)ethanol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Mild skin irritation

#### Propan-2-ol:

Species	: Rabbit
Result	: No skin irritation

### 2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

### Fipronil:

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

### tert-Butyl-4-methoxyphenol:

Species	: Rabbit
Result	: Skin irritation

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Ethanol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

#### 2-(2-Butoxyethoxy)ethanol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

#### Propan-2-ol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

#### 2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

#### Fipronil:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

#### tert-Butyl-4-methoxyphenol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Remarks	: Based on data from similar materials

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### Respiratory sensitization

Not classified based on available information.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

### Components:

#### **Ethanol:**

Test Type	: Mouse ear swelling test (MEST)
Routes of exposure	: Skin contact
Species	: Mouse
Result	: negative

#### **2-(2-Butoxyethoxy)ethanol:**

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

#### **Propan-2-ol:**

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

#### **2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:**

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

#### **Fipronil:**

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

#### **tert-Butyl-4-methoxyphenol:**

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Result	: negative

### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Ethanol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
-----------------------	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Ingestion Result: negative

### 2-(2-Butoxyethoxy)ethanol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Ingestion Result: negative

### Propan-2-ol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

### Fipronil:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

Genotoxicity in vivo	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
	:	Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486 Result: negative

### **tert-Butyl-4-methoxyphenol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
	:	Test Type: Chromosome aberration test in vitro Result: negative
	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative

### **Carcinogenicity**

Suspected of causing cancer.

### **Components:**

#### **Propan-2-ol:**

Species	:	Rat
Application Route	:	inhalation (vapor)
Exposure time	:	104 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

#### **Fipronil:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	78 weeks
Method	:	Directive 67/548/EEC, Annex V, B.32.
Result	:	negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	104 weeks
Method	:	Directive 67/548/EEC, Annex V, B.33.
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

### **tert-Butyl-4-methoxyphenol:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	104 weeks
Result	:	positive

Species	:	Hamster, male
Application Route	:	Ingestion
Exposure time	:	24 weeks
Result	:	positive

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies
------------------------------	---	---

### **Reproductive toxicity**

Suspected of damaging the unborn child.

### **Components:**

#### **Ethanol:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
----------------------	---	---

#### **2-(2-Butoxyethoxy)ethanol:**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 415 Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

#### **Propan-2-ol:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

Application Route: Ingestion  
Result: negative

### Fipronil:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### tert-Butyl-4-methoxyphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

### Components:

#### Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

### STOT-repeated exposure

May cause damage to organs (Thyroid) through prolonged or repeated exposure.

### Components:

#### 2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:

Routes of exposure : Ingestion  
Target Organs : Thyroid  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.  
Remarks : Based on data from similar materials

### Fipronil:

Routes of exposure : Ingestion



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

Target Organs	: Central nervous system, Kidney
Assessment	: Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### **Ethanol:**

Species	: Rat
NOAEL	: 1,730 mg/kg
LOAEL	: 3,200 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days

##### **2-(2-Butoxyethoxy)ethanol:**

Species	: Rat
NOAEL	: 250 mg/kg
LOAEL	: 1,000 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

Species	: Rat
NOAEL	: $\geq 0.094$ mg/l
Application Route	: inhalation (vapor)
Exposure time	: 90 Days
Method	: OECD Test Guideline 413

Species	: Rat
NOAEL	: $\geq 2,000$ mg/kg
Application Route	: Skin contact
Exposure time	: 90 Days

##### **Propan-2-ol:**

Species	: Rat
NOAEL	: 12.5 mg/l
Application Route	: inhalation (vapor)
Exposure time	: 104 Weeks

##### **Fipronil:**

Species	: Rabbit
NOAEL	: 5 mg/kg
LOAEL	: 10 mg/kg
Application Route	: Skin contact
Exposure time	: 21 Days
Method	: OECD Test Guideline 410

Species	: Rat, male
NOAEL	: 0.059 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

LOAEL	:	0.019 mg/kg
Application Route	:	Ingestion
Exposure time	:	89 Weeks
Method	:	Directive 67/548/EEC, Annex V, B.33.

### tert-Butyl-4-methoxyphenol:

Species	:	Rat
NOAEL	:	50 mg/kg
LOAEL	:	250 mg/kg
Application Route	:	Ingestion
Exposure time	:	8 Months

### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h  EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l Exposure time: 100 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to microorganisms	:	EC50 (Protozoa): 5,800 mg/l Exposure time: 4 h

##### 2-(2-Butoxyethoxy)ethanol:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201  NOEC (Desmodesmus subspicatus (green algae)): >= 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10: > 1,995 mg/l Exposure time: 30 min

### Propan-2-ol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h

### 2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 6.78 mg/l Exposure time: 96 h Method: DIN 38412
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3.23 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 4.91 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 (activated sludge): 270 mg/l Exposure time: 17 h Method: DIN 38 412 Part 8

### Fipronil:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 85.2 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Mysidopsis bahia (opossum shrimp)): 0.14 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 68 µg/l Exposure time: 96 h Method: OECD Test Guideline 201  NOEC (Desmodesmus subspicatus (green algae)): 40 µg/l Exposure time: 96 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

	Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9 µg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Mysidopsis bahia (opossum shrimp)): 0.0077 µg/l Exposure time: 28 d
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h

### tert-Butyl-4-methoxyphenol:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 1.56 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2.3 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.25 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

### Persistence and degradability

#### Components:

##### Ethanol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
------------------	---

##### 2-(2-Butoxyethoxy)ethanol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 85 % Exposure time: 28 d Method: OECD Test Guideline 301C Remarks: The test was conducted according to guideline
------------------	---

##### Propan-2-ol:

Biodegradability	: Result: rapidly degradable
BOD/COD	: BOD: 1,19 (BOD5)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

COD: 2,23  
BOD/COD: 53 %

### 2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:

Biodegradability : Result: Not readily biodegradable.

### Fipronil:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 47 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0.35

##### 2-(2-Butoxyethoxy)ethanol:

Partition coefficient: n-octanol/water : log Pow: 1

##### Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

### 2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:

Partition coefficient: n-octanol/water : log Pow: < -3.1

### Fipronil:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 321

Partition coefficient: n-octanol/water : log Pow: 4

### tert-Butyl-4-methoxyphenol:

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)  
Bioconcentration factor (BCF): 16 - 21

Partition coefficient: n-octanol/water : log Pow: 2.82  
Method: OECD Test Guideline 117

### Mobility in soil

#### Components:

##### Ethanol:

Distribution among environmental compartments : log Koc: 0.2

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: II
Labels	: 3
Environmentally hazardous	: yes

#### IATA-DGR

UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s. (Ethanol, Propan-2-ol)
Class	: 3
Packing group	: II
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 364
Packing instruction (passenger aircraft)	: 353
Environmentally hazardous	: yes

#### IMDG-Code

UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol, Fipronil)
Class	: 3
Packing group	: II
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: yes

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number	:	UN 1987
Proper shipping name	:	ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
Class	:	3
Packing group	:	II
Labels	:	3
ERG Code	:	127
Marine pollutant	:	yes(Fipronil)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
6.0	06/18/2025	11396389-00006	Date of first issue: 05/30/2024

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/18/2025  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8