according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

SECTION 1. IDENTIFICATION

Product name : MineralFix Formulation
Product code : ProteAQ MineralFix
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 37 McCarville Street

Charlottetown, PE C1E 2A7

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

Precautionary Statements : Prevention:

P280 Wear eye protection and face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER.

Other hazards

Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Magnesium chloride	Magnesium(2+) ion dichloride	7786-30-3	>= 10 - < 30 *
Calcium chloride	Calcium dichlo- ride	10043-52-4	>= 10 - < 30 *
Silica gel, precipitated, crystalline free	Amorphous precipitated silica	112926-00-8	>= 1 - < 5 *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed DO NOT induce vomiting

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Contact with dust can cause mechanical irritation or drying of

Most important symptoms and effects, both acute and

delayed

the skin.
Causes serious eye damage.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

 Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Hazardous combustion prod-

ucts

Metal oxides

Chlorine compounds

Sulfur oxides
Silicon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation

Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.

Do not swallow. Do not get in eyes.

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
Magnesium chloride	7786-30-3	exposure) TWA	concentration OEB 2 (>= 100 <	Internal
wagnesium chloride	7700-30-3	IVVA	1000 μg/m3)	IIILEITIAI
Calcium chloride	10043-52-4	TWA	5 mg/m ³	CA ON OEL
Silica gel, precipitated, crystalline free	112926-00-8	TWA (Respirable)	1.5 mg/m³	CA BC OEL
		TWA (Total)	4 mg/m ³	CA BC OEL

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white, beige

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Magnesium chloride:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: The test was conducted according to guideline

Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: The test was conducted according to guideline

Based on data from similar materials

Calcium chloride:

Acute oral toxicity : LD50 (Rat): 2,120 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Silica gel, precipitated, crystalline free:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.69 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Magnesium chloride:

Species : reconstructed human epidermis (RhE)
Method : Regulation (EC) No. 440/2008, Annex, B.46

Remarks : The test was conducted equivalent or similar to guideline

Based on data from similar materials

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Result : No skin irritation

Calcium chloride:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Silica gel, precipitated, crystalline free:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Magnesium chloride:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : The test was conducted according to guideline

Based on data from similar materials

Calcium chloride:

Species : Rabbit

Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Silica gel, precipitated, crystalline free:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Magnesium chloride:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Result : negative

Remarks : The test was conducted according to guideline

Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Magnesium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Remarks: The test was conducted according to guideline

Calcium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Silica gel, precipitated, crystalline free:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Carcinogenicity

Not classified based on available information.

Components:

Magnesium chloride:

Species : Mouse
Application Route : Ingestion
Exposure time : 96 weeks

Method : OECD Test Guideline 453

Result : negative

Remarks : The test was conducted equivalent or similar to guideline

Based on data from similar materials

Calcium chloride:

Species : Mouse
Application Route : Ingestion
Exposure time : 96 weeks
Result : negative

Remarks : Based on data from similar materials

Silica gel, precipitated, crystalline free:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Magnesium chloride:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: The test was conducted according to guideline

Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: The test was conducted equivalent or similar to

guideline

Based on data from similar materials

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Calcium chloride:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Silica gel, precipitated, crystalline free:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Magnesium chloride:

Species : Rat

NOAEL : 308 mg/kg
LOAEL : 1,600 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

Silica gel, precipitated, crystalline free:

Species : Rat

NOAEL : > 4,500 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Magnesium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,119.3 mg/l

Exposure time: 96 h

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 11504112-00003 Date of first issue: 01/22/2025 3.0

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 548.4 mg/l

Exposure time: 48 h

Remarks: No test guideline followed

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: The test was conducted according to guideline

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: The test was conducted according to guideline

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

EC10 (Daphnia magna (Water flea)): 321 mg/l

Exposure time: 21 d

Toxicity to microorganisms : NOEC (activated sludge): > 900 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: The test was conducted according to guideline

Calcium chloride:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mq/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Silica gel, precipitated, crystalline free:

Toxicity to fish LL50 (Danio rerio (zebra fish)): > 10,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

: EL50 (Scenedesmus subspicatus): > 10,000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Remarks: Based on data from similar materials

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 06/18/2025 11504112-00003 Date of first issue: 01/22/2025 3.0

IECSC not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA BC OEL Canada. British Columbia OEL

CA ON OEL Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA BC OEL / TWA 8-hour time weighted average

CA ON OEL / TWA Time-Weighted Average Limit (TWA)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation. Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to :

compile the Material Safety

Data Sheet cy, http://echa.europa.eu/

Revision Date 06/18/2025 Date format mm/dd/yyyy

14 / 15

Internal technical data, data from raw material SDSs, OECD

eChem Portal search results and European Chemicals Agen-

according to the Hazardous Products Regulations



MineralFix Formulation

Version Revision Date: SDS Number: Date of last issue: 04/14/2025 3.0 06/18/2025 11504112-00003 Date of first issue: 01/22/2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8