

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

### SECTION 1. IDENTIFICATION

Product name : Glutaral / Benzodecinium Bromide Formulation  
Product code : Fetant Gluben  
Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 37 McCarville Street  
Charlottetown, PE C1E 2A7  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use





Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin corrosion : Category 1  
Serious eye damage : Category 1  
Respiratory sensitization : Category 1  
Skin sensitization : Sub-category 1A  
Specific target organ toxicity : Category 3  
- single exposure

#### GHS label elements

Hazard pictograms :    

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.  
H302 + H332 Harmful if swallowed or if inhaled.  
H314 Causes severe skin burns and eye damage.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version 5.0	Revision Date: 06/18/2025	SDS Number: 11517934-00005	Date of last issue: 04/14/2025 Date of first issue: 03/06/2025
----------------	------------------------------	-------------------------------	---

### Precautionary Statements

H317 May cause an allergic skin reaction.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.

#### Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.  
P284 Wear respiratory protection.

#### Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER.  
P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P342 + P311 If experiencing respiratory symptoms: Call a doctor.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-

### tion

Version 5.0      Revision Date: 06/18/2025      SDS Number: 11517934-00005      Date of last issue: 04/14/2025  
Date of first issue: 03/06/2025

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Propan-2-ol	Isopropyl alcohol	67-63-0	$\geq 10 - < 30$ *
Glutaraldehyde	Pentanedial	111-30-8	$\geq 10 - < 30$ *
Benzodecinium bromide	Benzenemethanaminium, N-dodecyl-N,N-dimethyl-, bromide (1:1)	7281-04-1	$\geq 10 - < 30$ *

\* Actual concentration or concentration range is withheld as a trade secret

#### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control center immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes digestive tract burns.  
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).  
Harmful if swallowed or if inhaled.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause respiratory irritation.  
Causes severe burns.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version 5.0	Revision Date: 06/18/2025	SDS Number: 11517934-00005	Date of last issue: 04/14/2025 Date of first issue: 03/06/2025
----------------	------------------------------	-------------------------------	---

Notes to physician : when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-

### tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## SECTION 7. HANDLING AND STORAGE

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation     | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.<br>Use explosion-proof electrical, ventilating and lighting equipment.   |
| Advice on safe handling     | : | Do not get on skin or clothing.<br>Do not breathe mist or vapors.<br>Do not swallow.<br>Do not get in eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Non-sparking tools should be used.<br>Keep container tightly closed.<br>Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Store locked up.<br>Keep tightly closed.<br>Keep in a cool, well-ventilated place.<br>Store in accordance with the particular national regulations.<br>Keep away from heat and sources of ignition.  |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides  |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version 5.0      Revision Date: 06/18/2025      SDS Number: 11517934-00005      Date of last issue: 04/14/2025  
Date of first issue: 03/06/2025

Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	STEL	400 ppm 984 mg/m <sup>3</sup>	CA AB OEL
		TWA	200 ppm 492 mg/m <sup>3</sup>	CA AB OEL
		TWA	200 ppm	CA BC OEL
		STEL	400 ppm	CA BC OEL
		TWAEV	200 ppm	CA QC OEL
		STEV	400 ppm	CA QC OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Glutaraldehyde	111-30-8	TWA	< 1 µg/m <sup>3</sup> (OEB 5)	Internal
		C	0.05 ppm	CA QC OEL
		(c)	0.05 ppm 0.2 mg/m <sup>3</sup>	CA AB OEL
		C	0.05 ppm	CA BC OEL
		C	0.05 ppm	ACGIH
Benzodecinium bromide	7281-04-1	TWA	>= 100 < 1000 µg/m <sup>3</sup> (OEB 2)	Internal

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

**Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

- |                          |   |  |
|--------------------------|---|--|
| Respiratory protection   | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              | : | Combined particulates and organic vapor type   |
| Hand protection          | : |  |
| Material                 | : | Chemical-resistant gloves  |
| Remarks                  | : | Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.   |
| Eye protection           | : | Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.                    |
| Hygiene measures         | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  |

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: colorless, to, light yellow
Odor	: No data available
Odor Threshold	: No data available
pH	: 4.31
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 49.0 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 480.73 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 2.33 mg/l Exposure time: 4 h Test atmosphere: dust/mist

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### Components:

#### **Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

#### **Glutaraldehyde:**

Acute oral toxicity : LD50 (Rat, female): 77 mg/kg  
Acute inhalation toxicity : LC50 (Rat, female): 0.28 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: Corrosive to the respiratory tract.  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Benzodecinium bromide:**

Acute oral toxicity : LD50 (Rat): 230 mg/kg  
Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.  
Acute dermal toxicity : LD50 (Rabbit): > 2,000 - 5,000 mg/kg  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Causes severe burns.

### Components:

#### **Propan-2-ol:**

Species : Rabbit  
Result : No skin irritation

#### **Glutaraldehyde:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

#### **Benzodecinium bromide:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

Species	: Rabbit
Result	: Corrosive after 4 hours or less of exposure
Remarks	: Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Components:

##### Propan-2-ol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

##### Glutaraldehyde:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: Draize Test

##### Benzodecinium bromide:

Species	: Rabbit
Result	: Irreversible effects on the eye
Remarks	: Based on data from similar materials

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Components:

##### Propan-2-ol:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

##### Glutaraldehyde:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Result	: positive

Assessment	: Probability or evidence of high skin sensitization rate in humans
------------	---

Routes of exposure	: Inhalation
--------------------	--------------

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-

### tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

Species	: Humans
Result	: positive
Assessment	: May cause sensitization by inhalation.

#### Benzodecinium bromide:

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative
Remarks	: Based on data from similar materials

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Propan-2-ol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

##### Glutaraldehyde:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive  Test Type: In vitro mammalian cell gene mutation test Result: positive  Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative  Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-

## tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

### **Benzodecinium bromide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Propan-2-ol:**

Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

#### **Glutaraldehyde:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 2 Years  
Result : negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

### Benzodecinium bromide:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Method	: OECD Test Guideline 453
Result	: negative
Remarks	: Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Propan-2-ol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

#### Glutaraldehyde:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative

#### Benzodecinium bromide:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

|| Remarks: Based on data from similar materials

### STOT-single exposure

May cause respiratory irritation.

#### Components:

##### Propan-2-ol:

|| Assessment : May cause drowsiness or dizziness.

##### Glutaraldehyde:

|| Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Not classified based on available information.

#### Components:

##### Glutaraldehyde:

|| Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### Propan-2-ol:

|| Species : Rat  
|| NOAEL : 12.5 mg/l  
|| Application Route : inhalation (vapor)  
|| Exposure time : 104 Weeks

##### Glutaraldehyde:

|| Species : Rat, male  
|| NOAEL : 15 mg/kg  
|| Application Route : Ingestion  
|| Exposure time : 13 Weeks  
|| Method : OECD Test Guideline 408

|| Species : Rat, male  
|| NOAEL : 0.0005 mg/l  
|| Application Route : inhalation (vapor)  
|| Exposure time : 13 Weeks

|| Species : Rat  
|| NOAEL : >= 150 mg/kg  
|| Application Route : Skin contact  
|| Exposure time : 13 Weeks  
|| Method : OECD Test Guideline 411

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-

### tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

#### Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Propan-2-ol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h

##### Glutaraldehyde:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Crassostrea virginica (eastern oyster)): 0.78 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 0.6 mg/l Exposure time: 72 h  NOEC (Desmodesmus subspicatus (green algae)): 0.025 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l Exposure time: 97 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.13 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 4.4 mg/l Exposure time: 17 h Method: DIN 38 412 Part 8

##### Benzodecinium bromide:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l Exposure time: 48 h



# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-

## tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

		Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Pseudokirchneriella subcapitata (green algae)): > 0.001 - 0.01 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): > 0.01 - 0.1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50: > 10 - 100 mg/l Exposure time: 30 min Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

### Persistence and degradability

#### Components:

##### Propan-2-ol:

Biodegradability	:	Result: rapidly degradable
BOD/COD	:	BOD: 1,19 (BOD5) COD: 2,23 BOD/COD: 53 %

##### Glutaraldehyde:

Biodegradability	:	Result: Readily biodegradable. Method: OECD Test Guideline 301A
------------------	---	--

##### Benzodecinium bromide:

Biodegradability	:	Result: Readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

### Bioaccumulative potential

#### Components:

##### Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

##### Glutaraldehyde:

Partition coefficient: n-octanol/water : log Pow: < 4  
Remarks: Expert judgment

##### Benzodecinium bromide:

Partition coefficient: n-octanol/water : log Pow: < 4  
Remarks: Expert judgment

### Mobility in soil

No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	: UN 2920
Proper shipping name	: CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Glutaraldehyde, Propan-2-ol)
Class	: 8
Subsidiary risk	: 3
Packing group	: II
Labels	: 8 (3)
Environmentally hazardous	: yes

#### IATA-DGR

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

UN/ID No. : UN 2920  
Proper shipping name : Corrosive liquid, flammable, n.o.s.  
(Glutaraldehyde, Propan-2-ol)  
Class : 8  
Subsidiary risk : 3  
Packing group : II  
Labels : Corrosive, Flammable Liquids  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

### IMDG-Code

UN number : UN 2920  
Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
(Glutaraldehyde, Propan-2-ol, Benzodecinium bromide)  
Class : 8  
Subsidiary risk : 3  
Packing group : II  
Labels : 8 (3)  
EmS Code : F-E, S-C  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

### TDG

UN number : UN 2920  
Proper shipping name : CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
(Glutaraldehyde, Propan-2-ol)  
Class : 8  
Subsidiary risk : 3  
Packing group : II  
Labels : 8 (3)  
ERG Code : 132  
Marine pollutant : yes(Benzodecinium bromide, Glutaraldehyde)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
ACGIH / C	:	Ceiling limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA AB OEL / (c)	:	ceiling occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA BC OEL / C	:	ceiling limit
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value
CA QC OEL / C	:	Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transporta-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Glutaral / Benzodecinium Bromide Formula-tion

Version	Revision Date:	SDS Number:	Date of last issue: 04/14/2025
5.0	06/18/2025	11517934-00005	Date of first issue: 03/06/2025

---

tion of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06/18/2025  
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8