

**Abamectin (with Propylene Glycol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name : Abamectin (with Propylene Glycol) Formulation

**Supplier's company name, address and phone number**

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : 1-908-423-6000

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS classification of chemical product**

Flammable liquids : Category 2

Acute toxicity (Inhalation) : Category 4

Serious eye damage/eye irritation : Category 2A

Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

Hazard statements : H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/ attention if you feel unwell.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Important symptoms and outlines of the emergency assumed : Vapours may form explosive mixture with air.

# Abamectin (with Propylene Glycol) Formula- tion

Version 11.0      Revision Date: 2025/04/14      SDS Number: 4795005-00015      Date of last issue: 2025/03/24  
Date of first issue: 2019/08/29

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propylene glycol	57-55-6	$\geq 40 - < 50$	2-234
1,3-Dioxan-5-ol	4740-78-7	$\geq 40 - < 50$	-
Butanone	78-93-3	10	2-542
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	1	

## 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
Harmful if inhaled.  
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version 11.0	Revision Date: 2025/04/14	SDS Number: 4795005-00015	Date of last issue: 2025/03/24 Date of first issue: 2019/08/29
-----------------	------------------------------	------------------------------	---

---

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Ventilate the area.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**7. HANDLING AND STORAGE****Handling**

- |                         |   |   |
|-------------------------|---|---|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.   |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.<br>Use explosion-proof electrical, ventilating and lighting equipment.  |
| Advice on safe handling | : | Do not breathe mist or vapours.<br>Do not swallow.<br>Do not get in eyes.<br>Avoid prolonged or repeated contact with skin.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Non-sparking tools should be used.<br>Keep container tightly closed.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Avoidance of contact    | : | Oxidizing agents  |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.  |

# Abamectin (with Propylene Glycol) Formula- tion

Version 11.0      Revision Date: 2025/04/14      SDS Number: 4795005-00015      Date of last issue: 2025/03/24  
Date of first issue: 2019/08/29

## Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Oxidizing solids  
Oxidizing liquids

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Butanone	78-93-3	ACL	200 ppm	JP OEL ISHL
		OEL-M	75 ppm 221 mg/m <sup>3</sup>	JP OEL JSOH
	Further information: Group 3: Substances suspected to cause reproductive toxicity in humans, Skin absorption			
		TWA	75 ppm	ACGIH
		STEL	150 ppm	ACGIH
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	150 µg/100 cm <sup>2</sup>	Internal

### Biological occupational exposure limits

Components	CAS-No.	Target substance	Biological specimen	Sampling time	Permissible concentration	Basis
Butanone	78-93-3	Methylethylketone	Urine	End of shift or A few hours after high exposure	5 mg/l	JSOH
		methyl ethyl ketone	Urine	End of shift (As soon as	2 mg/l	ACGIH BEI

## Abamectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

				possible after exposure ceases)		
--	--	--	--	--	--	--

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.  
Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.  
Impermeable protective gloves

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : Colorless to pale yellow

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

Odour	:	characteristic
Odour Threshold	:	No data available
Melting point/freezing point	:	< -66 °C
Boiling point, initial boiling point and boiling range	:	82 °C
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Lower explosion limit and upper explosion limit / flammability limit	:	
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	16 °C
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	slightly soluble
Solubility in other solvents	:	soluble Solvent: Ethanol
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density and / or relative density	:	
Relative density	:	1.05 - 1.09
Density	:	No data available
Relative vapour density	:	No data available

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Highly flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Harmful if inhaled.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 2.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

**Components:****Propylene glycol:**

Acute oral toxicity	:	LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**1,3-Dioxan-5-ol:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials

**Butanone:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 - 5,000 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 25.5 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 436 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Acute oral toxicity	:	LD50 (Rat): 24 mg/kg  LD50 (Mouse): 10 mg/kg  LDLo (Monkey): 24 mg/kg Symptoms: Dilatation of the pupil
Acute inhalation toxicity	:	LC50 (Rat): 0.023 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): 330 mg/kg  LD50 (Rabbit): 2,000 mg/kg

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

**1,3-Dioxan-5-ol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

**Butanone:**

Assessment	: Repeated exposure may cause skin dryness or cracking.
------------	---

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species	: Rabbit
Result	: No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Propylene glycol:**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

**1,3-Dioxan-5-ol:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

**Butanone:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

|| Method : OECD Test Guideline 405

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|| Species : Rabbit  
|| Result : Mild eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Propylene glycol:**

|| Test Type : Maximisation Test  
|| Exposure routes : Skin contact  
|| Species : Guinea pig  
|| Result : negative

**1,3-Dioxan-5-ol:**

|| Test Type : Maximisation Test  
|| Exposure routes : Skin contact  
|| Species : Guinea pig  
|| Method : OECD Test Guideline 406  
|| Result : negative  
|| Remarks : Based on data from similar materials

**Butanone:**

|| Test Type : Buehler Test  
|| Exposure routes : Skin contact  
|| Species : Guinea pig  
|| Method : OECD Test Guideline 406  
|| Result : negative

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|| Test Type : Maximisation Test  
|| Exposure routes : Skin contact  
|| Result : Not a skin sensitizer.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Propylene glycol:**

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**1,3-Dioxan-5-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Result: negative  
Remarks: Based on data from similar materials

**Butanone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-  
thesis in mammalian cells (in vitro)  
Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay  
(in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

**II****abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative  Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Result: negative  Test Type: Alkaline elution assay Result: negative
Genotoxicity in vivo	:	Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Mouse Application Route: Intraperitoneal injection Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Propylene glycol:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	105 weeks
Result	:	negative

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	93 weeks
Result	:	negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****Propylene glycol:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion
----------------------	---	---

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

Result: negative

Effects on foetal develop-  
ment

: Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Butanone:**

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal develop-  
ment

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Inhalation  
Method: OECD Test Guideline 414  
Result: negative

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Effects on fertility

: Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: NOAEL: 0.12 mg/kg body weight  
Result: Fetotoxicity

Effects on foetal develop-  
ment

: Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight  
Developmental Toxicity: NOAEL: 0.2 mg/kg body weight  
Result: Cleft palate  
Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 2 mg/kg body weight  
Result: Cleft palate, Teratogenic effects, Reduced embryonic survival  
Remarks: Adverse developmental effects were observed

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 1.6 mg/kg body weight  
Result: Teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**Components:****Butanone:**

Assessment : May cause drowsiness or dizziness.

**STOT - repeated exposure**

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

**Components:****abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Exposure routes : Ingestion  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Propylene glycol:**

Species : Rat, male  
NOAEL :  $\geq 1,700$  mg/kg  
Application Route : Ingestion  
Exposure time : 2 yr

**Butanone:**

Species : Rat  
NOAEL : 14.84 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 90 Days  
Method : OECD Test Guideline 413

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

Species	: Rat
NOAEL	: 1.5 mg/kg
Application Route	: Oral
Exposure time	: 24 Months
Target Organs	: Central nervous system
Symptoms	: Tremors, ataxia

Species	: Mouse
NOAEL	: 4.0 mg/kg
Application Route	: Oral
Exposure time	: 24 Months
Target Organs	: Central nervous system
Symptoms	: Tremors, ataxia

Species	: Dog
NOAEL	: 0.25 mg/kg
LOAEL	: 0.5 mg/kg
Application Route	: Oral
Exposure time	: 53 Weeks
Target Organs	: Central nervous system
Symptoms	: Tremors, weight loss
Remarks	: mortality observed

Species	: Monkey
NOAEL	: 1.0 mg/kg
Application Route	: Oral
Exposure time	: 14 Weeks
Target Organs	: Central nervous system

**Aspiration toxicity**

Not classified based on available information.

**Components:****Butanone:**

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

**Experience with human exposure****Components:****abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Ingestion	: Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing
-----------	--

# Abamectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Propylene glycol:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

##### **1,3-Dioxan-5-ol:**

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials  NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC10: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

##### **Butanone:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 2,993 mg/l
------------------	---	---

## Abamectin (with Propylene Glycol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

	Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Daphnia magna</i> (Water flea)): 308 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 2,029 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
	NOEC ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 1,240 mg/l Exposure time: 96 h Method: OECD Test Guideline 201

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish	: LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 3.2 µg/l Exposure time: 96 h
	LC50 ( <i>Lepomis macrochirus</i> (Bluegill sunfish)): 9.6 µg/l Exposure time: 96 h
	LC50 ( <i>Ictalurus punctatus</i> (channel catfish)): 24 µg/l Exposure time: 96 h
	LC50 ( <i>Cyprinus carpio</i> (Carp)): 42 µg/l Exposure time: 96 h
	LC50 ( <i>Cyprinodon variegatus</i> (sheepshead minnow)): 15 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 ( <i>Americamysis</i> ): 0.022 µg/l Exposure time: 96 h
	EC50 ( <i>Daphnia magna</i> (Water flea)): 0.34 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 100 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10,000
Toxicity to fish (Chronic toxicity)	: NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 0.52 µg/l Exposure time: 32 d
Toxicity to daphnia and other aquatic invertebrates (Chronic)	: NOEC ( <i>Daphnia magna</i> (Water flea)): 0.03 µg/l Exposure time: 21 d

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l  
Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) : 10,000

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

**Persistence and degradability****Components:****Propylene glycol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**1,3-Dioxan-5-ol:**

Biodegradability : Result: Inherently biodegradable.  
Remarks: Based on data from similar materials

**Butanone:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Stability in water : Hydrolysis: 50 %(< 12 h)

**Bioaccumulative potential****Components:****Propylene glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Regulation (EC) No. 440/2008, Annex, A.8

**1,3-Dioxan-5-ol:**

Partition coefficient: n-octanol/water : log Pow: -0.65

**Butanone:**

Partition coefficient: n-octanol/water : log Pow: 0.3

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

**||** octanol/water**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):****||** Bioaccumulation : Bioconcentration factor (BCF): 52**||** Partition coefficient: n- : log Pow: 4  
octanol/water**Mobility in soil****Components:****abamectin (combination of avermectin B1a and avermectin B1b) (ISO):****||** Distribution among environ- : log Koc: > 3.6  
mental compartments**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Butanone)
Class	:	3
Packing group	:	II
Labels	:	3
Environmentally hazardous	:	no

**IATA-DGR**

UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s. (Butanone)

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

Class : 3  
Packing group : II  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353

**IMDG-Code**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Butanone, abamectin (combination of avermectin B1a and avermectin B1b) (ISO))  
Class : 3  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

Refer to section 15 for specific national regulation.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**ERG Code** : 128

**15. REGULATORY INFORMATION****Related Regulations****Fire Service Law**

Group 4, Type 1 petroleum, Water insoluble liquid, (200 litre), Hazardous rank II

**Chemical Substance Control Law**

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106

**Industrial Safety and Health Law****Harmful Substances Prohibited from Manufacture**

Not applicable

**Harmful Substances Required Permission for Manufacture**

Not applicable

# Abamectin (with Propylene Glycol) Formula- tion

Version 11.0      Revision Date: 2025/04/14      SDS Number: 4795005-00015      Date of last issue: 2025/03/24  
Date of first issue: 2019/08/29

## Substances Prevented From Impairment of Health

Not applicable

## Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

## Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

## Substances Subject to be Notified Names

Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

Chemical name	Concentration (%)	Remarks
Propylene glycol	>=40 - <50	From April 1st, 2025
Methyl ethyl ketone	10	-

## Substances Subject to be Indicated Names

Law Article 57 (Ministerial Order Article 30 Appended Table 2)

Chemical name	Remarks
Propylene glycol	From April 1st, 2025
methyl ethyl ketone	-

## Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Chemical name
Methyl ethyl ketone

## Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

## Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

## Ordinance on Prevention of Lead Poisoning

Not applicable

## Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

## Ordinance on Prevention of Organic Solvent Poisoning

Organic Solvents Class 2

## Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Inflammable Substance

## Poisonous and Deleterious Substances Control Law

Deleterious substance

Chemical name	Cabinet Order Number
Abamectin and preparations containing it	4.2

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**

Not applicable

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Vessel Safety Law**

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

**Aviation Law**

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

**Waste Disposal and Public Cleansing Law**

Specially Controlled Industrial Waste

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
JP OEL ISHL	:	Japan. Administrative Control Levels
JP OEL JSOH	:	Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
JSOH	:	Occupational exposure limits based on biological monitoring (JSOH).
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
JP OEL ISHL / ACL	:	Administrative Control level
JP OEL JSOH / OEL-M	:	Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

**Abamectin (with Propylene Glycol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 2025/03/24
11.0	2025/04/14	4795005-00015	Date of first issue: 2019/08/29

---

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN