

**Abamectin Liquid Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
4.10                10/01/2022                1219529-00018            Date of first issue: 01/18/2017

---

**SECTION 1. IDENTIFICATION**

Product name                        : Abamectin Liquid Formulation  
Other means of identification       : No data available

**Manufacturer or supplier's details**

Company name of supplier        : Merck & Co., Inc  
Address                                : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A. 07065  
Telephone                            : 908-740-4000  
Emergency telephone               : 1-908-423-6000  
E-mail address                       : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use                    : Veterinary product  
Restrictions on use                   : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Acute toxicity (Inhalation)        : Category 4  
Reproductive toxicity                : Category 2  
Specific target organ toxicity      : Category 1 (Central nervous system)  
- repeated exposure (Oral)  
Specific target organ toxicity      : Category 2 (Central nervous system)  
- repeated exposure

**GHS label elements**

Hazard pictograms                    :



Signal Word                            : Danger

Hazard Statements                    : H332 Harmful if inhaled.  
    : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
    : H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.  
    : H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Precautionary Statements         : **Prevention:**  
    : P201 Obtain special instructions before use.  
    : P202 Do not handle until all safety precautions have been read and understood.

---

## Abamectin Liquid Formulation

Version 4.10      Revision Date: 10/01/2022      SDS Number: 1219529-00018      Date of last issue: 04/09/2022  
 Date of first issue: 01/18/2017

P260 Do not breathe mist or vapors.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.  
 P308 + P313 IF exposed or concerned: Get medical attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Rape oil	No data available	8002-13-9	$\geq 60 - < 80$ *
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	No data available	71751-41-2	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 If not breathing, give artificial respiration.  
 If breathing is difficult, give oxygen.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.

## Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
4.10	10/01/2022	1219529-00018	Date of first issue: 01/18/2017

---

In case of eye contact	:	Thoroughly clean shoes before reuse. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Harmful if inhaled. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	:	Soak up with inert absorbent material.

## Abamectin Liquid Formulation

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
4.10                10/01/2022                1219529-00018            Date of first issue: 01/18/2017

containment and cleaning up      For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures                : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation            : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling            : Do not breathe mist or vapors.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage        : Keep in properly labeled containers.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Materials to avoid                 : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Rape oil	8002-13-9	TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
abamectin (combination of avermectin B1a and avermec-	71751-41-2	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal

## Abamectin Liquid Formulation

Version 4.10      Revision Date: 10/01/2022      SDS Number: 1219529-00018      Date of last issue: 04/09/2022  
 Date of first issue: 01/18/2017

tin B1b) (ISO)				
		Wipe limit	150 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
 Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light yellow

Odor : characteristic

# SAFETY DATA SHEET



## Abamectin Liquid Formulation

Version 4.10      Revision Date: 10/01/2022      SDS Number: 1219529-00018      Date of last issue: 04/09/2022  
Date of first issue: 01/18/2017

---

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.90 - 0.94 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : insoluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

**Abamectin Liquid Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
4.10                10/01/2022                1219529-00018            Date of first issue: 01/18/2017

---

Reactivity                                : Not classified as a reactivity hazard.  
Chemical stability                        : Stable under normal conditions.  
Possibility of hazardous reac-        : Can react with strong oxidizing agents.  
tions  
Conditions to avoid                        : None known.  
Incompatible materials                    : Oxidizing agents  
Hazardous decomposition                 : No hazardous decomposition products are known.  
products

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if inhaled.

**Product:**

Acute oral toxicity                        : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity                 : Acute toxicity estimate: 2.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity                      : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****Rape oil:**

Acute oral toxicity                        : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity                      : LD50 (Rat): > 2,000 mg/kg

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Acute oral toxicity                        : LD50 (Rat): 24 mg/kg  
  
LD50 (Mouse): 10 mg/kg  
  
LDLo (Monkey): 24 mg/kg  
Symptoms: Dilatation of the pupil

Acute inhalation toxicity                 : LC50 (Rat): 0.023 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity                      : LD50 (Rat): 330 mg/kg  
  
LD50 (Rabbit): 2,000 mg/kg

**Abamectin Liquid Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
4.10                10/01/2022                1219529-00018            Date of first issue: 01/18/2017

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Rape oil:**

Species                                : Rabbit  
Result                                 : No skin irritation  
Remarks                               : Based on data from similar materials

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species                                : Rabbit  
Result                                 : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Rape oil:**

Species                                : Rabbit  
Result                                 : No eye irritation  
Remarks                               : Based on data from similar materials

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Species                                : Rabbit  
Result                                 : Mild eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Rape oil:**

Test Type                               : Human repeat insult patch test (HRIPT)  
Routes of exposure                   : Skin contact  
Species                                 : Humans  
Result                                 : negative  
Remarks                               : Based on data from similar materials

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Test Type                               : Maximization Test  
Routes of exposure                   : Skin contact  
Result                                 : Not a skin sensitizer.





## Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
4.10	10/01/2022	1219529-00018	Date of first issue: 01/18/2017

---

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 422  
 Result: negative  
 Remarks: Based on data from similar materials

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility  
 Species: Rat, male  
 Application Route: Oral  
 Result: Effects on fertility.

Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Early Embryonic Development: NOAEL: 0.12 mg/kg body weight  
 Result: Fetotoxicity.

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Mouse  
 Application Route: Oral  
 General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight  
 Developmental Toxicity: NOAEL: 0.2 mg/kg body weight  
 Result: Cleft palate  
 Remarks: Adverse developmental effects were observed

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 2 mg/kg body weight  
 Result: Cleft palate, Teratogenic effects., Reduced embryonic survival  
 Remarks: Adverse developmental effects were observed

Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 1.6 mg/kg body weight  
 Result: Teratogenic effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal

## Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
4.10	10/01/2022	1219529-00018	Date of first issue: 01/18/2017

---

experiments.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

### Components:

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure	:	Ingestion
Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Rape oil:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species	:	Rat
NOAEL	:	1.5 mg/kg
Application Route	:	Oral
Exposure time	:	24 Months
Target Organs	:	Central nervous system
Symptoms	:	Tremors, ataxia

Species	:	Mouse
NOAEL	:	4.0 mg/kg
Application Route	:	Oral
Exposure time	:	24 Months
Target Organs	:	Central nervous system
Symptoms	:	Tremors, ataxia

Species	:	Dog
NOAEL	:	0.25 mg/kg
LOAEL	:	0.5 mg/kg
Application Route	:	Oral
Exposure time	:	53 Weeks
Target Organs	:	Central nervous system
Symptoms	:	Tremors, weight loss
Remarks	:	mortality observed

Species	:	Monkey
---------	---	--------

## Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
4.10	10/01/2022	1219529-00018	Date of first issue: 01/18/2017

NOAEL	:	1.0 mg/kg
Application Route	:	Oral
Exposure time	:	14 Weeks
Target Organs	:	Central nervous system

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Ingestion	:	Symptoms: May cause, Tremors, Diarrhea, central nervous system effects, Salivation, tearing
-----------	---	---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Rape oil:**

Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		NOELR (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 100 mg/l Exposure time: 16 h Remarks: Based on data from similar materials

#### **abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l Exposure time: 96 h
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l Exposure time: 96 h

## Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
4.10	10/01/2022	1219529-00018	Date of first issue: 01/18/2017

---

LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l  
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 42 µg/l  
Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.022 µg/l  
Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 µg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l  
Exposure time: 32 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.03 µg/l  
Exposure time: 21 d

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition

### Persistence and degradability

#### Components:

##### Rape oil:

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

##### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

### Bioaccumulative potential

#### Components:

##### Rape oil:

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Expert judgment

##### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

## Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
4.10	10/01/2022	1219529-00018	Date of first issue: 01/18/2017

---

Partition coefficient: n-octanol/water : log Pow: 4

### Mobility in soil

#### Components:

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environmental compartments : log Koc: > 3.6

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (abamectin (combination of avermectin B1a and avermectin B1b) (ISO))  
 Class : 9  
 Packing group : III  
 Labels : 9

#### IATA-DGR

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 (abamectin (combination of avermectin B1a and avermectin B1b) (ISO))  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (abamectin (combination of avermectin B1a and avermectin

## Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
4.10	10/01/2022	1219529-00018	Date of first issue: 01/18/2017

---

	B1b) (ISO))
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (abamectin (combination of avermectin B1a and avermectin B1b) (ISO))
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
CA QC OEL / TWAEV	: Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

**Abamectin Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
4.10	10/01/2022	1219529-00018	Date of first issue: 01/18/2017

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/01/2022  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8