



### Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
4.12	09/30/2023	1219529-00020	Date of first issue: 01/18/2017

### **SECTION 1. IDENTIFICATION**

Product name	:	Abamectin Liquid Formulation
Other means of identification	:	No data available

#### Manufacturer or supplier's details

Company name of supplier	:	Merck & Co., Inc
Address	:	126 E. Lincoln Avenue
		Rahway, New Jersey U.S.A. 07065
Telephone	:	908-740-4000
Emergency telephone	:	1-908-423-6000
E-mail address	:	EHSDATASTEWARD@merck.com

### Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accore	dar	ce with the Hazardous Products Regulations
Acute toxicity (Inhalation)	:	Category 4
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure (Oral)	:	Category 1 (Central nervous system)
Specific target organ toxicity - repeated exposure	:	Category 2 (Central nervous system)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	<ul> <li>H332 Harmful if inhaled.</li> <li>H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.</li> <li>H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.</li> <li>H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure.</li> </ul>
Precautionary Statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read

according to the Hazardous Products Regulations



# Abamectin Liquid Formulation

Version 4.12	Revision Date: 09/30/2023	SDS Number: 1219529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
		P264 Wash ski P270 Do not ea P271 Use only	eathe mist or vapors. n thoroughly after handling. at, drink or smoke when using this product. outdoors or in a well-ventilated area. tective gloves, protective clothing, eye protection
		Response:	
			P312 IF INHALED: Remove person to fresh air ortable for breathing. Call a doctor if you feel
		P308 + P313 IF	exposed or concerned: Get medical attention.
		<b>Storage:</b> P405 Store locl	ked up.
		Disposal:	
		P501 Dispose o disposal plant.	of contents and container to an approved waste
Othe	r hazards		

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components					
Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)		
Rape oil	No data availa- ble	8002-13-9	>= 60 - < 80 *		
abamectin (combina- tion of avermectin B1a and avermectin B1b) (ISO)	No data availa- ble	71751-41-2	>= 1 - < 5 *		

\* Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice	In the case of accident or if you feel unwell, seek medica advice immediately. When symptoms persist or in all cases of doubt seek me advice.	
If inhaled	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
In case of skin contact	In case of contact, immediately flush skin with soap and of water. Remove contaminated clothing and shoes.	plenty

according to the Hazardous Products Regulations



# Abamectin Liquid Formulation

Version 4.12	Revision Date: 09/30/2023	SDS Number: 1219529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017			
In ca	se of eye contact	• •				
III Ca	se of eye contact		Get medical attention if irritation develops and persists.			
If swallowed		: If swallowed, D Get medical att	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.			
	important symptoms effects, both acute and red	: Harmful if inhal Suspected of d unborn child. Causes damag exposure if swa	ed. amaging fertility. Suspected of damaging the e to organs through prolonged or repeated			
	ection of first-aiders s to physician	<ul> <li>Exposure.</li> <li>First Aid resport and use the record when the potential of the</li></ul>	nders should pay attention to self-protection, commended personal protective equipment itial for exposure exists (see section 8). atically and supportively.			

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages



according to the Hazardous Products Regulations

# Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
4.12	09/30/2023	1219529-00020	Date of first issue: 01/18/2017
	ds and materials for nment and cleaning up	For large spil containment can be pump container. Clean up rem absorbent. Local or natio disposal of th employed in determine wh Sections 13 a	ntained. inert absorbent material. Is, provide diking or other appropriate to keep material from spreading. If diked material ed, store recovered material in appropriate naining materials from spill with suitable onal regulations may apply to releases and its material, as well as those materials and items the cleanup of releases. You will need to nich regulations are applicable. and 15 of this SDS provide information regarding or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	<ul> <li>If sufficient ventilation is unavailable, use with local exhaust ventilation.</li> </ul>
Advice on safe handling	<ul> <li>Do not breathe mist or vapors.</li> <li>Do not swallow.</li> <li>Avoid contact with eyes.</li> <li>Avoid prolonged or repeated contact with skin.</li> <li>Wash skin thoroughly after handling.</li> <li>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</li> <li>Keep container tightly closed.</li> <li>Do not eat, drink or smoke when using this product.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> </ul>
Conditions for safe storage	<ul> <li>Keep in properly labeled containers.</li> <li>Keep tightly closed.</li> <li>Keep in a cool, well-ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> </ul>
Materials to avoid	<ul> <li>Do not store with the following product types:</li> <li>Strong oxidizing agents</li> <li>Self-reactive substances and mixtures</li> <li>Organic peroxides</li> <li>Explosives</li> <li>Gases</li> </ul>

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

	•			
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	



according to the Hazardous Products Regulations

# Abamectin Liquid Formulation

Versio 4.12	on	Revision Date: 09/30/2023		DS Number: 219529-00020		issue: 04/04/2023 issue: 01/18/2017		
F	Rape oi	1		8002-13-9	TWAEV (Mist)	10 mg/m³	CA QC OEL	
a		ctin (combination of ctin B1a and avermec- (ISO)		71751-41-2	TWA	15 μg/m3 (OEB 3)	Internal	
					Wipe limit	150 µg/100 cm²	Internal	
E	Engine	ering measures	:	<ul> <li>Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).</li> <li>All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.</li> <li>Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).</li> <li>Minimize open handling.</li> </ul>				
F	Person	al protective equipme	ent	:				
	Filte	tory protection r type rotection	:	<ul> <li>If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.</li> <li>Combined particulates and organic vapor type</li> </ul>				
	Mate	erial	:	Chemical-resi	stant gloves			
E	Rem Eye pro	narks tection	:	<ul> <li>Consider double gloving.</li> <li>Wear safety glasses with side shields or goggles.</li> <li>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.</li> <li>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or</li> </ul>				
S	Skin an	d body protection	:	<ul> <li>aerosols.</li> <li>Work uniform or laboratory coat.</li> <li>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.</li> <li>Use appropriate degowning techniques to remove potentially contained alothing.</li> </ul>				
ŀ	Hygiene	e measures	:	<ul> <li>contaminated clothing.</li> <li>If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.</li> <li>When using do not eat, drink or smoke.</li> <li>Wash contaminated clothing before re-use.</li> <li>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</li> </ul>				

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

according to the Hazardous Products Regulations



Vers 4.12		Revision Date: 09/30/2023		S Number: 9529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
	Appear	ance	:	liquid	
	Color		:	light yellow	
	Odor		:	characteristic	
	Odor Th	nreshold	:	No data available	)
	рН		:	No data available	)
	Melting	point/freezing point	:	No data available	)
	Initial bo range	oiling point and boiling	:	No data available	
	Flash p	oint	:	No data available	
	Evapora	ation rate	:	No data available	9
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	9
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	No data available	)
	Relative	e vapor density	:	No data available	)
	Relative	e density	:	No data available	9
	Density		:	0.90 - 0.94 g/cm <sup>3</sup>	
	Solubili Wate	ty(ies) er solubility	:	insoluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
		ition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosit Visc	ty osity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.

according to the Hazardous Products Regulations



# Abamectin Liquid Formulation

Version 4.12	Revision Date: 09/30/2023	SDS Number: 1219529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
Moleo	cular weight	: No data availal	ble
Particle size		: Not applicable	


### SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products		None known. Oxidizing agents No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact		
Acute toxicity Harmful if inhaled.		
Product:		
Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 2.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
<u>Components:</u>		
Rape oil:		
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg
abamectin (combination of	ave	rmectin B1a and avermectin B1b) (ISO):
Acute oral toxicity	:	LD50 (Rat): 24 mg/kg
		LD50 (Mouse): 10 mg/kg
		LDLo (Monkey): 24 mg/kg





Version 4.12	Revision Date: 09/30/2023	SDS Numb 1219529-0	
		Sympto	ms: Dilatation of the pupil
Acut	e inhalation toxicity	Exposu	Rat): 0.023 mg/l re time: 4 h nosphere: dust/mist
Acut	e dermal toxicity	: LD50 (I	Rat): 330 mg/kg
		LD50 (I	Rabbit): 2,000 mg/kg
-	corrosion/irritation	able informat	on.
Com	ponents:		
Rape	e oil:		
Spec		: Rabbit	
Resu Rem		: No skin : Based (	irritation on data from similar materials
-			
	•	avermectin	B1a and avermectin B1b) (ISO):
Spec Resu		: Rabbit	irritation
Not o	ous eye damage/eye ir classified based on avai ponents:		on.
Rape	e oil:		
Spec	cies	: Rabbit	
Resu Rem			irritation on data from similar materials
Rem		. Dasca	
abar	nectin (combination o	avermectin	B1a and avermectin B1b) (ISO):
Spec Resu		: Rabbit	e irritation
Rest	ant and a second se	. Mild ey	
Res	piratory or skin sensiti	ation	
-	sensitization classified based on avai	able informat	on.
-	<b>Diratory sensitization</b> Classified based on avai	able informat	on.
Com	ponents:		
Rape	e oil:		
	Type es of exposure cies	: Human : Skin co : Human	



according to the Hazardous Products Regulations


# Abamectin Liquid Formulation

rsion 2	Revision Date: 09/30/2023	SDS Number: 1219529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
Resul Rema		: negative : Based on da	ta from similar materials
abam	ectin (combination	of avermectin B1a a	and avermectin B1b) (ISO):
Test Route	Type es of exposure	: Maximization : Skin contact	Test
Resul	I	: Not a skin se	nsitzer.
	<b>cell mutagenicity</b> lassified based on ava	ailable information	
	oonents:		
<b>Rape</b> Geno	toxicity in vitro	Method: OEC Result: nega	acterial reverse mutation assay (AMES) CD Test Guideline 471 tive sed on data from similar materials
		Result: nega	hromosome aberration test in vitro tive sed on data from similar materials
abam	ectin (combination	of avermectin B1a a	and avermectin B1b) (ISO):
	toxicity in vitro		acterial reverse mutation assay (AMES)
			vitro mammalian cell gene mutation test Chinese hamster lung cells tive
		Test Type: A Result: nega	Ikaline elution assay tive
Geno	toxicity in vivo	cytogenetic to Species: Mor	Coute: Intraperitoneal injection
	nogenicity assified based on ava	ailable information.	
Com	oonents:		
abam	ectin (combination	of avermectin B1a a	and avermectin B1b) (ISO):
Speci	•	: Rat : Oral	

opecies	•	Nat
Application Route	:	Oral
Exposure time	:	105 weeks
Result	:	negative


Species

: Mouse





	09/30/2023	12	19529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
Application Route Exposure time Result		:	Oral 93 weeks negative	
-	oductive toxicity ected of damaging fertilit	y. S	suspected of damage	ging the unborn child.
Comp	oonents:			
<b>Rape</b> Effect	<b>oil:</b> s on fertility	:		ined repeated dose toxicity study with the
			Species: Rat Application Route Method: OECD T Result: negative	
Effect	s on fetal development	:	reproduction/deve Species: Rat Application Route	ined repeated dose toxicity study with the elopmental toxicity screening test :: Ingestion est Guideline 422
	ectin (combination of a s on fertility	ave :	rmectin B1a and a Test Type: Fertilit Species: Rat, mal Application Route Result: Effects on	y le : Oral
			Species: Rat Application Route	Development: NOAEL: 0.12 mg/kg body
Effect	s on fetal development	:	Test Type: Embry Species: Mouse Application Route General Toxicity I Developmental To Result: Cleft palat	ro-fetal development :: Oral Maternal: NOAEL: 0.05 mg/kg body weight oxicity: NOAEL: 0.2 mg/kg body weight
			Species: Rabbit Application Route Developmental To	ro-fetal development :: Oral oxicity: LOAEL: 2 mg/kg body weight te, Teratogenic effects., Reduced embryoni





### **Abamectin Liquid Formulation**

Version 4.12	Revision Date: 09/30/2023		S Number: 19529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
			Remarks: Advers	se developmental effects were observed
			Test Type: Deve Species: Rat Application Rout Developmental T Result: Teratoge	e: Oral Toxicity: LOAEL: 1.6 mg/kg body weight
Repro sessn	oductive toxicity - As- nent	:	fertility, based or	of adverse effects on sexual function and a animal experiments., Some evidence of on development, based on animal

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

#### Components:

#### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Routes of exposure	:	Ingestion
Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

#### Repeated dose toxicity

#### **Components:**

## Rape oil:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

### abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species NOAEL Application Route Exposure time Target Organs Symptoms	· · · · · · · · · · · · · · · · · · ·	Rat 1.5 mg/kg Oral 24 Months Central nervous system Tremors, ataxia
Species NOAEL Application Route Exposure time Target Organs		Mouse 4.0 mg/kg Oral 24 Months Central nervous system

according to the Hazardous Products Regulations



Symptoms       :       Tremors, ataxia         Species       :       Dog         NOAEL       :       0.25 mg/kg         LOAEL       :       0.5 mg/kg         Application Route       :       Oral         Exposure time       :       53 Weeks         Target Organs       :       Central nervous system         Symptoms       :       remors, weight loss         Remarks       :       mortality observed         Species       :       Monkey         NOAEL       :       1.0 mg/kg         Application Route       :       Oral         Exposure time       :       1.4 Weeks         Target Organs       :       Central nervous system         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):       Ingestion         Ingestion       :       Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CCTION 12. ECOLOGICAL INFORMATION       Ecotoxicity       Exposure time: 96 h         Method: ISO 7346/1       Remarks: Based on data from similar materials         Toxicity to fish	rsion 2	Revision Date: 09/30/2023		S Number: 19529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
NOAEL : 0.25 mg/kg LOAEL : 0.5 mg/kg Application Route : Oral Exposure time : 53 Weeks Target Organs : Central nervous system Symptoms : Tremors, weight loss Remarks : mortality observed Species : Monkey NOAEL : 1.0 mg/kg Application Route : Oral Exposure time : 14 Weeks Target Organs : Central nervous system Aspiration toxicity Not classified based on available information. Experience with human exposure <u>Components:</u> abamectin (combination of avermectin B1a and avermectin B1b) (ISO): Ingestion : Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing ECTION 12. ECOLOGICAL INFORMATION Ecotoxicity <u>Components:</u> Rape oil: Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials Toxicity to algae/aquatic : EL50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h Toxicity to algae/aquatic : EL50 (Desmodesmus subspicatus (green algae)): > 100 Plants NOELR (Desmodesmus subspicatus (green algae)): > 100 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials	Sympt	toms	:	Tremors, ataxi	a
NOAEL : 0.25 mg/kg LOAEL : 0.5 mg/kg Application Route : Oral Exposure time : 53 Weeks Target Organs : Central nervous system Symptoms : Tremors, weight loss Remarks : mortality observed Species : Monkey NOAEL : 1.0 mg/kg Application Route : Oral Exposure time : 14 Weeks Target Organs : Central nervous system Aspiration toxicity Not classified based on available information. Experience with human exposure <u>Components:</u> abamectin (combination of avermectin B1a and avermectin B1b) (ISO): Ingestion : Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing ECTION 12. ECOLOGICAL INFORMATION Ecotoxicity <u>Components:</u> Rape oil: Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials Toxicity to algae/aquatic : EL50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h Toxicity to algae/aquatic : EL50 (Desmodesmus subspicatus (green algae)): > 100 Plants NOELR (Desmodesmus subspicatus (green algae)): > 100 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > 102 Remarks: Based on data from similar materials	Specie	es	:	Doa	
LOAEL       : 0.5 mg/kg <sup>-</sup> Application Route       : Oral         Exposure time       :: 53 Weeks         Target Organs       : Central nervous system         Symptoms       : Tremors, weight loss         Remarks       : mortality observed         Species       : Monkey         NOAEL       : 1.0 mg/kg         Application Route       : Oral         Exposure time       : 14 Weeks         Target Organs       : Central nervous system         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):       Ingestion         Ingestion       : Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         Ectoxicity       Components:         Rape oil:       :         Toxicity to fish       : LL50 (Danio rerio (zebra fish)): > 100 mg/l         Exposure time: 96 h       Method: ISO 7346/1         Remarks: Based on data from similar materials       Toxicity to algae/aquatic         Toxicity to algae/aquatic       : EC50 (Daphnia magna (Water fleal)): > 96.72 mg/l         Exposure time: 72 h       Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201			÷		
Exposure time : 53 Weeks Target Organs : Central nervous system Symptoms : Tremors, weight loss Remarks : mortality observed Species : Monkey NOAEL : 1.0 mg/kg Application Route : Oral Exposure time : 14 Weeks Target Organs : Central nervous system Aspiration toxicity Not classified based on available information. Experience with human exposure Components: abamectin (combination of avermectin B1a and avermectin B1b) (ISO): Ingestion : Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing :CTION 12. ECOLOGICAL INFORMATION Ecotoxicity Components: Rape oil: Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: :96 h Method: ISO 7346/1 Remarks: Based on data from similar materials Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 96.72 mg/l aquatic invertebrates : Exposure time: :48 h Toxicity to algae/aquatic : EL50 (Desmodesmus subspicatus (green algae)): > 100 plants : NOELR (Desmodesmus subspicatus (green algae)): > 100 Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	LOAE	L	:		
Target Organs       :       Central nervous system         Symptoms       :       Tremors, weight loss         Remarks       :       mortality observed         Species       :       1.0 mg/kg         Application Route       :       Oral         Exposure time       :       1.4 Weeks         Target Organs       :       Central nervous system         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):       Ingestion         Ingestion       :       Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CTION 12. ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Rape oil:         Toxicity to fish       :       LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): > 96.72 mg/l aquatic invertebrates         Toxicity to algae/aquatic       :       EL50 (Desmodesmus subspicatus (green algae)): > 10         plants       :       EL50 (Desmodesmus subspicatus (green algae)): > 10         Remarks: Based on data from similar materials <td>Applic</td> <td>ation Route</td> <td>:</td> <td>Oral</td> <td></td>	Applic	ation Route	:	Oral	
Symptoms       :       Tremors, weight loss         Remarks       :       mortality observed         Species       :       Monkey         NOAEL       :       1.0 mg/kg         Application Route       :       Oral         Exposure time       :       14 Weeks         Target Organs       :       Central nervous system         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):       Ingestion         Ingestion       :       Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CCTION 12. ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Rape oil:         Toxicity to fish       :       LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): > 96.72 mg/l aquatic invertebrates         Toxicity to algae/aquatic       :       EL50 (Desmodesmus subspicatus (green algae)): > 10 mg/l Exposure time: 72 h         Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201       Remarks: Based on data from similar materials			:	53 Weeks	
Remarks       :       mortality observed         Species       :       Monkey         NOAEL       :       1.0 mg/kg         Application Route       :       Oral         Exposure time       :       14 Weeks         Target Organs       :       Central nervous system         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):       Ingestion         Ingestion       :       Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         ECTION 12. ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Rape oil:         Toxicity to fish       :       LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h         Toxicity to algae/aquatic       :       EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h         Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials       NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h			:		
Species       :       Monkey         NOAEL       :       1.0 mg/kg         Application Route       :       Oral         Exposure time       :       14 Weeks         Target Organs       :       Central nervous system         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):       Ingestion         Ingestion       :       Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         ECTION 12. ECOLOGICAL INFORMATION       Ecotoxicity         Components:       Rape oil:         Toxicity to fish       :       LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/l Remarks: Based on data from similar materials         Toxicity to daphnia and other       :       EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h         Toxicity to algae/aquatic       :       EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h       Exposure time: 72 h			:		
NOAEL       : 1.0 mg/kg         Application Route       : Oral         Exposure time       : 14 Weeks         Target Organs       : Central nervous system         Aspiration toxicity         Not classified based on available information.         Experience with human exposure         Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):         Ingestion       : Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CCTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish       : LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 72 h         Toxicity to algae/aquatic plants       : EL50 (Desmodesmus subspicatus (green algae)): > 10 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	Rema	rks	:	mortality obser	rved
Application Route       :       Oral         Exposure time       :       14 Weeks         Target Organs       :       Central nervous system         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):         Ingestion       :         Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         Components:       Rape oil:         Toxicity to fish       :         LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): > 96.72 mg/l exposure time: 72 h         Toxicity to algae/aquatic plants       :         EL50 (Desmodesmus subspicatus (green algae)): > 10         Exposure time: 72 h       :			:		
Exposure time       : 14 Weeks         Target Organs       : Central nervous system         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):       Ingestion         Ingestion       : Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         Components:       Rape oil:         Toxicity to fish       : LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h         Toxicity to algae/aquatic plants       : EL50 (Desmodesmus subspicatus (green algae)): > 10 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h       : Supposure time: 72 h	-		:		
Target Organs       : Central nervous system         Aspiration toxicity       Not classified based on available information.         Experience with human exposure       Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):       Ingestion         Ingestion       : Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CCTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish       : LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h			:		
Aspiration toxicity         Not classified based on available information.         Experience with human exposure         Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):         Ingestion       :         Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CCTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish       :         LL50 (Danio rerio (zebra fish)): > 100 mg/l         Exposure time: 96 h         Method: ISO 7346/1         Remarks: Based on data from similar materials         Toxicity to daphnia and other       :         EC50 (Daphnia magna (Water flea)): > 96.72 mg/l         aquatic invertebrates       :         Toxicity to algae/aquatic       :         plants       :         NOELR (Desmodesmus subspicatus (green algae)): > 10         Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): >         Exposure time: 72 h         Test substance: Water Accommodated Fraction         Method: OECD Test Guideline 201         Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): ><			:		
Not classified based on available information.         Experience with human exposure         Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):         Ingestion       :         Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CCTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish       :         LL50 (Danio rerio (zebra fish)): > 100 mg/l         Exposure time: 96 h         Method: ISO 7346/1         Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates         Toxicity to algae/aquatic plants         EL50 (Desmodesmus subspicatus (green algae)): > 10         Exposure time: 72 h         Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201         Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	larget	t Organs	:	Central nervou	is system
Not classified based on available information.         Experience with human exposure         Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):         Ingestion       :         Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish       :         LL50 (Danio rerio (zebra fish)): > 100 mg/l         Exposure time: 96 h         Method: ISO 7346/1         Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates         Toxicity to algae/aquatic plants         EL50 (Desmodesmus subspicatus (green algae)): > 10         Exposure time: 72 h         Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201         Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	Aspira	ation toxicity			
Components:         abamectin (combination of avermectin B1a and avermectin B1b) (ISO):         Ingestion       : Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish       : LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h         Toxicity to algae/aquatic plants       : EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	•	•	ble	information.	
abamectin (combination of avermectin B1a and avermectin B1b) (ISO):         Ingestion       :       Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish       :       LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h         Toxicity to algae/aquatic plants       :       EL50 (Desmodesmus subspicatus (green algae)): > 100 Method: OECD Test Guideline 201 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	Exper	ience with human exp	osu	ire	
abamectin (combination of avermectin B1a and avermectin B1b) (ISO):         Ingestion       :       Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish       :       LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h         Toxicity to algae/aquatic plants       :       EL50 (Desmodesmus subspicatus (green algae)): > 100 Method: OECD Test Guideline 201 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	Comp	onents:			
Ingestion       :       Symptoms: May cause, Tremors, Diarrhea, central ner system effects, Salivation, tearing         CTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish         :       LL50 (Danio rerio (zebra fish)): > 100 mg/l         Exposure time: 96 h         Method: ISO 7346/1         Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates         :       EC50 (Daphnia magna (Water flea)): > 96.72 mg/l         Exposure time: 48 h         Toxicity to algae/aquatic plants         :       EL50 (Desmodesmus subspicatus (green algae)): > 10         Exposure time: 72 h         Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201         Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h			21/0	rmaatin B1a ar	ad avermentin B1h) (ISO).
System effects, Salivation, tearing         SCTION 12. ECOLOGICAL INFORMATION         Ecotoxicity         Components:         Rape oil:         Toxicity to fish         :       LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       :       EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h         Toxicity to algae/aquatic plants       :       EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h		•	ave		
Ecotoxicity         Components:         Rape oil:         Toxicity to fish       : LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials         Toxicity to daphnia and other aquatic invertebrates       : EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 h         Toxicity to algae/aquatic plants       : EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	ingesi	1011	•		
Components:         Rape oil:         Toxicity to fish       : LL50 (Danio rerio (zebra fish)): > 100 mg/l         Exposure time: 96 h         Method: ISO 7346/1         Remarks: Based on data from similar materials         Toxicity to daphnia and other         aquatic invertebrates         Toxicity to algae/aquatic         plants         EL50 (Desmodesmus subspicatus (green algae)): > 10         Exposure time: 72 h         Test substance: Water Accommodated Fraction         Method: OECD Test Guideline 201         Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h		12. ECOLOGICAL INFO	ORN	ATION	
Components:Rape oil:Toxicity to fish:LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materialsNOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h					
Rape oil:Toxicity to fish: LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates: EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 hToxicity to algae/aquatic plants: EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materialsNOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	Ecoto	xicity			
Toxicity to fish:LL50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materialsNOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	<u>Comp</u>	onents:			
<ul> <li>Exposure time: 96 h Method: ISO 7346/1 Remarks: Based on data from similar materials</li> <li>Toxicity to daphnia and other aquatic invertebrates</li> <li>EC50 (Daphnia magna (Water flea)): &gt; 96.72 mg/l Exposure time: 48 h</li> <li>EL50 (Desmodesmus subspicatus (green algae)): &gt; 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials</li> <li>NOELR (Desmodesmus subspicatus (green algae)): &gt; Exposure time: 72 h</li> </ul>	Rape	oil:			
Method: ISO 7346/1 Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materialsNOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	Toxicif	ty to fish	:	LL50 (Danio re	erio (zebra fish)): > 100 mg/l
Remarks: Based on data from similar materialsToxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materialsNOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h					
Toxicity to daphnia and other aquatic invertebrates:EC50 (Daphnia magna (Water flea)): > 96.72 mg/l Exposure time: 48 hToxicity to algae/aquatic plants:EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materialsNOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h					
aquatic invertebrates       Exposure time: 48 h         Toxicity to algae/aquatic plants       : EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h         Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h				Remarks: Bas	ed on data from similar materials
aquatic invertebrates       Exposure time: 48 h         Toxicity to algae/aquatic plants       : EL50 (Desmodesmus subspicatus (green algae)): > 10 Exposure time: 72 h         Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials         NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	Tovici	ty to danhnia and other		EC50 (Daphoi	a magna (Water flea)): $> 96.72$ mg/l
<ul> <li>Toxicity to algae/aquatic plants</li> <li>EL50 (Desmodesmus subspicatus (green algae)): &gt; 10 Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials</li> <li>NOELR (Desmodesmus subspicatus (green algae)): &gt; Exposure time: 72 h</li> </ul>			•		
plants Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	aquali	c invertebrates		Exposure time	. 40 11
plants Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h	Toxici	ty to algae/aquatic	:	EL50 (Desmo	desmus subspicatus (green algae)): > 100 mg/
Method: OECD Test Guideline 201 Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h					
Remarks: Based on data from similar materials NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h				Test substance	e: Water Accommodated Fraction
NOELR (Desmodesmus subspicatus (green algae)): > Exposure time: 72 h					
Exposure time: 72 h				Remarks: Base	ed on data from similar materials
Exposure time: 72 h					odesmus subspicatus (groop algoo)); > 1 mg
Method: OECD Test Guideline 201					
Remarks: Based on data from similar materials					



according to the Hazardous Products Regulations

Version 4.12	Revision Date: 09/30/2023		0S Number: 19529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
Toxid	city to microorganisms	:	Exposure time: 16	onas putida): > 100 mg/l 5 h on data from similar materials
	abamectin (combination of ave Toxicity to fish :			hus mykiss (rainbow trout)): 3.2 μg/l
			LC50 (Lepomis m Exposure time: 96	nacrochirus (Bluegill sunfish)): 9.6 μg/l δ h
			LC50 (Ictalurus p Exposure time: 96	unctatus (channel catfish)): 24 µg/l 5 h
			LC50 (Cyprinus c Exposure time: 96	arpio (Carp)): 42 μg/l δ h
			LC50 (Cyprinodo Exposure time: 96	n variegatus (sheepshead minnow)): 15 µg/l 5 h
	city to daphnia and other tic invertebrates	:	EC50 (Americam) Exposure time: 96	
			EC50 (Daphnia m Exposure time: 48	nagna (Water flea)): 0.34 μg/l 3 h
Toxic plant	city to algae/aquatic s	:	EC50 (Pseudokiro mg/l Exposure time: 72	chneriella subcapitata (green algae)): 100 2 h
Toxic icity)	city to fish (Chronic tox-	:	NOEC (Pimephal Exposure time: 32	es promelas (fathead minnow)): 0.52 μg/l 2 d
aqua	city to daphnia and other tic invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 2 <sup>2</sup>	magna (Water flea)): 0.03 μg/l 1 d
	kicity)		NOEC (Mysidops Exposure time: 28	is bahia (opossum shrimp)): 0.0035 μg/l 3 d
Τοχία	city to microorganisms	:	EC50: > 1,000 m Exposure time: 3 Test Type: Respir	ĥ
Pers	istence and degradabili	ity		
Com	ponents:			
	<b>e oil:</b> egradability	:	Result: Readily bi Remarks: Based	odegradable. on data from similar materials



according to the Hazardous Products Regulations


# Abamectin Liquid Formulation

Versior 4.12	n Revision Date: 09/30/2023		DS Number: 19529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
	pamectin (combination of ability in water	ave :	rmectin B1a and a Hydrolysis: 50 %(	
Bi	ioaccumulative potential			
<u>Co</u>	omponents:			
Ra	ape oil:			
	artition coefficient: n- ctanol/water	:	log Pow: > 4 Remarks: Expert	judgment
	pamectin (combination of oaccumulation	ave :	rmectin B1a and a Bioconcentration	
	artition coefficient: n- ctanol/water	:	log Pow: 4	
M	obility in soil			
<u>Co</u>	omponents:			
ab	pamectin (combination of	ave	rmectin B1a and a	avermectin B1b) (ISO):
	stribution among environ- ental compartments	:	log Koc: > 3.6	
-	<b>ther adverse effects</b> o data available			
SECTI	ON 13. DISPOSAL CONSI	DEF	ATIONS	
<b>ה</b>	isposal methods			
	aste from residues	:	Do not dispose of	waste into sewer.
0			Dispose of in acc	ordance with local regulations.
C	ontaminated packaging	:	handling site for r	should be taken to an approved waste ecycling or disposal. pecified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

UNRTDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(abamectin (combination of avermectin B1a and avermectin
		B1b) (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		





### **Abamectin Liquid Formulation**

	Revision Date: 09/30/2023		5 Number: 9529-00020	Date of last issue: 04/04/2023 Date of first issue: 01/18/2017
UN/ID No Proper sh	o. nipping name	:	(abamectin (com	azardous substance, liquid, n.o.s. pination of avermectin B1a and avermectin
aircraft) Packing i ger aircra	nstruction (cargo		B1b) (ISO)) 9 III Miscellaneous 964 964 yes	
Class	ber hipping name	:	N.O.S. (abamectin (comb B1b) (ISO)) 9	LLY HAZARDOUS SUBSTANCE, LIQUID, ination of avermectin B1a and avermectin
Packing <u>c</u> Labels EmS Cod Marine po <b>Transpo</b> r	de ollutant	: 9 : 1 : 2	III 9 F-A, S-F yes <b>Annex II of MARP</b>	OL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

TDG
-----

100		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))
Class	:	
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO))

#### Special precautions for user


The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

AICS :	not determined
--------	----------------

DSL

: not determined





### Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
4.12	09/30/2023	1219529-00020	Date of first issue: 01/18/2017
IECSC		: not determined	

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

CA QC OEL		Québec. Regulation respecting occupational health and safe-
		ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	:	09/30/2023 mm/dd/yyyy



### Abamectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
4.12	09/30/2023	1219529-00020	Date of first issue: 01/18/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8