



Albendazole Sulfoxide (1.9%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.10	09/30/2023	3903400-00017	Date of first issue: 12/10/2018

SECTION 1. IDENTIFICATION

Product name	:	Albendazole Sulfoxide (1.9%) Formulation
Other means of identification	:	No data available

Manufacturer or supplier's details


Company name of supplier	:	Merck & Co., Inc
Address	:	126 E. Lincoln Avenue
		Rahway, New Jersey U.S.A. 07065
Telephone	:	908-740-4000
Emergency telephone	:	1-908-423-6000
E-mail address	:	EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations Skin sensitization : Sub-category 1B					
Reproductive toxicity	:	Category 2			
Specific target organ toxicity - single exposure (Oral)	:	Category 2 (Gastrointestinal tract, Central nervous system)			
Specific target organ toxicity - repeated exposure (Oral)	:	Category 2 (Gastrointestinal tract, Central nervous system, Im- mune system, Liver)			
GHS label elements					
Hazard pictograms	:				
Signal Word	:	Warning			
Hazard Statements	:	 H317 May cause an allergic skin reaction. H361d Suspected of damaging the unborn child. H371 May cause damage to organs (Gastrointestinal tract, Central nervous system) if swallowed. H373 May cause damage to organs (Gastrointestinal tract, Central nervous system, Immune system, Liver) through prolonged or repeated exposure if swallowed. 			
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read			





Albendazole Sulfoxide (1.9%) Formulation

ersion 10	Revision Date: 09/30/2023	SDS Number: 3903400-00017	Date of last issue: 04/04/2023 Date of first issue: 12/10/2018
		P264 Wash skir P270 Do not ea P272 Contamin the workplace.	eathe mist or vapors. In thoroughly after handling. It, drink or smoke when using this product. ated work clothing should not be allowed out of tective gloves, protective clothing, eye protection
		P308 + P311 IF P333 + P313 If tion.	ON SKIN: Wash with plenty of water. exposed or concerned: Call a doctor. skin irritation or rash occurs: Get medical atten- ake off contaminated clothing and wash it before
		Storage: P405 Store lock	ked up.
		Disposal: P501 Dispose c disposal plant.	of contents and container to an approved waste
• • • • •	r hazards known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Glycerine	1,2,3- Propanetriol	56-81-5	>= 5 - < 10 *
Albendazole Sulfoxide	No data availa- ble	54029-12-8	>= 1 - < 5 *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled In case of skin contact	 If inhaled, remove to fresh air. Get medical attention. In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention.



Version 2.10	Revision Date: 09/30/2023	SDS Number: 3903400-00017	Date of last issue: 04/04/2023 Date of first issue: 12/10/2018
	e of eye contact llowed	: Flush eyes with Get medical atte	efore reuse. In shoes before reuse. water as a precaution. ention if irritation develops and persists. O NOT induce vomiting.
Moot		Never give anyt	proughly with water. hing by mouth to an unconscious person.
	mportant symptoms ffects, both acute and ed	Suspected of da May cause dam May cause dam	llergic skin reaction. amaging the unborn child. age to organs if swallowed. age to organs through prolonged or repeated
	ction of first-aiders	and use the rec when the potent	ders should pay attention to self-protection, ommended personal protective equipment ial for exposure exists (see section 8).
Notes	to physician	: Treat symptoma	atically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media		Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Sulfur oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.



Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.10	09/30/2023	3903400-00017	Date of first issue: 12/10/2018
	ds and materials for nment and cleaning up	For large spills, p containment to k can be pumped, container. Clean up remain absorbent. Local or national disposal of this n employed in the determine which Sections 13 and	rt absorbent material. provide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and naterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation Advice on safe handling	 Use only with adequate ventilation. Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	 Do not store with the following product types: Strong oxidizing agents Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Glycerine	56-81-5	TWA (Mist)	10 mg/m ³	CA AB OEL
		TWA (Mist)	10 mg/m ³	CA BC OEL
		TWA (Res- pirable mist)	3 mg/m ³	CA BC OEL
		TWAEV (Mist)	10 mg/m ³	CA QC OEL
Albendazole Sulfoxide	54029-12-8	TWA	40 µg/m3 (OEB 3)	Internal



Version 2.10	Revision Date: 09/30/2023	SDS Number:Date of last issue: 04/04/20233903400-00017Date of first issue: 12/10/2018						
Further information: DSEN								
		Wipe limit 100 µg/100 cm2 Internal						
Eng	ineering measures	 Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment. 						
Pers	onal protective equipr	nent						
Res	piratory protection	 If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. 						
Han	ilter type d protection	: Combined particulates and organic vapor type						
N	laterial	Chemical-resistant gloves						
Eye	protection	 Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 						
Skin	and body protection	: Work uniform or laboratory coat.						
	ene measures	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the 						
		workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.						

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	white
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available

according to the Hazardous Products Regulations



Albendazole Sulfoxide (1.9%) Formulation

Ver 2.10	sion)	Revision Date: 09/30/2023		S Number: 03400-00017	Date of last issue: 04/04/2023 Date of first issue: 12/10/2018
	range				
	Flash p	oint	:	No data available	9
	Evapor	ation rate	:	No data available)
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available)
		explosion limit / Upper bility limit	:	No data available	•
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	No data available)
	Relative	e vapor density	:	No data available)
	Relative	e density	:	No data available)
	Density	,	:	No data available)
	Solubili Wat	ty(ies) er solubility	:	No data available)
	Partition octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available)
	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.

according to the Hazardous Products Regulations



Albendazole Sulfoxide (1.9%) Formulation

Versic 2.10	on Revision Date: 09/30/2023		S Number: 03400-00017	Date of last issue: 04/04/2023 Date of first issue: 12/10/2018
Н	ncompatible materials lazardous decomposition roducts	:	Oxidizing agents No hazardous de	composition products are known.
SECT	ION 11. TOXICOLOGICAL I	NFC	ORMATION	
lr S Ir	nformation on likely routes halation kin contact ngestion iye contact	ofe	exposure	
	cute toxicity	b 1 a		
	lot classified based on availa P roduct:	DIE	information.	
	cute oral toxicity	:	Acute toxicity estine Method: Calculation	mate: > 2,000 mg/kg on method
<u>c</u>	components:			
	Blycerine:			
A	cute oral toxicity	:	LD50 (Rat): > 5,00	00 mg/kg
A	cute dermal toxicity	:	LD50 (Guinea pig): > 5,000 mg/kg
А	Ibendazole Sulfoxide:			
А	cute oral toxicity	:	LD50 (Mouse): 1,	500 mg/kg
			LD50 (Rat): 2,400	mg/kg
	cute toxicity (other routes of dministration)	:	LD50 (Rat): 265 n Application Route	
-	kin corrosion/irritation lot classified based on availa	ble	information.	
<u>C</u>	components:			
S	Blycerine: species tesult	:	Rabbit No skin irritation	
S	Ibendazole Sulfoxide: Species Result	:	Rabbit No skin irritation	

Serious eye damage/eye irritation


Not classified based on available information.





Albendazole Sulfoxide (1.9%) Formulation

		SDS Number: 3903400-00017	Date of last issue: 04/04/2023 Date of first issue: 12/10/2018
<u>Comp</u>	oonents:		
Glyce	erine:		
Specie		: Rabbit	
Result	t	: No eye irritati	on
Alben	dazole Sulfoxide:		
Specie		: Rabbit	
Result	L	: No eye irritati	01
Respi	iratory or skin sensi	tization	
Skin s	sensitization		
May c	ause an allergic skin	reaction.	
-	ratory sensitization		
	assified based on ava conents:	allable information.	
	dazole Sulfoxide:	Marrianiantian	T
Test T Route	ype s of exposure	: Maximization : Dermal	lest
	sment		evidence of low to moderate skin sensitization
Result	t	rate in humar : positive	IS
		: Maximization	Taat
Test T Route	s of exposure	: Dermal	Test
Result		: Sensitizer	
Germ	cell mutagenicity		
	assified based on ava	ailable information.	
<u>Comp</u>	oonents:		
Glyce	erine:		
-	toxicity in vitro		vitro mammalian cell gene mutation test
		Result: negat	
		Test Type: Ba Result: negat	acterial reverse mutation assay (AMES) ive
		-	
		Test Type: Cl Result: negat	nromosome aberration test in vitro ive
		-	
			NA damage and repair, unscheduled DNA syn- nmalian cells (in vitro) ive
	dazole Sulfoxide:		
Alben			





Albendazole Sulfoxide (1.9%) Formulation

/ersion 10	Revision Date: 09/30/2023	-	0S Number: 03400-00017	Date of last issue: 04/04/2023 Date of first issue: 12/10/2018
			Result: negative	
				nosomal aberration nese hamster ovary cells
Genote	Genotoxicity in vivo		Test Type: Micror Species: Mouse Cell type: Bone m Result: negative	
	nogenicity assified based on availa	ble	information.	
	onents:			
Glyce	rine:			
	ation Route ure time	:	Rat Ingestion 2 Years negative	
Alben	dazole Sulfoxide:			
	ation Route ure time L	:	Mouse Oral 2 Years 400 mg/kg body v negative	veight
	ation Route ure time L	:	Rat Oral 2 Years 20 mg/kg body we negative	eight
Carcin ment	ogenicity - Assess-	:	No evidence of ca	arcinogenicity in animal studies.
Repro	ductive toxicity			
Suspe	cted of damaging the u	nbo	rn child.	
<u>Comp</u>	<u>onents:</u>			
Glyce				
Effects	s on fertility	:	Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion
Effects	s on fetal development	:	Test Type: Embry Species: Rat Application Route Result: negative	vo-fetal development

according to the Hazardous Products Regulations



Albendazole Sulfoxide (1.9%) Formulation

rsion 0	Revision Date: 09/30/2023		0S Number: 03400-00017	Date of last issue: 04/04/2023 Date of first issue: 12/10/2018
Alben	dazole Sulfoxide:			
Effects	s on fertility	:	Test Type: Fertilit Species: Rat Application Route Fertility: NOAEL: Result: No effects	e: Oral 30 mg/kg body weight
Effects on fetal development		:		
				e: Oral oxicity: LOAEL: 30 mg/kg body weight oxic effects., Skeletal malformations.,
				e: Oral oxicity: LOAEL: 7 mg/kg body weight oxic effects and adverse effects on the
Repro sessm	ductive toxicity - As- ent	:	Suspected of dar	naging the unborn child.
STOT	single exposure			
May ca	ause damage to organs	Gi (Gi	astrointestinal tract	t, Central nervous system) if swallowed.
<u>Comp</u>	onents:			
Alben	dazole Sulfoxide:			
	s of exposure Organs sment	:	Oral Gastrointestinal t May cause dama	ract, Central nervous system ge to organs.
STOT.	repeated exposure			
May ca	• •			t, Central nervous system, Immune syste vallowed.

Components:

Albendazole Sulfoxide:

Routes of exposure : Oral



according to the Hazardous Products Regulations

Albendazole Sulfoxide (1.9%) Formulation

Version 2.10	Revision Date: 09/30/2023	SDS Number:Date of last issue: 04/04/20233903400-00017Date of first issue: 12/10/2018				
-	t Organs ssment	 Gastrointestinal tract, Central nervous system, Immune system, Liver May cause damage to organs through prolonged or repeated exposure. 				
Repe	ated dose toxicity					
Comp	oonents:					
Glyce	erine:					
Specie NOAE LOAE Applic	es EL	 Rat 0.167 mg/l 0.622 mg/l inhalation (dust/mist/fume) 13 Weeks 				
		: Rat : 8,000 - 10,000 mg/kg : Ingestion : 2 y				
		 Rabbit 5,040 mg/kg Skin contact 45 Weeks 				
Alber	dazole Sulfoxide:					
Expos	L cation Route sure time t Organs	 Rat 168 mg/kg Oral 4 Weeks Gastrointestinal tract, Testis Diarrhea, Vomiting 				
Expos	L cation Route sure time t Organs	 Dog 48 mg/kg Oral 4 Weeks Gastrointestinal tract Diarrhea, Vomiting 				
Expos	L cation Route sure time t Organs	 Mouse 40 mg/kg Oral 3 Months Blood, Liver, Nose Hematologic effects, Liver effects 				
Expos		: Rat : >= 30 mg/kg : Oral : 6 Months : Blood				

according to the Hazardous Products Regulations



Albendazole Sulfoxide (1.9%) Formulation

Version 2.10	Revision Date: 09/30/2023	SDS Number: 3903400-00017	Date of last issue: 04/04/2023 Date of first issue: 12/10/2018	
Symp	otoms	: Hematologic	effects	
Species LOAEL Application Route Exposure time Target Organs Symptoms		: Dog : 40 mg/kg : Oral : 6 Months : Blood, Liver : Hematologic	effects, Liver effects	
Expo Targe		: Rat : 7 mg/kg : Oral : 60 d : Liver, Testis : Liver effects,	male reproductive effects	
•	ration toxicity lassified based on ava	ailable information		
	rience with human e			
Com	ponents:			
Albe	ndazole Sulfoxide:			
Gene	eral Information		llergic reactions, hair loss, Gastrointestinal dis-	
Skin	contact	: Target Orgar Symptoms: A	adache, Dizziness is: Skin Illergic reactions iy cause sensitization by skin contact.	
Inges	stion	: Target Organs: Gastrointestinal tract Symptoms: Gastrointestinal disturbance, Diarrhea, Abdo		

pain

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Components:		
Glycerine:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h

Target Organs: Liver

Target Organs: Central nervous system Symptoms: Headache, Dizziness

Symptoms: liver function change Target Organs: Immune system Symptoms: immune system effects



according to the Hazardous Products Regulations

Albendazole Sulfoxide (1.9%) Formulation

sion)	Revision Date: 09/30/2023		OS Number: 03400-00017	Date of last issue: 04/04/2023 Date of first issue: 12/10/2018
			Method: DIN 38 4	112 Part 8
	dazole Sulfoxide: y to fish	:	EC50 (Brachydar Exposure time: 1	nio rerio (zebrafish)): 0.042 mg/l 44 hrs
	y to daphnia and other c invertebrates	:	Exposure time: 4	nagna (Water flea)): 0.068 mg/l 8 h est Guideline 202
Toxicit plants	y to algae/aquatic	:	0.024 mg/l Exposure time: 7	elis subcapitata (freshwater green alga)): 2 h rest Guideline 201
Persis	tence and degradabili	ity		
Comp	onents:			
Glycer Biodeg	r ine: gradability	:	Result: Readily b Biodegradation: Exposure time: 3 Method: OECD T	92 %
Bioaco	cumulative potential			
Comp	onents:			
	r ine: on coefficient: n- I/water	:	log Pow: -1.75	
Partitic	dazole Sulfoxide: on coefficient: n- I/water	:	log Pow: 1.27 pH: 7	
	ty in soil a available			
••.	adverse effects a available			

Disposal methods Waste from residues : Do not dispose of waste into sewer. Dispose of in accordance with local regulations. Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

according to the Hazardous Products Regulations



Albendazole Sulfoxide (1.9%) Formulation

VersionRevision Date:SDS Number:Date of last issue: 04/04/20232.1009/30/20233903400-00017Date of first issue: 12/10/2018

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
		N.O.S. (Albendazole Sulfoxide)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Albendazole Sulfoxide)
Class	:	9
Packing group	:	
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(Albendazole Sulfoxide)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Albendazole Sulfoxide)
Class	:	9
Packing group	:	
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(Albendazole Sulfoxide)



Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.10	09/30/2023	3903400-00017	Date of first issue: 12/10/2018

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this	product are reported	in the following inventories:
		in the felletting interior.

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc-



Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
2.10	09/30/2023	3903400-00017	Date of first issue: 12/10/2018

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date Date format	:	09/30/2023 mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8