

Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Albendazole Sulfoxide (1.9%) Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : 1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Skin sensitisation : Category 1

Short-term (acute) aquatic

hazard

Category 2

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Albendazole Sulfoxide	54029-12-8	>= 1 - < 2.5	-
Polyethylene glycol sorbitan monolaurate	9005-64-5	>= 0.1 - < 1	8-55, 7-110
Benzoic acid	65-85-0	>= 0.1 - < 1	3-1397

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms : May cause an allergic skin reaction.



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

and effects, both acute and

delayed

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can



Albendazole Sulfoxide (1.9%) Formulation

Revision Date: SDS Number: Date of last issue: 2024/09/28 Version 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

> be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Use only with adequate ventilation. Do not get on skin or clothing. Advice on safe handling

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment. Oxidizing agents

Avoidance of contact

Hygiene measures If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Storage

Conditions for safe storage Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Packaging material Unsuitable material: None known.



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Albendazole Sulfoxide	54029-12-8	TWA	45 μg/m3 (OEB 3)	Internal
	Further information: DSEN			
		Wipe limit	100 μg/100 cm2	Internal
Benzoic acid	65-85-0	TWA (Inhalable fraction and vapor)	0.5 mg/m3	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type
Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.



Albendazole Sulfoxide (1.9%) Formulation

Date of last issue: 2024/09/28 Version **Revision Date:** SDS Number: 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state suspension

Colour white

Odour No data available

Odour Threshold No data available

No data available Melting point/freezing point

Boiling point, initial boiling

point and boiling range

No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- :

per flammability limit

No data available

Lower explosion limit /

Lower flammability limit

No data available

Flash point No data available

Decomposition temperature No data available

No data available pΗ

Evaporation rate No data available

Auto-ignition temperature No data available

Viscosity

No data available Viscosity, kinematic

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

No data available Vapour pressure

Density and / or relative density

Relative density No data available

Density No data available



Albendazole Sulfoxide (1.9%) Formulation

Date of last issue: 2024/09/28 Version **Revision Date:** SDS Number: 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Relative vapour density No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

Albendazole Sulfoxide:

Acute oral toxicity : LD50 (Mouse): 1,500 mg/kg

LD50 (Rat): 2,400 mg/kg

Acute toxicity (other routes of : LD50 (Rat): 265 mg/kg

administration)

Application Route: Intravenous

Polyethylene glycol sorbitan monolaurate:

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Benzoic acid:

Acute oral toxicity : LD50 (Rat): 2,250 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 12.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Species : Rabbit

Result : No skin irritation

Polyethylene glycol sorbitan monolaurate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Benzoic acid:

Species : Guinea pig
Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Species : Rabbit

Result : No eye irritation

Polyethylene glycol sorbitan monolaurate:

Species : Rabbit

Result : No eye irritation



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Benzoic acid:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Test Type : Maximisation Test

Exposure routes : Dermal

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

Result : positive

Test Type : Maximisation Test

Exposure routes : Dermal Result : Sensitiser

Polyethylene glycol sorbitan monolaurate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Benzoic acid:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells

Result: negative



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Result: negative

Polyethylene glycol sorbitan monolaurate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Benzoic acid:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: equivocal

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 400 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 20 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

: No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Effects on fertility : Test Type: Fertility

Species: Rat



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Application Route: Oral

Fertility: NOAEL: 30 mg/kg body weight

Result: No effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 30 mg/kg body weight Result: Embryotoxic effects., Skeletal malformations, Maternal

toxicity observed.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 5.8 mg/kg body weight

Result: Effects on postnatal development

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Reproductive toxicity - As-

sessment

ment

Suspected of damaging the unborn child.

Polyethylene glycol sorbitan monolaurate:

Effects on foetal develop-

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Benzoic acid:

Effects on fertility : Test Type: Four-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Exposure routes : Oral



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Target Organs : Gastrointestinal tract, Central nervous system

Assessment : May cause damage to organs.

STOT - repeated exposure

Not classified based on available information.

Components:

Albendazole Sulfoxide:

Exposure routes : Oral

Target Organs : Gastrointestinal tract, Central nervous system, Immune sys-

tem, Liver

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Benzoic acid:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Lungs

Assessment : Shown to produce significant health effects in animals at con-

centrations of 0.02 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Albendazole Sulfoxide:

Species : Rat
LOAEL : 168 mg/kg
Application Route : Oral
Exposure time : 4 Weeks

Target Organs : Gastrointestinal tract, Testis

Symptoms : Diarrhoea, Vomiting

Species : Dog
LOAEL : 48 mg/kg
Application Route : Oral
Exposure time : 4 Weeks

Target Organs : Gastrointestinal tract Symptoms : Diarrhoea, Vomiting

Species: MouseLOAEL: 40 mg/kgApplication Route: OralExposure time: 3 Months

Target Organs : Blood, Liver, Nose

Symptoms : Hematologic effects, Liver effects

Species : Rat

LOAEL : >= 30 mg/kg

Application Route : Oral Exposure time : 6 Months



Albendazole Sulfoxide (1.9%) Formulation

Date of last issue: 2024/09/28 Version Revision Date: SDS Number: 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Target Organs Blood

Symptoms Hematologic effects

Species Doa LOAEL 40 mg/kg Application Route
Exposure time
Target Organs
Symptoms Oral 6 Months : Blood, Liver

Symptoms Hematologic effects, Liver effects

Species Rat NOAEL
Application Route
Exposure time
Target Organs 7 mg/kg Oral 60 d : Liver, Testis

Symptoms : Liver effects, male reproductive effects

Benzoic acid:

Species Rat

LÖAEL : < 0.025 mg/l

: < 0.025 mg/l : inhalation (dust/mist/fume) : 28 Days Application Route

Exposure time : 28 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Albendazole Sulfoxide:

General Information Symptoms: Allergic reactions, hair loss, Gastrointestinal dis-

turbance, Headache, Dizziness

Skin contact Target Organs: Skin

Symptoms: Allergic reactions

Remarks: May cause sensitisation by skin contact.

Target Organs: Gastrointestinal tract Ingestion

Symptoms: Gastrointestinal disturbance, Diarrhoea, Ab-

dominal pain

Target Organs: Central nervous system Symptoms: Headache, Dizziness

Target Organs: Liver

Symptoms: liver function change

Target Organs: Immune system Symptoms: immune system effects



Albendazole Sulfoxide (1.9%) Formulation

Date of last issue: 2024/09/28 Version Revision Date: SDS Number: 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Albendazole Sulfoxide:

Toxicity to fish : EC50 (Brachydanio rerio (zebrafish)): 0.042 mg/l

Exposure time: 144 hrs

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.068 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EC50 (Raphidocelis subcapitata (freshwater green alga)):

0.024 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 10

M-Factor (Chronic aquatic

toxicity)

10

Polyethylene glycol sorbitan monolaurate:

Toxicity to fish LL50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 10 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Benzoic acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 44.6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: EPA-660/3-75-009

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 33.1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 3.4

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Toxicity to daphnia and other :

NOEC (Daphnia magna (Water flea)): 25 mg/l

aquatic invertebrates (Chron- Exposure time: 21 d

ic toxicity) Method: OECD Test Guideline 211

Toxicity to microorganisms : IC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

Polyethylene glycol sorbitan monolaurate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Benzoic acid:

Biodegradability : Result: rapidly degradable

Biodegradation: 89.5 % Exposure time: 35 d

Bioaccumulative potential

Components:

Albendazole Sulfoxide:

Partition coefficient: n- : log Pow: 1.27

octanol/water pH: 7

Benzoic acid:

Partition coefficient: n- : log Pow: 1.88

octanol/water

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Albendazole Sulfoxide)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Albendazole Sulfoxide)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen-

964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Albendazole Sulfoxide)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Mono(or poly)ether of (mono ester of anhydro(or dianhydro)glucitol and	222
dodecanoic acid) and alpha-hydro-omega-hydroxypoly(oxyethylene)	

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

Chemical name	Concentration (%)	Remarks
benzoic acid	>=0.1 - <1	From April 1st, 2025

Substances Subject to be Indicated Names

Not applicable

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response: ERG - Emergency Response Guide: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods: TECI - Thailand Existing Chemicals Inventory: TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.



Albendazole Sulfoxide (1.9%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/09/28 11.0 2025/04/14 3903429-00022 Date of first issue: 2018/12/10

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN