

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : Amitraz Liquid Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised againstUse of the Sub-
stance/Mixture : Veterinary productRecommended restrictions
on use : Not applicable**1.3 Details of the supplier of the safety data sheet**Company : MSD
20 Spartan Road
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com**1.4 Emergency telephone number**

+1-908-423-6000

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Skin irritation, Category 2	H315: Causes skin irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Germ cell mutagenicity, Category 1B	H340: May cause genetic defects.
Carcinogenicity, Category 1B	H350: May cause cancer.
Reproductive toxicity, Category 2	H361: Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - single exposure, Category 3	H336: May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

Endocrine disruptor for environment,
Category 1

EUH430: May cause endocrine disruption in the environment

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- H340 May cause genetic defects.
- H350 May cause cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH430 May cause endocrine disruption in the environment

Precautionary statements :

Prevention:

- P201 Obtain special instructions before use.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Solvent naphtha (petroleum), light aromatic

4-Nonylphenol, branched, ethoxylated

amitraz (ISO)

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate

Additional Labelling

Restricted to professional users.

Amitraz Liquid Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 1642421-00022 Date of last issue: 14.04.2025
 Date of first issue: 09.05.2017

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6 265-199-0 649-356-00-4	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Muta. 1B; H340 Carc. 1B; H350 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 70 - < 90
4-Nonylphenol, branched, ethoxylated	127087-87-0	Repr. 2; H361 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ED ENV 1; EUH430 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 20 - < 25
amitraz (ISO)	33089-61-1 251-375-4 612-086-00-2	Acute Tox. 4; H302 Skin Sens. 1B; H317 STOT RE 2; H373 (Liver, Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	2386-87-0 219-207-4 607-773-00-9	Skin Sens. 1; H317 Muta. 2; H341 STOT RE 2; H373	>= 2,5 - < 10

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

	(nasal cavity) Aquatic Chronic 3; H412	
--	--	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | | |
|----------------------------|---|---|
| General advice | : | In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| If inhaled | : | If inhaled, remove to fresh air.
Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|-------|---|---|
| Risks | : | May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic skin reaction.
May cause drowsiness or dizziness.
May cause genetic defects.
May cause cancer.
Suspected of damaging fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure. |
|-------|---|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|---|
| Treatment | : | Treat symptomatically and supportively. |
|-----------|---|---|

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equipment.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

Advice on common storage : Do not store with the following product types:

- Strong oxidizing agents
- Self-reactive substances and mixtures
- Organic peroxides
- Flammable solids
- Pyrophoric liquids
- Pyrophoric solids
- Self-heating substances and mixtures
- Substances and mixtures, which in contact with water, emit flammable gases
- Explosives
- Gases
- Very acutely toxic substances and mixtures

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
amitraz (ISO)	33089-61-1	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	1250 µg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	Workers	Inhalation	Long-term systemic effects	0,18 mg/m ³
	Workers	Inhalation	Long-term local effects	0,18 mg/m ³
	Workers	Skin contact	Long-term systemic effects	0,05 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
----------------	---------------------------	-------

Amitraz Liquid Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 1642421-00022 Date of last issue: 14.04.2025
 Date of first issue: 09.05.2017

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	Fresh water	0,024 mg/l
	Freshwater - intermittent	0,24 mg/l
	Marine water	0,0024 mg/l
	Sewage treatment plant	19,5 mg/l
	Fresh water sediment	0,211 mg/kg dry weight (d.w.)
	Marine sediment	0,0211 mg/kg dry weight (d.w.)
	Soil	0,0282 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

Colour	:	Colorless to pale yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	56 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0,92 - 1,20 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight	:	Not applicable
Particle size	:	No data available

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Flammable liquid and vapour.
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:**Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5,61 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rabbit): > 2.000 mg/kg

4-Nonylphenol, branched, ethoxylated:

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg
---------------------	-----------------------------

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

amitraz (ISO):

Acute oral toxicity	: LD50 (Rat): > 400 mg/kg
	LD50 (Mouse): > 1.085 mg/kg
	LD50 (Guinea pig): > 400 mg/kg
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: LD50 (Rat): > 1.600 mg/kg

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Acute oral toxicity	: LD50 (Rat, male): > 2.959 - 5.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): >= 5,19 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:**Solvent naphtha (petroleum), light aromatic:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

4-Nonylphenol, branched, ethoxylated:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

amitraz (ISO):

Species	: Rabbit
Result	: No skin irritation

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Solvent naphtha (petroleum), light aromatic:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

4-Nonylphenol, branched, ethoxylated:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Based on data from similar materials

amitraz (ISO):

Species	: Rabbit
Result	: No eye irritation

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Solvent naphtha (petroleum), light aromatic:**

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

4-Nonylphenol, branched, ethoxylated:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

amitraz (ISO):

Test Type	: Maximisation Test
-----------	---------------------

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

Exposure routes	: Dermal
Species	: Guinea pig
Result	: Sensitiser

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: positive

Assessment	: Probability or evidence of skin sensitisation in humans
------------	---

Germ cell mutagenicity

May cause genetic defects.

Components:

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: positive
Genotoxicity in vivo	: Test Type: Sister chromatid exchange analysis in spermatogonia Species: Mouse Application Route: Intraperitoneal injection Result: positive
Germ cell mutagenicity- Assessment	: Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

4-Nonylphenol, branched, ethoxylated:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials

amitraz (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	--

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Result: positive

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Test Type: Transgenic rodent somatic cell gene mutation assay
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 488
Result: positive

Germ cell mutagenicity- Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

May cause cancer.

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

Components:

Solvent naphtha (petroleum), light aromatic:

Species	: Mouse
Application Route	: Skin contact
Exposure time	: 2 Years
Result	: positive

Carcinogenicity - Assessment	: Sufficient evidence of carcinogenicity in animal experiments
------------------------------	--

amitraz (ISO):

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: > 10,18 mg/kg body weight
Result	: negative

Species	: Mouse
Exposure time	: 2 Years
LOAEL	: 2,3 mg/kg body weight
Result	: positive
Target Organs	: Liver, Stomach

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	: Mouse
Application Route	: Skin contact
Exposure time	: 29 Months
Result	: negative

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

Solvent naphtha (petroleum), light aromatic:

Effects on fertility	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: inhalation (vapour) Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative

4-Nonylphenol, branched, ethoxylated:

Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
------------------------------------	--

amitraz (ISO):

Effects on fertility	: Test Type: Three-generation reproduction toxicity study
----------------------	---

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

Effects on foetal development	Species: Rat Application Route: Oral Fertility: NOAEL: > 4,8 mg/kg body weight Result: No significant adverse effects were reported : Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 3 mg/kg body weight Remarks: No significant adverse effects were reported Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 5 mg/kg body weight Result: Effects on foetal development
-------------------------------	---

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative
-------------------------------	---

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Solvent naphtha (petroleum), light aromatic:

Assessment	: May cause drowsiness or dizziness.
------------	--------------------------------------

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

amitraz (ISO):

Target Organs	: Liver, Central nervous system
Assessment	: May cause damage to organs through prolonged or repeated exposure.

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Exposure routes	: Ingestion
Target Organs	: nasal cavity
Assessment	: Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

Species	: Rat
LOAEL	: 500 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

4-Nonylphenol, branched, ethoxylated:

Species	: Rat
LOAEL	: 150 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OPPTS 870.3100
Remarks	: Based on data from similar materials

amitraz (ISO):

Species	: Mouse
NOAEL	: 3 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Liver

Species	: Dog
NOAEL	: 0,25 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Central nervous system, Liver

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species	: Rat
NOAEL	: 5 mg/kg
LOAEL	: 50 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:**Solvent naphtha (petroleum), light aromatic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure**Components:****amitraz (ISO):**

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

|| Ingestion : Target Organs: Central nervous system

SECTION 12: Ecological information

12.1 Toxicity

Components:

Solvent naphtha (petroleum), light aromatic:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 8,2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 4,5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (microalgae)): 3,1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
		NOELR (Pseudokirchneriella subcapitata (microalgae)): 0,5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR: 2,6 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211

4-Nonylphenol, branched, ethoxylated:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 0,1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): > 0,1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 100 d
Species: *Oryzias latipes* (Japanese medaka)
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,001 - 0,01 mg/l
Exposure time: 28 d
Species: *Mysidopsis bahia* (opossum shrimp)
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10

amitraz (ISO):

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0,45 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0,035 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (*Pseudokirchneriella subcapitata* (green algae)): 0,04 mg/l
Exposure time: 91 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0,00148 mg/l
Exposure time: 32 d
Species: *Pimephales promelas* (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0011 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 24 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 40 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 110 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

	NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC10 (activated sludge): 409 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

12.2 Persistence and degradability**Components:****Solvent naphtha (petroleum), light aromatic:**

Biodegradability	: Result: Inherently biodegradable. Biodegradation: 94 % Exposure time: 25 d
------------------	--

4-Nonylphenol, branched, ethoxylated:

Biodegradability	: Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 71 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

12.3 Bioaccumulative potential**Components:****amitraz (ISO):**

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1.333
-----------------	---

Partition coefficient: n-octanol/water	: log Pow: 5,5
--	----------------

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Partition coefficient: n-octanol/water	: log Pow: 1,34 Method: OECD Test Guideline 107
--	--

12.4 Mobility in soil**Components:****amitraz (ISO):**

Distribution among environmental compartments	: log Koc: 3,3
---	----------------

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects**Product:**

Endocrine disrupting potential : This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Components:**4-Nonylphenol, branched, ethoxylated:**

Endocrine disrupting potential : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADN	: UN 1993
ADR	: UN 1993
RID	: UN 1993
IMDG	: UN 1993
IATA	: UN 1993

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

14.2 UN proper shipping name

ADN	:	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light aromatic)
ADR	:	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light aromatic)
RID	:	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light aromatic)
IMDG	:	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light aromatic, amitraz (ISO))
IATA	:	Flammable liquid, n.o.s. (Solvent naphtha (petroleum), light aromatic)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 3	
ADR	: 3	
RID	: 3	
IMDG	: 3	
IATA	: 3	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
ADR	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
Tunnel restriction code	: (D/E)
RID	
Packing group	: III
Classification Code	: F1
Hazard Identification Number	: 30
Labels	: 3
IMDG	
Packing group	: III
Labels	: 3
EmS Code	: F-E, <u>S-E</u>
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 366
Packing instruction (LQ)	: Y344
Packing group	: III
Labels	: Flammable Liquids

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

IATA (Passenger)

Packing instruction (passenger aircraft)	:	355
Packing instruction (LQ)	:	Y344
Packing group	:	III
Labels	:	Flammable Liquids

14.5 Environmental hazards**ADN**

Environmentally hazardous	:	yes
---------------------------	---	-----

ADR

Environmentally hazardous	:	yes
---------------------------	---	-----

RID

Environmentally hazardous	:	yes
---------------------------	---	-----

IMDG

Marine pollutant	:	yes
------------------	---	-----

IATA (Passenger)

Environmentally hazardous	:	yes
---------------------------	---	-----

IATA (Cargo)

Environmentally hazardous	:	yes
---------------------------	---	-----

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks	:	Not applicable for product as supplied.
---------	---	---

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The components of this product are reported in the following inventories:

AICS	:	not determined
------	---	----------------

DSL	:	not determined
-----	---	----------------

IECSC	:	not determined
-------	---	----------------

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information	:	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.
-------------------	---	--

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

Full text of H-Statements

EUH430	: May cause endocrine disruption in the environment
H226	: Flammable liquid and vapour.
H302	: Harmful if swallowed.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H336	: May cause drowsiness or dizziness.
H340	: May cause genetic defects.
H341	: Suspected of causing genetic defects.
H350	: May cause cancer.
H361	: Suspected of damaging fertility or the unborn child.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Carc.	: Carcinogenicity
ED ENV	: Endocrine disruptor for environment
Flam. Liq.	: Flammable liquids
Muta.	: Germ cell mutagenicity
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef-

Amitraz Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1642421-00022	Date of first issue: 09.05.2017

fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Flam. Liq. 3	H226
Skin Irrit. 2	H315
Skin Sens. 1	H317
Muta. 1B	H340
Carc. 1B	H350
Repr. 2	H361
STOT SE 3	H336
STOT RE 2	H373
Asp. Tox. 1	H304
Aquatic Acute 1	H400
Aquatic Chronic 1	H410
ED ENV 1	EUH430

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Based on product data or assessment
Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN