

Atropine Sulfate Formulation

Version 2.0 Revision Date: 22.12.2020 SDS Number: 7665455-00002 Date of last issue: 14.12.2020
Date of first issue: 14.12.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Atropine Sulfate Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	>= 1 -< 5
Sodium chloride	7647-14-5	>= 1 -< 5
Atropine Sulfate	5908-99-6	>= 0,1 -< 1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2020
2.0	22.12.2020	7665455-00002	Date of first issue: 14.12.2020

<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>In case of eye contact</p>	<p>: Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>If swallowed</p>	<p>: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.</p> <p>: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Most important symptoms and effects, both acute and delayed</p>	<p>: None known.</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Protection of first-aiders</p>	<p>: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Notes to physician</p>	<p>: Treat symptomatically and supportively.</p>

SECTION 5. FIRE-FIGHTING MEASURES

<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Suitable extinguishing media</p>	<p>: Water spray Alcohol-resistant foam Carbon dioxide (CO₂) Dry chemical</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Unsuitable extinguishing media</p>	<p>: None known.</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Specific hazards during fire fighting</p>	<p>: Exposure to combustion products may be a hazard to health.</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Hazardous combustion products</p>	<p>: Carbon oxides Metal oxides Chlorine compounds</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Specific extinguishing methods</p>	<p>: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Special protective equipment for fire-fighters</p>	<p>: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.</p>

SECTION 6. ACCIDENTAL RELEASE MEASURES

<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Personal precautions, protective equipment and emergency procedures</p>	<p>: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Environmental precautions</p>	<p>: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</p>
<div style="border-left: 2px solid black; border-right: 2px solid black; height: 100px; margin-bottom: 10px;"></div>	<p>Methods and materials for</p>	<p>: Soak up with inert absorbent material.</p>

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2020
2.0	22.12.2020	7665455-00002	Date of first issue: 14.12.2020

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapor type
Hand protection		
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	Translucent-colorless to pale yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	3,0 - 6,5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable

Atropine Sulfate Formulation

Version 2.0 Revision Date: 22.12.2020 SDS Number: 7665455-00002 Date of last issue: 14.12.2020
Date of first issue: 14.12.2020

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	0,900 - 1,100 g/cm ³
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion
--	---	---

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2020
2.0	22.12.2020	7665455-00002	Date of first issue: 14.12.2020

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Sodium chloride:

Acute oral toxicity : LD50 (Rat): 3.550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Atropine Sulfate:

Acute oral toxicity : LD50 (Rat): 500 mg/kg
LD50 (Mouse): 75 mg/kg
LD50 (Rabbit): 600 mg/kg
LD50 (Guinea pig): 1.100 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Sodium chloride:

Atropine Sulfate Formulation

Version 2.0 Revision Date: 22.12.2020 SDS Number: 7665455-00002 Date of last issue: 14.12.2020
Date of first issue: 14.12.2020

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Benzyl alcohol:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Sodium chloride:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**Benzyl alcohol:**

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Sodium chloride:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection

Atropine Sulfate Formulation

Version 2.0 Revision Date: 22.12.2020 SDS Number: 7665455-00002 Date of last issue: 14.12.2020
 Date of first issue: 14.12.2020

		Result: negative
Sodium chloride:		
Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: positive
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Saccharomyces cerevisiae, gene mutation assay (in vitro) Result: positive
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: positive
		Test Type: Chromosome aberration test in vitro Result: positive
		Test Type: Chromosome aberration test in vitro Result: negative
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Intraperitoneal injection Result: positive
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

Atropine Sulfate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks

Atropine Sulfate Formulation

Version 2.0 Revision Date: 22.12.2020 SDS Number: 7665455-00002 Date of last issue: 14.12.2020
 Date of first issue: 14.12.2020

Method : OECD Test Guideline 451
 Result : negative

Sodium chloride:

Species : Rat
 Application Route : Ingestion
 Exposure time : 2 Years
 Result : negative

Atropine Sulfate:

Species : Rat
 Application Route : Intraperitoneal injection
 Exposure time : 28 month(s)
 NOAEL : 2,5 mg/kg bw/day
 Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Atropine Sulfate:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat, male
 Application Route: Ingestion
 General Toxicity Parent: LOAEL: 62,5 mg/kg body weight
 Result: Reduced fertility

Test Type: Fertility/early embryonic development
 Species: Rat, female
 Application Route: Intraperitoneal injection
 General Toxicity Parent: LOAEL: 1 mg/kg body weight
 Result: Effect on estrous cycle

Effects on fetal development : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Intravenous injection

Atropine Sulfate Formulation

Version 2.0 Revision Date: 22.12.2020 SDS Number: 7665455-00002 Date of last issue: 14.12.2020
 Date of first issue: 14.12.2020

Developmental Toxicity: LOAEL: 50 mg/kg body weight
 Result: Abnormalities of the musculoskeletal system.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

Components:

Atropine Sulfate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Components:

Atropine Sulfate:

Routes of exposure : Inhalation
 Target Organs : Eye, Central nervous system
 Assessment : Shown to produce significant health effects in animals at concentrations of 50 ppmV/6h/d or less.

Repeated dose toxicity

Components:

Benzyl alcohol:

Species : Rat
 NOAEL : 1,072 mg/l
 Application Route : inhalation (dust/mist/fume)
 Exposure time : 28 Days
 Method : OECD Test Guideline 412

Sodium chloride:

Species : Rat
 LOAEL : 2.533 mg/kg
 Application Route : Ingestion
 Exposure time : 2 y

Atropine Sulfate:

Species : Rabbit
 LOAEL : 59 mg/kg
 Application Route : Subcutaneous
 Exposure time : 100 d
 Target Organs : Central nervous system
 Symptoms : Convulsions, respiratory depression

Species : Rat
 LOAEL : 0,5 mg/kg

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2020
2.0	22.12.2020	7665455-00002	Date of first issue: 14.12.2020

Application Route	: Inhalation
Exposure time	: 21 d
Target Organs	: Eye
Symptoms	: Dilatation of the pupil

Species	: Dog
LOAEL	: 0,5 mg/kg
Application Route	: Inhalation
Exposure time	: 21 d
Target Organs	: Eye
Symptoms	: Dilatation of the pupil

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Atropine Sulfate:

General Information	: Target Organs: Central nervous system Symptoms: dry mouth, Blurred vision, tachycardia, constipation, central nervous system effects, restlessness, Fatigue, delirium, mental depression
---------------------	---

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzyl alcohol:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	: NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Sodium chloride:

Atropine Sulfate Formulation

Version 2.0 Revision Date: 22.12.2020 SDS Number: 7665455-00002 Date of last issue: 14.12.2020
 Date of first issue: 14.12.2020

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.840 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 4.136 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50: > 2.000 mg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 252 mg/l Exposure time: 33 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia pulex (Water flea)): 314 mg/l Exposure time: 21 d
Toxicity to microorganisms	: EC10: > 1.000 mg/l

Atropine Sulfate:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 356 mg/l Exposure time: 48 h
---	--

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	--

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-octanol/water	: log Pow: 1,05
--	-----------------

Atropine Sulfate:

Partition coefficient: n-octanol/water	: log Pow: 1,83
--	-----------------

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2020
2.0	22.12.2020	7665455-00002	Date of first issue: 14.12.2020

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

International Regulations

The ingredients of this product are reported in the following inventories:

DSL : not determined

AICS : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

Atropine Sulfate Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.12.2020
2.0	22.12.2020	7665455-00002	Date of first issue: 14.12.2020

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8