according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

SECTION 1. IDENTIFICATION

Product name : Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2B

Respiratory sensitization : Sub-category 1A

Skin sensitization : Sub-category 1B

Reproductive toxicity : Category 1A

Specific target organ toxicity

- repeated exposure

Category 1 (Kidney, inner ear)

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H320 Causes eye irritation.

H334 May cause allergy or asthma symptoms or breathing diffi-

culties if inhaled.

H360D May damage the unborn child.

H372 Causes damage to organs (Kidney, inner ear) through

prolonged or repeated exposure.

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical attention. P333 + P313 If skin irritation or rash occurs: Get medical atten-

tion.

P337 + P313 If eye irritation persists: Get medical attention.

P342 + P311 If experiencing respiratory symptoms: Call a doctor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Benzylpenicillin	No data availa- ble	61-33-6	58.39

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 09/30/2023 2444733-00024 Date of first issue: 02/13/2018 8.1

Streptomycin sulphate No data availa- 3810-74-0 38.85 ble

SECTION 4. FIRST AID MEASURES

In the case of accident or if you feel unwell, seek medical General advice

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

> If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of contact, immediately flush skin with soap and plenty In case of skin contact

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and Harmful if swallowed.

Causes eve irritation.

delayed

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May damage the unborn child.

Causes damage to organs through prolonged or repeated

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

Contact with dust can cause mechanical irritation or drying of

the skin.

First Aid responders should pay attention to self-protection, Protection of first-aiders

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2444733-00024 8.1 09/30/2023 Date of first issue: 02/13/2018

Unsuitable extinguishing

media

Specific hazards during fire

fighting

None known.

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Surround spill with absorbents and place a damp covering over the area to minimize entry of the material into the air. Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures Static electricity may accumulate and ignite suspended dust

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe dust. Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Already sensitized individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease,

should consult their physician regarding working with

respiratory irritants or sensitizers.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
Benzylpenicillin	61-33-6	TWA	600 μg/m3 (OEB 2)	Internal		
	Further information: RSEN, DSEN					
		Wipe limit	100 μg/100 cm2	Internal		
Streptomycin sulphate	3810-74-0	TWA	OEB 2 (>= 100 < 1,000 μg/m3)	Internal		
	Further information: DSEN					

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

Engineering measures : Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

Particulates type

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hygiene measures

Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : white

Odor : odorless

Odor Threshold : No data available

pH : 6.0 - 7.5

(aqueous suspension)

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 09/30/2023 2444733-00024 8.1 Date of first issue: 02/13/2018

Flash point No data available

Evaporation rate Not applicable

Flammability (solid, gas) May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure Not applicable

Relative vapor density Not applicable

No data available Relative density

Density $> 0.3 \text{ g/cm}^3$

Solubility(ies)

Water solubility slightly soluble

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic Not applicable

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size No data available

SECTION 10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Stable under normal conditions. Chemical stability

Possibility of hazardous reac-

May form explosive dust-air mixture during processing, tions handling or other means.

Can react with strong oxidizing agents.

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Oxidizing agents

Hazardous decomposition

No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,030 mg/kg

Method: Calculation method

Components:

Benzylpenicillin:

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Mouse): 3,500 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 329 mg/kg Application Route: Intravenous

Streptomycin sulphate:

Acute oral toxicity : LD50 (Hamster): 400 mg/kg

LD50 (Rat): 430 mg/kg

LD50 (Mouse): 25,000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Mouse): 85 - 111 mg/kg Application Route: Intravenous

LD50 (Mouse): 575 - 610 mg/kg Application Route: Intraperitoneal

LD50 (Mouse): 500 - 600 mg/kg Application Route: Subcutaneous

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

TDLo (Dog): 220 - 440 mg/kg Application Route: Intravenous Symptoms: Lowered blood pressure

LDLo (Monkey): 110 mg/kg Application Route: Intravenous

TDLo (Monkey): 30 - 70 mg/kg Application Route: Subcutaneous Symptoms: respiratory depression

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes eye irritation.

Components:

Streptomycin sulphate:

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

Benzylpenicillin:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Dermal Species : Mouse

Result : Weak sensitizer

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig Result : positive

Remarks : Based on data from similar materials

Result : Strong sensitizer

Remarks : Based on human experience.

Streptomycin sulphate:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Dermal
Species : Humans
Result : Weak sensitizer

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

Germ cell mutagenicity

Not classified based on available information.

Components:

Benzylpenicillin:

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Streptomycin sulphate:

Genotoxicity in vitro : Test Type: Chromosomal aberration

Result: equivocal

Genotoxicity in vivo : Test Type: Chromosomal aberration

Cell type: Human lymphocytes

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Streptomycin sulphate:

Species : Rat Application Route : Oral

NOAEL : 5 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

: Weight of evidence does not support classification as a car-

cinogen

Reproductive toxicity

May damage the unborn child.

Components:

Benzylpenicillin:

Effects on fertility : Test Type: Fertility

Species: Mouse

Result: No effects on fertility.

Test Type: Fertility Species: Rat

Result: No effects on fertility.

Test Type: Fertility Species: Rabbit

Result: No effects on fertility.

Effects on fetal development : Test Type: Development

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

Species: Mouse

Result: No effects on fetal development.

Test Type: Development

Species: Rat

Result: No effects on fetal development.

Test Type: Development

Species: Rabbit

Result: No effects on fetal development.

Streptomycin sulphate:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Intraperitoneal Fertility: LOAEL: 40 mg/kg body weight Symptoms: male reproductive effects

Effects on fetal development : Test Type: Development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 250 mg/kg body weight

Symptoms: fetal deafness, Embryo-fetal toxicity.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Result: No teratogenic effects.

Reproductive toxicity - As-

sessment

May damage the unborn child.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Kidney, inner ear) through prolonged or repeated exposure.

Components:

Streptomycin sulphate:

Target Organs : Kidney, inner ear

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Streptomycin sulphate:

Species : Rat

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

NOAEL : 100 mg/kg
Application Route : Subcutaneous
Exposure time : 72 Days

Remarks : No significant adverse effects were reported

Species : Cat
LOAEL : 200 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : inner ear

Species : Dog
LOAEL : 44 mg/kg
Application Route : Intramuscular
Exposure time : 14 Days
Target Organs : inner ear

Species : Dog

LOAEL : 50 - 100 mg/kg Application Route : Intramuscular Exposure time : 20 Days

Target Organs : inner ear, Kidney

Symptoms : ataxia

Species : Monkey
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 5 Days
Target Organs : Liver, Kidney

Species : Rat
NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 2 y

Remarks : No significant adverse effects were reported

Species: MonkeyLOAEL: 25 mg/kgApplication Route: SubcutaneousExposure time: 66 Days

Target Organs : Blood, Liver, Kidney

Symptoms : anemia

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Benzylpenicillin:

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

Inhalation : Symptoms: Allergic reactions, Abdominal pain, bron-

chospasm, skin rash

Streptomycin sulphate:

Inhalation : Target Organs: inner ear

Symptoms: hearing loss Target Organs: Kidney Symptoms: hearing loss Symptoms: skin rash

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Skin contact

Components:

Benzylpenicillin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 hrs

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.6 mg/l

Exposure time: 48 hrs

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 50

mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

EC50 (blue-green algae): 0.74 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

NOEC (blue-green algae): 0.14 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 500 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 5 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 09/30/2023 8.1 2444733-00024 Date of first issue: 02/13/2018

Streptomycin sulphate:

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 487 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Microcystis aeruginosa (blue-green algae)): 0.007 mg/l

Exposure time: 72 h Method: ISO 8692

EC50 (Selenastrum capricornutum (green algae)): 0.133 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 32 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Persistence and degradability

Components:

Benzylpenicillin:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 70.10 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Streptomycin sulphate:

Partition coefficient: n-

octanol/water

log Pow: -3.2

Mobility in soil No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid **Formulation**

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN 3077 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

N.O.S.

(Streptomycin sulphate, Benzylpenicillin)

Class Packing group Ш Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3077

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(Streptomycin sulphate, Benzylpenicillin)

Class 9 Packing group Ш

Miscellaneous Labels

Packing instruction (cargo 956

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number UN 3077

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(Streptomycin sulphate, Benzylpenicillin)

Class 9 Packing group Ш Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number UN 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

(Streptomycin sulphate, Benzylpenicillin)

Class Ш Packing group Labels 9 **ERG Code** 171

Marine pollutant yes(Streptomycin sulphate, Benzylpenicillin)

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

according to the Hazardous Products Regulations



Benzylpenicillin / Streptomycin Sulphate Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 8.1 09/30/2023 2444733-00024 Date of first issue: 02/13/2018

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/30/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8