

according to the OSHA Hazard Communication Standard

## **Buparvaquone Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.8	09/30/2023	2091175-00014	Date of first issue: 10/17/2017

#### **SECTION 1. IDENTIFICATION**

Product name	:	Buparvaquone Formulation
Manufacturer or supplier's o	deta	ails
Company name of supplier Address		Merck & Co., Inc 126 E. Lincoln Avenue Rahway, New Jersey U.S.A. 07065
Telephone Emergency telephone E-mail address	:	908-740-4000 1-908-423-6000 EHSDATASTEWARD@merck.com
Recommended use of the c	hen	nical and restrictions on use
Recommended use Restrictions on use	:	Veterinary product Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)					
Skin irritation	:	Category 2			
Eye irritation	:	Category 2A			
Reproductive toxicity	:	Category 1B			
Specific target organ toxicity - single exposure	:	Category 3			
GHS label elements					
Hazard pictograms	:				
Signal Word	:	Danger			
Hazard Statements	:	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H360D May damage the unborn child.			
Precautionary Statements	:	<ul> <li>Prevention:</li> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P261 Avoid breathing mist or vapors.</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves, protective clothing, eye protection</li> </ul>			





## **Buparvaquone Formulation**

Version 5.8	Revision Date: 09/30/2023	SDS Number: 2091175-00014	Date of last issue: 04/04/2023 Date of first issue: 10/17/2017				
		and face protec	tion.				
		Response:					
		P304 + P340 + and keep comfo unwell. P305 + P351 + for several minu to do. Continue P308 + P313 IF P332 + P313 If P337 + P313 If	<ul> <li>F ON SKIN: Wash with plenty of soap and water.</li> <li>P312 IF INHALED: Remove person to fresh air ortable for breathing. Call a doctor if you feel</li> <li>P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing.</li> <li>F exposed or concerned: Get medical attention. skin irritation occurs: Get medical attention. eye irritation persists: Get medical attention. ake off contaminated clothing and wash it before</li> </ul>				
		Storage:					
		P405 Store locked up.					
		Disposal:					
		P501 Dispose of contents and container to an approved wa disposal plant.					
Other	hazards						

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
N-Methyl-2-pyrrolidone	872-50-4	>= 50 - < 70
Coconut Oil	8001-31-8	>= 30 - < 50
Buparvaquone	88426-33-9	>= 5 - < 10

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	In case of contact, immediately flush eyes with plenty of water



### according to the OSHA Hazard Communication Standard

# **Buparvaquone Formulation**

ersion 8	Revision Date: 09/30/2023	SDS Number: 2091175-00014	Date of last issue: 04/04/2023 Date of first issue: 10/17/2017			
		for at least 15 r	ninutes.			
		If easy to do, re	move contact lens, if worn.			
		Get medical att	ention.			
lf swa	llowed	: If swallowed, DO NOT induce vomiting. Get medical attention.				
		Rinse mouth th	oroughly with water.			
Most important symptoms		: Causes skin irritation.				
and effects, both acute and		Causes serious eye irritation.				
delay	ed	May cause resp	May cause respiratory irritation.			
		May damage th	e unborn child.			
Prote	ction of first-aiders	: First Aid respor	nders should pay attention to self-protection			
		and use the rec	commended personal protective equipment			
		when the poten	tial for exposure exists (see section 8).			
Notes	to physician	: Treat symptom	atically and supportively.			

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material



### according to the OSHA Hazard Communication Standard

## **Buparvaquone Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.8	09/30/2023	2091175-00014	Date of first issue: 10/17/2017
		container. Clean up remain absorbent. Local or nationa disposal of this employed in the determine which Sections 13 and	, store recovered material in appropriate ning materials from spill with suitable al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Avoid breathing mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
N-Methyl-2-pyrrolidone	872-50-4	TWA	15 ppm	US WEEL



according to the OSHA Hazard Communication Standard

## **Buparvaquone Formulation**

Version 5.8	Revision Date: 09/30/2023	SDS Number: 2091175-00014		t issue: 04/04/2023 t issue: 10/17/2017	
				60 mg/m³	
			STEL	30 ppm 120 mg/m <sup>3</sup>	US WEEL
Cocc	onut Oil	8001-31-8	TWA (mist - total)	10 mg/m <sup>3</sup>	NIOSH REL
			TWA (mist - respirable)	5 mg/m³	NIOSH REL
Bupa	arvaquone	88426-33-9	TWA	40 µg/m3 (OEB 3)	Internal
			Wipe limit	400 µg/100 cm <sup>2</sup>	Internal

### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis	
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI	
Engineering measures	ted les All de pro Co are the co	e appropriate chnologies to c s quick conne- engineering ca sign and opera- btect products, ontainment tech e required to ca e compound to ntainment devi nimize open ha	ontrol airborn ctions). ontrols shoul ated in accord workers, and nologies sub ontrol at sour uncontrollec ces).	ne concentr d be impler dance with d the envirc itable for co ce and to p	rations (e.g., d nented by faci GMP principle onment. ontrolling comp orevent migrati	rip- lity s to pounds	
Personal protective equ	-						
Respiratory protection	ma co un Fo us by ha su rel cir	eneral and loca aintain vapor ex ncentrations an known, approp llow OSHA res e NIOSH/MSH air purifying re zardous chemi pplied respirate ease, exposure cumstance wh equate protect	xposures bel re above reco priate respira priator regul A approved espirators against cal is limited or if there is a e levels are u ere air purify	ow recommomended tory protect ations (29 ( respirators, ainst expos . Use a pos any potentia unknown, o	nended limits. limits or are ion should be CFR 1910.134 Protection pro ure to any sitive pressure al for uncontro r any other	Where worn. ) and ovided air lled	
Hand protection							
Material	: Ch	emical-resista	nt gloves				
Remarks Eye protection			double gloving. ty glasses with side shields or goggles.				



according to the OSHA Hazard Communication Standard

# **Buparvaquone Formulation**

Version 5.8	Revision Date: 09/30/2023	SDS Number: 2091175-00014	Date of last issue: 04/04/2023 Date of first issue: 10/17/2017				
		mists or aerosc Wear a faceshi	ronment or activity involves dusty conditions, ols, wear the appropriate goggles. eld or other full face protection if there is a ect contact to the face with dusts, mists, or				
Skin	and body protection	<ul> <li>Work uniform or laboratory coat.</li> <li>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.</li> <li>Use appropriate degowning techniques to remove potentially contaminated clothing.</li> </ul>					
Hygi	ene measures	: If exposure to or eye flushing sy working place. When using do Wash contamin The effective of engineering con appropriate deg	chemical is likely during typical use, provide stems and safety showers close to the not eat, drink or smoke. nated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ne monitoring, medical surveillance and the				

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear, red
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available



according to the OSHA Hazard Communication Standard

## **Buparvaquone Formulation**

Ver 5.8	sion	Revision Date: 09/30/2023		S Number: 91175-00014	Date of last issue: 04/04/2023 Date of first issue: 10/17/2017
	Relativ	e vapor density	:	No data available	9
	Relativ	e density	:	1 (68 °F / 20 °C)	
	Density	/	:	No data available	9
	Solubil Wat	ity(ies) ter solubility	:	No data available	e
	Partitio octano	n coefficient: n- I/water	:	Not applicable	
		nition temperature	:	No data available	e
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ity cosity, kinematic	:	No data available	e
	Explos	ive properties	:	Not explosive	
				The substances	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Particle	e size	:	Not applicable	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	::	None known. Oxidizing agents No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity

: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method



according to the OSHA Hazard Communication Standard

Components:         N-Methyl-2-pyrrolidone:         Acute oral toxicity       :       LD50 (Rat): $>$ 5.1 mg/l         Acute inhalation toxicity       :       LC50 (Rat): $>$ 5.1 mg/l         Exposure time: 4 h	)23 )17
Acute oral toxicity       :       LD50 (Rat): 4,150 mg/kg         Acute inhalation toxicity       :       LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403         Acute dermal toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute oral toxicity       :       LD50 (Gat): > 5,000 mg/kg         Acute oral toxicity       :       LD50 (Gat): > 5,000 mg/kg         Acute oral toxicity       :       LD50 (Guinea pig): > 3,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 8,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 8,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 8,000 mg/kg         Acute oral toxicity       :       LD50 (Mouse): > 50 mg/kg         Remarks: No mortality observed at this dose.       Acute toxicity (other routes of administration)       :         Causes skin irritation.       Components:       Application Route: Intravenous         Skin corrosion/irritation       :       Skin irritation         Cacuses skin irritation.       :       Second Oil:         Species       :       :       No skin irritation         Buparvaquone:       :       No skin irritation	
Exposure time: 4 h         Test atmosphere: dust/mist Method: OECD Test Guideline 403         Acute dermal toxicity       :       LD50 (Rat): > 5,000 mg/kg         Coconut Oil:       .         Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute oral toxicity       :       LD50 (Guinea pig): > 3,000 mg/kg         Remarks: Based on data from similar materia         Buparvaquone:       .         Acute oral toxicity       :       LD50 (Rat): > 8,000 mg/kg         LD50 (Mouse): > 50 mg/kg       .         Acute oral toxicity       :       LD50 (Mouse): > 50 mg/kg         Acute toxicity (other routes of administration)       :       LD50: 2.5 mg/kg         Acute toxicity (other routes of administration.       Components:       .         N-Methyl-2-pyrrolidone:       .       Skin corrosion/irritation.         Causes skin irritation.       .       Sercies       .         Species       :       Rabbit       .         Result       :       Notskin irritation.         Species       :       Mouse         Result       :       Mild skin irritation.         Serious eye damage/eye irritation.       Causes serious eye irritation.         Causes serious eye irritation.       . </th <th></th>	
Coconut Oil:       Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute dermal toxicity       :       LD50 (Guinea pig): > 3,000 mg/kg         Remarks: Based on data from similar materia         Buparvaquone:       .         Acute oral toxicity       :       LD50 (Rat): > 8,000 mg/kg         LD50 (Mouse): > 50 mg/kg       .         Acute oral toxicity       :       LD50 (Mouse): > 50 mg/kg         Acute toxicity (other routes of :       LD50: 2.5 mg/kg         administration)       :       Application Route: Intravenous         Skin corrosion/irritation       Causes skin irritation.         Causes skin irritation.       :       Secies         M-Methyl-2-pyrrolidone:       :       Skin irritation         Result       :       Skin irritation         Species       :       Rabbit         Result       :       No skin irritation         Buparvaquone:       :       No skin irritation         Species       :       Mouse         Result       :       Mouse         Result       :       Mild skin irritation         Causes serious eye irritation.       :         Causes serious eye irritation.       :         Components:	
Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute dermal toxicity       :       LD50 (Guinea pig): > 3,000 mg/kg         Remarks: Based on data from similar materia         Buparvaquone:       .         Acute oral toxicity       :       LD50 (Rat): > 8,000 mg/kg         LD50 (Mouse): > 50 mg/kg       .         Remarks: No mortality observed at this dose.         Acute toxicity (other routes of administration)       :         Causes skin irritation.         Components:         N-Methyl-2-pyrrolidone:         Result       :         Species       :         Result       :         Species       :         Species       :         Result       :         Species       :         Result       :         Species       :         Result       :         Species       :         Species       :         Result       :         Species       :         Result       :         Species       :         Result       :         Species       :         Result       : <td< td=""><td></td></td<>	
Acute dermal toxicity       :       LD50 (Guinea pig): > 3,000 mg/kg Remarks: Based on data from similar materia         Buparvaquone:       .         Acute oral toxicity       :       LD50 (Rat): > 8,000 mg/kg LD50 (Mouse): > 50 mg/kg Remarks: No mortality observed at this dose.         Acute toxicity (other routes of administration)       :       LD50: 2.5 mg/kg Application Route: Intravenous         Skin corrosion/irritation Causes skin irritation.       :       LD50: 2.5 mg/kg Application Route: Intravenous         Skin corrosion/irritation.       :       :         Components:       :       :         N-Methyl-2-pyrrolidone:       :       :         Result       :       :         Species       :       Rabbit Result       :         Species       :       No skin irritation         Buparvaquone:       :       :       Nild skin irritation         Species       :       Mouse       :         Result       :       :       Mild skin irritation         Serious eye damage/eye irritation       :       :         Causes serious eye irritation.       :       :         Components:       :       :       :         Components:       :       :       :         Components:	
Remarks: Based on data from similar materia         Buparvaquone:         Acute oral toxicity       :       LD50 (Rat): > 8,000 mg/kg         LD50 (Mouse): > 50 mg/kg         Remarks: No mortality observed at this dose.         Acute toxicity (other routes of administration)       :       LD50: 2.5 mg/kg         Acute toxicity (other routes of administration)       :       LD50: 2.5 mg/kg         Causes skin irritation       Causes skin irritation         Causes skin irritation.       :         Components:       N-Methyl-2-pyrrolidone:         Result       :       Skin irritation         Coconut Oil:       :       :         Species       :       Rabbit         Result       :       No skin irritation         Buparvaquone:       :       No skin irritation         Species       :       Mouse         Result       :       Mild skin irritation         Serious eye damage/eye irritation.       Causes serious eye irritation.         Components:       :       Mild skin irritation	
Acute oral toxicity       :       LD50 (Rat): > 8,000 mg/kg         LD50 (Mouse): > 50 mg/kg       Remarks: No mortality observed at this dose.         Acute toxicity (other routes of administration)       :       LD50: 2.5 mg/kg         Acute toxicity (other routes of administration)       :       LD50: 2.5 mg/kg         Skin corrosion/irritation       Causes skin irritation.       Components:         N-Methyl-2-pyrrolidone:       .       .         Result       :       Skin irritation         Coconut Oil:       .       .         Species       :       Rabbit         Result       :       No skin irritation         Buparvaquone:       .       .         Species       :       Mouse         Result       :       Mild skin irritation         Supervaguone:       .       .         Species       :       Mouse         Result       :       Mild skin irritation         Serious eye damage/eye irritation.       .         Causes serious eye irritation.       .         Components:       .         .       .         .       .         .       .         .       .         .	S
LD50 (Mouse): > 50 mg/kg Remarks: No mortality observed at this dose. Acute toxicity (other routes of : LD50: 2.5 mg/kg administration)	
Acute toxicity (other routes of : LD50: 2.5 mg/kg administration)       LD50: 2.5 mg/kg Application Route: Intravenous         Skin corrosion/irritation       Causes skin irritation.         Causes skin irritation.       Components:         N-Methyl-2-pyrrolidone:       Kin irritation         Result       : Skin irritation         Coconut Oil:       Species         Species       : Rabbit         Result       : No skin irritation         Buparvaquone:       : No skin irritation         Species       : Mouse         Result       : Mild skin irritation         Species serious eye irritation.       Couses serious eye irritation	
administration)Application Route: IntravenousSkin corrosion/irritation Causes skin irritation	
Causes skin irritation. Components: Result : Skin irritation Coconut Oil: Species : Rabbit Result : No skin irritation Buparvaquone: Species : Mouse Result : Mild skin irritation Serious eye damage/eye irritation Causes serious eye irritation. Components:	
N-Methyl-2-pyrrolidone:   Result :   Species :   Species :   Result :   No skin irritation     Buparvaquone:   Species :   Mild skin irritation     Serious eye damage/eye irritation   Causes serious eye irritation.	
Result : Skin irritation   Coconut Oil:	
Species Result:Rabbit No skin irritationBuparvaquone:Species Result:Mouse Mild skin irritationSerious eye damage/eye irritationCauses serious eye irritation.Components:	
Species Result:Rabbit No skin irritationBuparvaquone:Species Result:Mouse Mild skin irritationSerious eye damage/eye irritationCauses serious eye irritation.Components:	
Species       : Mouse         Result       : Mild skin irritation         Serious eye damage/eye irritation         Causes serious eye irritation.         Components:	
Result       : Mild skin irritation         Serious eye damage/eye irritation         Causes serious eye irritation.         Components:	
Causes serious eye irritation.	
N Mathed O more l'Asso	
N-Methyl-2-pyrrolidone: Species : Rabbit	



according to the OSHA Hazard Communication Standard

Versi 5.8	ion	Revision Date: 09/30/2023		S Number: 1175-00014	Date of last issue: 04/04/2023 Date of first issue: 10/17/2017	
I	Result		:	Irritation to eyes,	reversing within 21 days	
Ş	<b>Cocon</b> Specie: Result			Rabbit No eye irritation		
	<b>Bupar</b> v Result	/aquone:	:	Mild eye irritation		
I	Respir	atory or skin sensiti	zatior	ı		
		ensitization ssified based on avail	able i	nformation.		
		atory sensitization ssified based on avail	able i	nformation.		
<u>(</u>	Compo	onents:				
- ! ! !	Test Ty	of exposure s l	:	Local lymph node Skin contact Mouse OECD Test Guide negative Based on data fro		
-   :	<b>Cocon</b> Test Ty Routes Species Result	vpe of exposure	:	Maximization Tes Skin contact Guinea pig negative	st	
		<b>cell mutagenicity</b> ssified based on avail	able i	nformation.		
<u>(</u>	Compo	onents:				
		<b>nyl-2-pyrrolidone:</b> exicity in vitro		Method: OECD T Result: negative Test Type: In vitro Method: OECD T Result: negative Test Type: DNA o	rial reverse mutation assay (AMES) Test Guideline 471 To mammalian cell gene mutation test Test Guideline 476 damage and repair, unscheduled DNA s lian cells (in vitro)	syn





ersion B	Revision Date: 09/30/2023	SDS Number:Date of last issue: 04/04/20232091175-00014Date of first issue: 10/17/2017
Geno	toxicity in vivo	<ul> <li>Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)</li> <li>Species: Mouse</li> <li>Application Route: Ingestion</li> <li>Method: OECD Test Guideline 474</li> <li>Result: negative</li> <li>Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)</li> <li>Species: Hamster</li> <li>Application Route: Ingestion</li> <li>Method: OECD Test Guideline 475</li> <li>Result: negative</li> </ul>
Сосо	nut Oil:	
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	nogenicity assified based on av	vailable information.
Comp	oonents:	
N-Me	thyl-2-pyrrolidone:	
	cation Route sure time	: Rat : Ingestion : 2 Years : negative
	cation Route sure time	: Rat : inhalation (vapor) : 2 Years : negative
IARC		ient of this product present at levels greater than or equal to 0.1% is as probable, possible or confirmed human carcinogen by IARC.
OSHA		onent of this product present at levels greater than or equal to 0.1% is 's list of regulated carcinogens.
NTP		ient of this product present at levels greater than or equal to 0.1% is as a known or anticipated carcinogen by NTP.
•	oductive toxicity lamage the unborn o	shild.
Comp	oonents:	
	<b>thyl-2-pyrrolidone:</b> s on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416
		10/17



according to the OSHA Hazard Communication Standard

Version 5.8	Revision Date: 09/30/2023		95 Number: 91175-00014	Date of last issue: 04/04/2023 Date of first issue: 10/17/2017
			Result: negative	
Effect	ts on fetal development	:	Species: Rat Application Route	vo-fetal development e: Ingestion est Guideline 414
			Species: Rat	y/early embryonic development e: inhalation (vapor)
			Test Type: Embry Species: Rabbit Application Route Result: positive	vo-fetal development e: Ingestion
Repro sessr	oductive toxicity - As- nent	:	Clear evidence o animal experimer	f adverse effects on development, based on nts.
May o	<b>F-single exposure</b> cause respiratory irritatio	on.		
	ponents:			
	thyl-2-pyrrolidone: ssment	:	May cause respir	atory irritation.
	<b>F-repeated exposure</b> lassified based on availa	able	information.	
Repe	ated dose toxicity			
Com	ponents:			
N-Me	thyl-2-pyrrolidone:			
	EL EL cation Route sure time		Rat, male 169 mg/kg 433 mg/kg Ingestion 90 Days OECD Test Guid	eline 408
	EL EL cation Route sure time		Rat 0.5 mg/l 1 mg/l inhalation (dust/n 96 Days OECD Test Guid	
Speci NOAI LOAE	ΞL	:	Rabbit 826 mg/kg 1,653 mg/kg	



according to the OSHA Hazard Communication Standard

rsion 3	Revision Date: 09/30/2023		DS Number: 91175-00014	Date of last issue: 04/04/2023 Date of first issue: 10/17/2017
	cation Route sure time	:	Skin contact 20 Days	
Buno				
-	rvaquone:		01	
Speci		÷	Cat	
NOAE		÷	10 mg/kg Intramuscular	
	ation Route	:	5 d	
Rema		:	• •	dverse effects were reported
NOAE	EL	÷	5 mg/kg	
Applic	ation Route	:	Intravenous	
	sure time	:	4 d	
Rema	rks	:	No significant ad	dverse effects were reported
Speci		:	Mouse	
NOAE		:	50 mg/kg	
	ation Route	÷	Oral	
Rema	sure time	÷	6 d	dverse effects were reported
Not cl	ation toxicity assified based on availa rience with human exp			
Not cl Expe	assified based on availa			
Not cl Exper Comp	assified based on availa			
Not cl Exper Comp N-Met Skin c	assified based on availa rience with human exp ponents: thyl-2-pyrrolidone:	in the second se	ure Symptoms: Skir	rritation
Not cl Exper Comp N-Mer Skin c	assified based on availa rience with human exp ponents: thyl-2-pyrrolidone:	in the second se	ure Symptoms: Skir	n irritation
Not cl Exper Comp N-Mer Skin c CTION Ecoto	assified based on availa rience with human exp ponents: thyl-2-pyrrolidone: contact 12. ECOLOGICAL INFO	in the second se	ure Symptoms: Skir	n irritation
Not cl Exper Comp N-Mer Skin c CTION Ecoto Comp	assified based on availa rience with human exp ponents: thyl-2-pyrrolidone: contact 12. ECOLOGICAL INFO pxicity ponents:	in the second se	ure Symptoms: Skir	n irritation
Not cl Exper Comp N-Met Skin c ECTION Ecoto Comp N-Met	assified based on availa rience with human exp ponents: thyl-2-pyrrolidone: contact 12. ECOLOGICAL INFO	in the second se	ure Symptoms: Skir MATION	nchus mykiss (rainbow trout)): > 500 mg/l
Not cl Exper Comp N-Met Skin c CTION Ecoto Comp N-Met Toxici	assified based on availa rience with human exp ponents: thyl-2-pyrrolidone: contact 12. ECOLOGICAL INFO pxicity ponents: thyl-2-pyrrolidone:	: DRM	Symptoms: Skir MATION LC50 (Oncorhyr Exposure time:	nchus mykiss (rainbow trout)): > 500 mg/l 96 h magna (Water flea)): > 1,000 mg/l 24 h
Not cl Exper Comp N-Met Skin c CTION Ecoto Comp N-Met Toxici aquat	assified based on availa rience with human exp ponents: thyl-2-pyrrolidone: contact 12. ECOLOGICAL INFO pxicity ponents: thyl-2-pyrrolidone: ty to daphnia and other ic invertebrates ty to algae/aquatic	: DRM	Symptoms: Skir MATION LC50 (Oncorhyr Exposure time: EC50 (Daphnia Exposure time: Method: DIN 38	nchus mykiss (rainbow trout)): > 500 mg/l 96 h magna (Water flea)): > 1,000 mg/l 24 h 412 lesmus subspicatus (green algae)): 600.5 m
Not cl Exper Comp N-Met Skin c CTION Ecoto Comp N-Met Toxici aquat	assified based on availa rience with human exp ponents: thyl-2-pyrrolidone: contact 12. ECOLOGICAL INFO pxicity ponents: thyl-2-pyrrolidone: ty to daphnia and other ic invertebrates ty to algae/aquatic	: DRM :	Symptoms: Skir MATION LC50 (Oncorhyr Exposure time: EC50 (Daphnia Exposure time: Method: DIN 38 ErC50 (Desmod Exposure time:	nchus mykiss (rainbow trout)): > 500 mg/l 96 h 24 h 412 lesmus subspicatus (green algae)): 600.5 m 72 h



according to the OSHA Hazard Communication Standard

ersion 8	Revision Date: 09/30/2023		S Number: 91175-00014	Date of last issue: 04/04/2023 Date of first issue: 10/17/2017
ic toxi	icity)		Method: OECD	Test Guideline 211
Toxic	ity to microorganisms	:	EC50: > 600 mg Exposure time: 3 Method: ISO 819	30 min
Bupa	rvaquone:			
	ity to fish	:	Exposure time: 9	nio rerio (zebrafish)): 0.484 mg/l 96 h Test Guideline 203
	ity to daphnia and other ic invertebrates	:	Exposure time: 4	magna (Water flea)): 0.013 mg/l 48 h Test Guideline 202
Persi	stence and degradabili	ty		
<u>Com</u>	oonents:			
	<b>thyl-2-pyrrolidone:</b> gradability	:	Result: Readily b Biodegradation: Exposure time: 2	73 %
Bioor	soumulativo notontial			
	ccumulative potential			
	<u>oonents:</u>			
Partiti	thyl-2-pyrrolidone: ion coefficient: n- ol/water	:	log Pow: -0.46 Method: OECD <sup>-</sup>	Test Guideline 107
Partiti	<b>rvaquone:</b> ion coefficient: n- ol/water	:	log Pow: 6.5	
	l <b>ity in soil</b> ata available			
	r <b>adverse effects</b> ata available			

Disposal methods		
Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.





## **Buparvaquone Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.8	09/30/2023	2091175-00014	Date of first issue: 10/17/2017

#### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

UNR	ſDG	

UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class Packing group Labels Environmentally hazardous	::	(Buparvaquone) 9 III 9 yes
IATA-DGR UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Buparvaquone)
Class	:	9
Packing group	:	
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Buparvaquone)
Class	:	9
Packing group	:	III III III III III III III III III II
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

49 CFR		
UN/ID/NA number	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Buparvaquone)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Buparvaquone)
Remarks	:	Above applies only to containers over 119 gallons or 450 liters.
		Shipment by ground under DOT is non-regulated; however it



## **Buparvaquone Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.8	09/30/2023	2091175-00014	Date of first issue: 10/17/2017

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:		5	epeated exposure)
SARA 313	:		ponents are subject t RA Title III, Section 3	
		N-Methyl-2- pyrrolidone	872-50-4	>= 50 - < 70 %

#### **US State Regulations**

#### Pennsylvania Right To Know

N-Methyl-2-pyrrolidone	872-50-4
Coconut Oil	8001-31-8
Sorbitan monooleate	1338-43-8
Buparvaquone	88426-33-9

#### California Prop. 65

WARNING: This product can expose you to chemicals including N-Methyl-2-pyrrolidone, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### California Permissible Exposure Limits for Chemical Contaminants

N-Methyl-2-pyrrolidone	872-50-4
Coconut Oil	8001-31-8

#### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined






### **Buparvaquone Formulation**

Version	Revision Date:
5.8	09/30/2023

SDS Number: 2091175-00014 Date of last issue: 04/04/2023 Date of first issue: 10/17/2017

### **SECTION 16. OTHER INFORMATION**



#### Full text of other abbreviations

ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour
		workday during a 40-hour workweek
US WEEL / TWA	:	8-hr TWA
US WEEL / STEL	:	Short-Term TWA

AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Pre-



### Buparvaquone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/04/2023
5.8	09/30/2023	2091175-00014	Date of first issue: 10/17/2017

vention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety Data Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

09/30/2023

Revision Date :

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8