according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6.0 14.04.2025 6300136-00010 Date of first issue: 02.09.2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Calcium Gluconate / Magnesium Hypophosphite Hexahydrate

Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Reproductive toxicity : Category 1B

GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H360FD May damage fertility. May damage the unborn child.

Precautionary statements : Prevention:

P203 Obtain, read and follow all safety instructions before use. P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 14.04.2025 6300136-00010 Date of first issue: 02.09.2020 6.0

Response:

P318 IF exposed or concerned, get medical advice.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Boric acid	10043-35-3	>= 2.5 - < 5
Magnesium hypophosphite hexahydrate	7783-17-7	>= 1 - < 5
4-Chloro-3-methylphenol	59-50-7	>= 0.1 - < 0.25

4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

May damage fertility. May damage the unborn child.

delayed

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6.0 14.04.2025 6300136-00010 Date of first issue: 02.09.2020

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides Metal oxides

Oxides of phosphorus

Boron oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6300136-00010 Date of first issue: 02.09.2020

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapours or spray mist.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Boric acid	10043-35-3	TWA (Inhal- able particu- late matter)	2 mg/m3 (Borate)	ACGIH
		STEL (Inhal- able particu- late matter)	6 mg/m3 (Borate)	ACGIH
4-Chloro-3-methylphenol	59-50-7	TWA	200 μg/m3 (OEB 2)	Internal
		Wipe limit	100 μg/100 cm2	Internal

Engineering measures: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-less

quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face contain-

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 14.04.2025 6300136-00010 Date of first issue: 02.09.2020 6.0

ment devices).

Minimize open handling.

Personal protective equipment

If adequate local exhaust ventilation is not available or expo-Respiratory protection

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material Chemical-resistant gloves

Remarks Consider double gloving.

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection Work uniform or laboratory coat.

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

If exposure to chemical is likely during typical use, provide eye Hygiene measures

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance liquid

Colour Colorless to pale yellow

Odour No data available

Odour Threshold No data available

3.7 Hq

No data available Melting point/freezing point

Initial boiling point and boiling : No data available

range

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6.0 14.04.2025 6300136-00010 Date of first issue: 02.09.2020

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Conditions to avoid : None known.

Can react with strong oxidizing agents.

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6.0 14.04.2025 6300136-00010 Date of first issue: 02.09.2020

Incompatible materials

Hazardous decomposition

products

: Oxidizing agents

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Boric acid:

Acute oral toxicity : LD50 (Rat): 3,450 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.03 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Magnesium hypophosphite hexahydrate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 - 5,000 mg/kg

Method: OECD Test Guideline 423

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 3.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

4-Chloro-3-methylphenol:

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 6.0
 14.04.2025
 6300136-00010
 Date of first issue: 02.09.2020

Acute oral toxicity : LD50 (Mouse): 600 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.871 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Boric acid:

Species : Rabbit

Result : No skin irritation

Magnesium hypophosphite hexahydrate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

4-Chloro-3-methylphenol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Boric acid:

Species : Rabbit

Result : No eye irritation

Magnesium hypophosphite hexahydrate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

4-Chloro-3-methylphenol:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6300136-00010 Date of first issue: 02.09.2020

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Boric acid:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Magnesium hypophosphite hexahydrate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

4-Chloro-3-methylphenol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Boric acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: equivocal

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6.0 14.04.2025 6300136-00010 Date of first issue: 02.09.2020

Result: negative

Magnesium hypophosphite hexahydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

4-Chloro-3-methylphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Boric acid:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Boric acid:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: positive

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: positive

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 6.0 14.04.2025 6300136-00010 Date of first issue: 02.09.2020

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse

effects on development, based on animal experiments.

Magnesium hypophosphite hexahydrate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative

Remarks: Based on data from similar materials

4-Chloro-3-methylphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

4-Chloro-3-methylphenol:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Boric acid:

Species : Rat

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 14.04.2025 6300136-00010 Date of first issue: 02.09.2020 6.0

NOAEL 100 mg/kg LOAEL 334 mg/kg Application Route Ingestion Exposure time 2 yr

4-Chloro-3-methylphenol:

Species : Rat NOAEL : 200 mg/kg LOAEL : 400 mg/kg Application Route : Ingestion Exposure time : 28 Days

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Boric acid:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 74 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 102 mg/l

EC50 (Pseudokirchneriella subcapitata (green algae)): 52.4

Exposure time: 48 h

Toxicity to algae/aquatic

plants

Exposure time: 72 h Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 17.5

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms EC10: 35.4 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

: NOEC: 6.4 mg/l

Exposure time: 34 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC: 10.8 mg/l Exposure time: 21 d

c toxicity)

Species: Daphnia magna (Water flea)

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 6.0
 14.04.2025
 6300136-00010
 Date of first issue: 02.09.2020

Magnesium hypophosphite hexahydrate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aguatic invertebrates (Chron-

ic toxicity)

NOEC: > 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

4-Chloro-3-methylphenol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 917 μg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1.5 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Chlorella pyrenoidosa (algae)): 15 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Chlorella pyrenoidosa (algae)): 2.3 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

: 1

Toxicity to microorganisms : EC50: 22.86 mg/l

Exposure time: 60 h

Toxicity to daphnia and other : NOEC: 0.32 mg/l

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 14.04.2025 6300136-00010 Date of first issue: 02.09.2020 6.0

aquatic invertebrates (Chron-

Exposure time: 21 d

ic toxicity)

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Persistence and degradability

Components:

4-Chloro-3-methylphenol:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 78 % Exposure time: 15 d

Method: OECD Test Guideline 301

Bioaccumulative potential

Components:

Boric acid:

Bioaccumulation Species: Cyprinus carpio (Carp)

> Bioconcentration factor (BCF): <= 3.2 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: -1.09

4-Chloro-3-methylphenol:

Bioaccumulation Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 5.5 - 13

Partition coefficient: n-

octanol/water

log Pow: 0.477

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 14.04.2025 6300136-00010 Date of first issue: 02.09.2020 6.0

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mix-

The components of this product are reported in the following inventories:

DSL not determined

AICS not determined

IECSC not determined

16. OTHER INFORMATION

Revision Date : 14.04.2025

Further information

compile the Safety Data

Sheet

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format dd.mm.yyyy

Full text of other abbreviations

ACGIH USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA 8-hour, time-weighted average ACGIH / STEL Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

according to the Globally Harmonized System



Calcium Gluconate / Magnesium Hypophosphite Hexahydrate Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 6.0
 14.04.2025
 6300136-00010
 Date of first issue: 02.09.2020

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN