

according to the OSHA Hazard Communication Standard

Cefquinome Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/05/2023
9.11	09/28/2024	27966-00026	Date of first issue: 11/04/2014

SECTION 1. IDENTIFICATION

Product name	:	Cefquinome Formulation
Other means of identification	:	Cobactan 2.5% Injection (A008163)

Manufacturer or supplier's details

Company name of supplier	:	Merck & Co., Inc
Address	:	126 E. Lincoln Avenue
		Rahway, New Jersey U.S.A. 07065
Telephone	:	908-740-4000
Emergency telephone	:	1-908-423-6000
E-mail address	:	EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Respiratory sensitization	: Category 1
---------------------------	--------------

GHS label elements

Hazard pictograms	:	
		<

Signal Word :

Hazard Statements

: Danger

:

: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary Statements

Prevention:

P261 Avoid breathing mist or vapors. P285 In case of inadequate ventilation wear respiratory protection.

Response:

P304 + P341 IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. P342 + P311 If experiencing respiratory symptoms: Call a doctor.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.





Cefquinome Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/05/2023
9.11	09/28/2024	27966-00026	Date of first issue: 11/04/2014

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)		
Cefquinome	118443-89-3	>= 1 - < 5		
Actual concentration is withheld as a trade secret				

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis,
Protection of first-aiders	:	reactive airways dysfunction syndrome). First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire	:	Exposure to combustion products may be a hazard to health.



according to the OSHA Hazard Communication Standard

Cefquinome Formulation

Versio 9.11	on	Revision Date: 09/28/2024		S Number: 966-00026	Date of last issue: 12/05/2023 Date of first issue: 11/04/2014
fi	ghting				
	lazardo cts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (N Sulfur oxides	NOx)
	pecific ds	extinguishing meth-	:	cumstances and t Use water spray to	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special or fire-f	protective equipment ighters	:	In the event of fire Use personal prot	, wear self-contained breathing apparatus. ective equipment.
SECT	ION 6.	ACCIDENTAL RELE	ASE	EMEASURES	
tiv	ve equ	al precautions, protec- ipment and emer- rocedures	:		ective equipment. ng advice (see section 7) and personal ent recommendations (see section 8).
E	Environmental precautions		:	Prevent spreading oil barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g., by containment or e of contaminated wash water. should be advised if significant spillages
		s and materials for nent and cleaning up	:	For large spills, pr containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national r disposal of this ma employed in the c determine which r Sections 13 and 1	absorbent material. ovide diking or other appropriate ep material from spreading. If diked material tore recovered material in appropriate ng materials from spill with suitable egulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to egulations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE
	CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not get on skin or clothing.
-	Do not breathe mist or vapors.





Cefquinome Formulation

Version 9.11	Revision Date: 09/28/2024	SDS Number: 27966-00026	Date of last issue: 12/05/2023 Date of first issue: 11/04/2014
		practice, based assessment Keep container Already sensitiz to asthma, aller should consult respiratory irrita	vith eyes. rdance with good industrial hygiene and safety I on the results of the workplace exposure
Cond	litions for safe storage	Keep tightly clo	
Mate	rials to avoid		ance with the particular national regulations. th the following product types: g agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters								
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis				
Cefquinome	118443-89-3	TŴA	2000 µg/m3 (OEB 1)	Internal				
	Further informa	ation: RSEN						
Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.								
Personal protective equipmen	t							
Respiratory protection :	General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.							
Hand protection Material :	Chemical-resi	stant gloves						

Ingredients with workplace control parameters





Cefquinome Formulation

Version 9.11	Revision Date: 09/28/2024	SDS Number: 27966-00026	Date of last issue: 12/05/2023 Date of first issue: 11/04/2014			
Eye protection		: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or				
Skin and body protection Hygiene measures		eye flushing sys working place. When using do r Wash contamina The effective op engineering con appropriate dego	nemical is likely during typical use, provide tems and safety showers close to the not eat, drink or smoke. ated clothing before re-use. eration of a facility should include review of trols, proper personal protective equipment, owning and decontamination procedures, e monitoring, medical surveillance and the			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	off-white
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available



according to the OSHA Hazard Communication Standard

Cefquinome Formulation

Vers 9.11		Revision Date: 09/28/2024		S Number: 966-00026	Date of last issue: 12/05/2023 Date of first issue: 11/04/2014
	Relativ	e density	:	No data available	9
	Density	/	:	No data available	9
	Solubil Wat	ity(ies) er solubility	:	No data available	9
	Partitio octano	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	ılar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Cefquinome:

Acute oral toxicity

: LD50 (Mouse): > 5,000 mg/kg



according to the OSHA Hazard Communication Standard

Cefquinome Formulation

Vers 9.11	ion	Revision Date: 09/28/2024	-	DS Number: 966-00026	Date of last issue: 12/05/2023 Date of first issue: 11/04/2014
	Acute i	nhalation toxicity	:	Remarks: No data	a available
	Acute o	lermal toxicity	:	Remarks: No data	a available
		orrosion/irritation ssified based on availa	able	information.	
	Compo	onents:			
	Cefqui Result	nome:	:	Irritating to skin.	
		s eye damage/eye irr ssified based on availa			
	<u>Compo</u>	onents:			
	Cefqui Result	nome:	:	Irritating to eyes.	
	Respir	atory or skin sensitiz	atic	on	
		ensitization ssified based on availa	able	information.	
	-	atory sensitization use allergy or asthma	syn	nptoms or breathing	difficulties if inhaled.
	Compo	onents:			
	Cefqui Routes Result	nome: of exposure	:	Inhalation May cause sensit	ization by inhalation.
		cell mutagenicity ssified based on availa	able	information.	
	Carcin	ogenicity			
	Not cla IARC		of t	his product presen	t at levels greater than or equal to 0.1% is onfirmed human carcinogen by IARC.
	OSHA			this product prese regulated carcinog	nt at levels greater than or equal to 0.1% is lens.
	NTP				t at levels greater than or equal to 0.1% is carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.



according to the OSHA Hazard Communication Standard

Cefquinome Formulation

ersion .11	Revision Date: 09/28/2024	SDS Number: 27966-00026	Date of last issue: 12/05/2023 Date of first issue: 11/04/2014				
	-single exposure assified based on av	ailable information.					
Com	oonents:						
-	u inome: ssment	: May cause res	piratory irritation.				
	-repeated exposure assified based on av						
Aspiration toxicity Not classified based on available information.							
Expe	rience with human	exposure					
Com	oonents:						
Cefqu	uinome:						
Inhala	ation	tract irritation,	aphylaxis, bronchospasm, Cough, respiratory Rash, rhinitis, runny nose, sneezing produce an allergic reaction.				
Skin d	contact	: Remarks: May					
	ontact	: Remarks: May	•				

Components:

Cefquinome:

Cerquinome:		
Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 500 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 86 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 37 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC50 (Anabaena flos-aquae (cyanobacterium)): 0.041 mg/l Exposure time: 72 h Method: OECD Test Guideline 201




according to the OSHA Hazard Communication Standard

Cefquinome Formulation

ersion .11	Revision Date: 09/28/2024		OS Number: 966-00026	Date of last issue: 12/05/2023 Date of first issue: 11/04/2014
			Exposure time: 7	na flos-aquae (cyanobacterium)): 0.014 mg/ ′2 h Fest Guideline 201
Toxicity	<i>i</i> to microorganisms	:	Exposure time: 3 Test Type: Resp	3 ĥ
			NOEC: 295.3 mg Exposure time: 3 Test Type: Resp Method: OECD	3 h
Persist	tence and degradabi	ity		
Compo	onents:			
Cefqui Biodeg	nome: radability	:	Result: not rapid Biodegradation: Exposure time: 3 Method: OECD	40 %
Stability	y in water	:	Hydrolysis: > 90 Method: FDA 3.0	
Bioacc	umulative potential			
Compo	onents:			
Cefqui Partitio octanol	n coefficient: n-	:	log Pow: -2.01	
Mobilit	y in soil			
<u>Compo</u>	onents:			
	nome: ution among environ- compartments	:	log Koc: 2.76	
Other a	adverse effects a available			

Waste from residues	: Dispose of in accordance with local regul Do not dispose of waste into sewer.	ations.
Contaminated packaging	 Empty containers should be taken to an a handling site for recycling or disposal. If not otherwise specified: Dispose of as 	





Cefquinome Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/05/2023
9.11	09/28/2024	27966-00026	Date of first issue: 11/04/2014

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cefquinome)
Class	:	9
Packing group	:	
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Cefquinome)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cefquinome)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
The new part in the life page and in a	4	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR		
UN/ID/NA number	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Cefquinome)
Class	:	9
Packing group	:	III
Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes(Cefquinome)
Remarks	:	Above applies only to containers over 119 gallons or 450 liters.
		Shipment by ground under DOT is non-regulated; however it



Cefquinome Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 12/05/2023
9.11	09/28/2024	27966-00026	Date of first issue: 11/04/2014

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Respiratory or skin sensitization
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know					
-	11-62-6 18443-89-3				
The ingredients of this product are reported in the following inventories:					
not determined					
not determined					
not determined					
	t are reported in the following inventories not determined not determined				


SECTION 16. OTHER INFORMATION

Further information



according to the OSHA Hazard Communication Standard

Cefquinome Formulation



Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act



according to the OSHA Hazard Communication Standard

Cefquinome Formulation

Version 9.11	Revision Date: 09/28/2024		DS Number: 966-00026	Date of last issue: 12/05/2023 Date of first issue: 11/04/2014	
(United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative					
compile the Material Safety eChem Po		eChem Portal sea	al technical data, data from raw material SDSs, OECD m Portal search results and European Chemicals Agen- tp://echa.europa.eu/		
Revisio	on Date	:	09/28/2024		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8