

**Cefquinome LC Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
5.9                10/01/2022                27797-00021            Date of first issue: 11/04/2014

---

**SECTION 1. IDENTIFICATION**

Product name                        : Cefquinome LC Formulation  
Other means of identification    : No data available

**Manufacturer or supplier's details**

Company name of supplier        : Merck & Co., Inc  
Address                                : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A. 07065  
Telephone                            : 908-740-4000  
Emergency telephone              : 1-908-423-6000  
E-mail address                      : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**


Recommended use                  : Veterinary product  
  
Restrictions on use                 : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Respiratory sensitization        : Sub-category 1B

**GHS label elements**

Hazard pictograms                : 

Signal Word                        : Danger

Hazard Statements                : H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary Statements      : **Prevention:**  
P261 Avoid breathing mist or vapors.  
P284 Wear respiratory protection.  
**Response:**  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P342 + P311 If experiencing respiratory symptoms: Call a doctor.  
**Disposal:**  
P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

None known.

## Cefquinome LC Formulation

Version 5.9      Revision Date: 10/01/2022      SDS Number: 27797-00021      Date of last issue: 04/09/2022  
 Date of first issue: 11/04/2014

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Cefquinome	No data available	118443-89-3	$\geq 5 - < 10$ *
Dihydroxyaluminium stearate	Aluminum, dihydroxy(octadecanoato- $\kappa$ .O)-	7047-84-9	$\geq 1 - < 5$ *

\* Actual concentration or concentration range is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing : None known.

## Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.9	10/01/2022	27797-00021	Date of first issue: 11/04/2014

---

media

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulfur oxides  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Avoid breathing mist or vapors.  
Do not swallow.  
Avoid contact with eyes.

## Cefquinome LC Formulation

Version 5.9      Revision Date: 10/01/2022      SDS Number: 27797-00021      Date of last issue: 04/09/2022  
 Date of first issue: 11/04/2014

- Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
- Keep container tightly closed.
- Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
- Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Keep tightly closed.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cefquinome	118443-89-3	TWA	2000 µg/m <sup>3</sup> (OEB 1)	Internal
Further information: RSEN				
Dihydroxyaluminium stearate	7047-84-9	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Respirable)	1 mg/m <sup>3</sup> (Aluminum)	CA BC OEL
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhalable)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable)	3 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	1 mg/m <sup>3</sup> (Aluminum)	ACGIH

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

## Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.9	10/01/2022	27797-00021	Date of first issue: 11/04/2014

---

protect products, workers, and the environment.  
Laboratory operations do not require special containment.

### Personal protective equipment

- |                          |   |  |
|--------------------------|---|--|
| Respiratory protection   | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              | : | Combined particulates and organic vapor type   |
| Hand protection          | : |  |
| Material                 | : | Chemical-resistant gloves  |
| Eye protection           | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.   |
| Skin and body protection | : | Work uniform or laboratory coat.   |
| Hygiene measures         | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- |   |   |                   |
|---|---|-------------------|
| Appearance                              | : | suspension        |
| Color                                   | : | No data available |
| Odor                                    | : | No data available |
| Odor Threshold                          | : | No data available |
| pH                                      | : | No data available |
| Melting point/freezing point            | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point                             | : | No data available |
| Evaporation rate                        | : | No data available |
| Flammability (solid, gas)               | : | Not applicable    |
| Flammability (liquids)                  | : | No data available |
| Upper explosion limit / Upper           | : | No data available |

**Cefquinome LC Formulation**

Version 5.9      Revision Date: 10/01/2022      SDS Number: 27797-00021      Date of last issue: 04/09/2022  
Date of first issue: 11/04/2014

---

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Cefquinome LC Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
5.9                10/01/2022                27797-00021            Date of first issue: 11/04/2014

---

**Acute toxicity**

Not classified based on available information.

**Components:****Cefquinome:**

Acute oral toxicity            : LD50 (Mouse): > 5,000 mg/kg

Acute inhalation toxicity    : Remarks: No data available

Acute dermal toxicity        : Remarks: No data available

**Dihydroxyaluminium stearate:**

Acute oral toxicity            : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity    : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: Based on data from similar materials

Acute dermal toxicity        : LD50 (Guinea pig): > 3,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Cefquinome:**

Result                         : Irritating to skin.

**Dihydroxyaluminium stearate:**

Species                        : reconstructed human epidermis (RhE)  
Method                         : OECD Test Guideline 439  
Remarks                        : Based on data from similar materials

Result                         : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Cefquinome:**

Result                         : Irritating to eyes.

**Dihydroxyaluminium stearate:**

Species                        : Rabbit  
Result                         : No eye irritation  
Method                         : OECD Test Guideline 405  
Remarks                        : Based on data from similar materials

**Cefquinome LC Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
5.9                10/01/2022                27797-00021            Date of first issue: 11/04/2014

---

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****Cefquinome:**

Routes of exposure            : Inhalation  
Result                            : May cause sensitization by inhalation.

**Dihydroxyaluminium stearate:**

Test Type                        : Local lymph node assay (LLNA)  
Routes of exposure            : Skin contact  
Species                           : Mouse  
Result                             : negative  
Remarks                         : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Dihydroxyaluminium stearate:**

Genotoxicity in vitro            : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Dihydroxyaluminium stearate:**

Effects on fertility                : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials



**Cefquinome LC Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
5.9                10/01/2022                27797-00021            Date of first issue: 11/04/2014

---

Effects on fetal development : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

**STOT-single exposure**

Not classified based on available information.

**Components:****Cefquinome:**

Assessment : May cause respiratory irritation.

**STOT-repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Dihydroxyaluminium stearate:**

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days  
Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Cefquinome:**

Inhalation : Symptoms: anaphylaxis, bronchospasm, Cough, respiratory tract irritation, Rash, rhinitis, runny nose, sneezing  
Remarks: May produce an allergic reaction.  
Skin contact : Remarks: May irritate skin.  
May produce an allergic reaction.  
Eye contact : Remarks: May irritate eyes.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Cefquinome:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 500 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

**Cefquinome LC Formulation**

Version 5.9      Revision Date: 10/01/2022      SDS Number: 27797-00021      Date of last issue: 04/09/2022  
Date of first issue: 11/04/2014

---

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 86 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 37 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- EC50 (Anabaena flos-aquae (cyanobacterium)): 0.041 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Anabaena flos-aquae (cyanobacterium)): 0.014 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209
- NOEC: 295.3 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Dihydroxyaluminium stearate:**

- Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

**Ecotoxicology Assessment**

- Chronic aquatic toxicity : No toxicity at the limit of solubility.

**Persistence and degradability****Components:**

**Cefquinome:**

## Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.9	10/01/2022	27797-00021	Date of first issue: 11/04/2014

---

Biodegradability : Result: not rapidly degradable  
 Biodegradation: 40 %  
 Exposure time: 30 d  
 Method: OECD Test Guideline 302B

Stability in water : Hydrolysis: > 90 %(5 d)  
 Method: FDA 3.09

### Dihydroxyaluminium stearate:

Biodegradability : Result: Readily biodegradable.  
 Remarks: Based on data from similar materials

### Bioaccumulative potential

#### Components:

##### Cefquinome:

Partition coefficient: n- : log Pow: -2.01  
 octanol/water

##### Dihydroxyaluminium stearate:

Partition coefficient: n- : log Pow: 7.48  
 octanol/water  
 Remarks: Calculation

### Mobility in soil

#### Components:

##### Cefquinome:

Distribution among environ- : log Koc: 2.76  
 mental compartments

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
 Contaminated packaging : Empty containers should be taken to an approved waste  
 handling site for recycling or disposal.  
 If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S.  
 (Cefquinome)  
 Class : 9

## Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.9	10/01/2022	27797-00021	Date of first issue: 11/04/2014

---

Packing group : III  
Labels : 9

### IATA-DGR

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 (Cefquinome)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S.  
 (Cefquinome)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### TDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S.  
 (Cefquinome)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 ERG Code : 171  
 Marine pollutant : yes(Cefquinome)

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
 DSL : not determined  
 IECSC : not determined

## Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.9	10/01/2022	27797-00021	Date of first issue: 11/04/2014

---

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
--	---	---

Revision Date	:	10/01/2022
---------------	---	------------

# SAFETY DATA SHEET



## Cefquinome LC Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
5.9	10/01/2022	27797-00021	Date of first issue: 11/04/2014

---

Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8