

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

SECTION 1. IDENTIFICATION

Product name : Chlorhexidine (0.8%) Liquid Formulation
Other means of identification : Coopers Hibitane Disinfectant (36230)

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Serious eye damage : Category 1

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, eye protection and face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.
P333 + P313 If skin irritation or rash occurs: Get medical attention.

Chlorhexidine (0.8%) Liquid Formulation

Version 2.0 Revision Date: 09/06/2024 SDS Number: 10863775-00008 Date of last issue: 11/27/2023
Date of first issue: 10/11/2022

P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Nonylphenol, ethoxylated	Poly(oxy-1,2-ethanediyl), .alpha.ha.- (nonylphenyl)-.omega.-hydroxy-	9016-45-9	3
Pine oil	Pine Essential Oil	8002-09-3	2
Chlorhexidine	No data available	55-56-1	0.8

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Causes serious eye damage.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

Notes to physician : when the potential for exposure exists (see section 8).
: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version 2.0 Revision Date: 09/06/2024 SDS Number: 10863775-00008 Date of last issue: 11/27/2023
Date of first issue: 10/11/2022

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Avoid breathing mist or vapors.
Do not swallow.
Do not get in eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Chlorhexidine	55-56-1	TWA	40 µg/m ³ (OEB 3)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm ²	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version 2.0	Revision Date: 09/06/2024	SDS Number: 10863775-00008	Date of last issue: 11/27/2023 Date of first issue: 10/11/2022
----------------	------------------------------	-------------------------------	---

II		required.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear, Hazy, yellow
Odor	:	pine
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version 2.0	Revision Date: 09/06/2024	SDS Number: 10863775-00008	Date of last issue: 11/27/2023 Date of first issue: 10/11/2022
----------------	------------------------------	-------------------------------	---

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

|| Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Nonylphenol, ethoxylated:

|| Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

Pine oil:

|| Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Chlorhexidine:

|| Acute oral toxicity : LD50 Oral (Mouse): 1,260 mg/kg
LD50 Oral (Rabbit): 1,100 mg/kg
LD50 Oral (Rat): 2,000 mg/kg
Acute toxicity (other routes of administration) : LD50 (Rat): 21 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

|| Not classified based on available information.

Components:

Nonylphenol, ethoxylated:

|| Species : Rabbit
|| Method : OECD Test Guideline 404
|| Result : No skin irritation

Pine oil:

|| Species : Rabbit
|| Result : Skin irritation
|| Remarks : Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

Serious eye damage/eye irritation

|| Causes serious eye damage.

Components:

Nonylphenol, ethoxylated:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Pine oil:

Species	:	Bovine cornea
Method	:	OECD Test Guideline 437
Remarks	:	Based on data from similar materials

|| Result : No eye irritation

Chlorhexidine:

Species	:	Rabbit
Result	:	Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

|| May cause an allergic skin reaction.

Respiratory sensitization

|| Not classified based on available information.

Components:

Nonylphenol, ethoxylated:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Pine oil:

Assessment	:	Probability or evidence of skin sensitization in humans
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

|| Not classified based on available information.

Components:

Nonylphenol, ethoxylated:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version 2.0 Revision Date: 09/06/2024 SDS Number: 10863775-00008 Date of last issue: 11/27/2023
Date of first issue: 10/11/2022

Pine oil:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials
- Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Method: OPPTS 870.5550
Result: negative
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OPPTS 870.5395
Result: negative
Remarks: Based on data from similar materials

Chlorhexidine:

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative
- Genotoxicity in vivo : Test Type: dominant lethal test
Species: Mouse
Result: negative
- Test Type: Cytogenetic assay
Species: Hamster
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Chlorhexidine:

- Species : Rat
Application Route : oral (drinking water)
Exposure time : 2 Years
Frequency of Treatment : daily
NOAEL : 38 mg/kg body weight
Result : negative

- Species : Rat
Application Route : oral (drinking water)
Exposure time : 2 Years
Frequency of Treatment : daily

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

NOAEL	: 158 mg/kg body weight
Result	: negative

Reproductive toxicity

Not classified based on available information.

Components:

Pine oil:

Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials
------------------------------	---

Chlorhexidine:

Effects on fertility	: Species: Rat Fertility: NOAEL: 100 mg/kg body weight
Effects on fetal development	: Species: Rat Developmental Toxicity: NOAEL: 300 mg/kg body weight Species: Rabbit Developmental Toxicity: NOAEL: 40 mg/kg body weight

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Chlorhexidine:

Target Organs	: Liver
Assessment	: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Pine oil:

Species	: Rat
NOAEL	: > 200 mg/kg
Application Route	: Skin contact
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

Chlorhexidine:

Species	: Rat
---------	-------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

NOAEL	: 158 mg/kg
Application Route	: Oral
Exposure time	: 2 y

Species	: Rabbit
LOAEL	: 250 mg/kg
Application Route	: Dermal
Exposure time	: 13 Weeks
Target Organs	: Skin, Liver

Aspiration toxicity

Not classified based on available information.

Components:

Pine oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Chlorhexidine:

General Information	: Symptoms: Headache
Inhalation	: Target Organs: Lungs Symptoms: Asthmatic appearance, bronchospasm, discomfort in the chest, upper respiratory tract infection
Ingestion	: Target Organs: Gastrointestinal tract Symptoms: Gastrointestinal disturbance, Gastrointestinal tract damage

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Nonylphenol, ethoxylated:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Selenastrum capricornutum (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

	EC10 (Selenastrum capricornutum (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Mysidopsis bahia (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials

Pine oil:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials

Chlorhexidine:

Toxicity to fish	: (Fish): 2.088 mg/l Exposure time: 96 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.222 mg/l Exposure time: 48 h Method: ECOSAR (Ecological Structure Activity Relationships)
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.124 mg/l End point: Growth rate Exposure time: 96 hrs Method: ECOSAR (Ecological Structure Activity Relationships)

Persistence and degradability

Components:

Nonylphenol, ethoxylated:

Biodegradability	: Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---

Pine oil:

Biodegradability	: Result: Readily biodegradable.
------------------	----------------------------------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

Remarks: Based on data from similar materials

Chlorhexidine:

Biodegradability : Remarks: Not inherently biodegradable.

Bioaccumulative potential

Components:

Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 4.48

Pine oil:

Partition coefficient: n-octanol/water : log Pow: > 4
Remarks: Calculation

Chlorhexidine:

Partition coefficient: n-octanol/water : log Pow: 4.85

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorhexidine, Nonylphenol, ethoxylated)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Chlorhexidine, Nonylphenol, ethoxylated)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorhexidine, Nonylphenol, ethoxylated)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Chlorhexidine, Nonylphenol, ethoxylated)

Class : 9

Packing group : III

Labels : 9

ERG Code : 171

Marine pollutant : yes(Chlorhexidine, Nonylphenol, ethoxylated)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/06/2024
Date format : mm/dd/yyyy

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Chlorhexidine (0.8%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/27/2023
2.0	09/06/2024	10863775-00008	Date of first issue: 10/11/2022

context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8