according to the Hazardous Products Regulations



Cloxacillin (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.12	09/28/2024	4267342-00013	Date of first issue: 05/09/2019

SECTION 1. IDENTIFICATION

Product name	:	Cloxacillin (with Peanut Oil) Formulation
Other means of identification	:	No data available

Manufacturer or supplier's details


Company name of supplier	:	Merck & Co., Inc
Address	:	126 E. Lincoln Avenue
		Rahway, New Jersey U.S.A. 07065
Telephone	:	908-740-4000
Emergency telephone	:	1-908-423-6000
E-mail address	:	EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations					
Respiratory sensitization	:	Category 1			
Skin sensitization	:	Category 1			
GHS label elements					
Hazard pictograms	:				
Signal Word	:	Danger			
Hazard Statements	:	H317 May cause an allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing diffi- culties if inhaled.			
Precautionary Statements	:	Prevention: P261 Avoid breathing mist or vapors. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. P284 Wear respiratory protection.			
		Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P333 + P313 If skin irritation or rash occurs: Get medical atten- tion. P342 + P311 If experiencing respiratory symptoms: Call a doc-			





Cloxacillin (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.12	09/28/2024	4267342-00013	Date of first issue: 05/09/2019

tor.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Peanut oil	No data availa- ble	8002-03-7	>= 80 - <= 100 *
cloxacillin	No data availa- ble	61-72-3	>= 5 - < 10 *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately.
		When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air.
		If not breathing, give artificial respiration.
		If breathing is difficult, give oxygen.
		Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water.
		Remove contaminated clothing and shoes.
		Get medical attention.
		Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution.
		Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting.
		Get medical attention if symptoms occur.
		Rinse mouth thoroughly with water.
Most important symptoms	:	May cause an allergic skin reaction.
and effects, both acute and	-	May cause allergy or asthma symptoms or breathing
delayed		difficulties if inhaled.
		Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,



according to the Hazardous Products Regulations

Cloxacillin (with Peanut Oil) Formulation

Vers 1.12		Revision Date: 09/28/2024		OS Number: 67342-00013	Date of last issue: 09/30/2023 Date of first issue: 05/09/2019			
	Notes to physician		:	when the potentia	nmended personal protective equipment I for exposure exists (see section 8). cally and supportively.			
SEC	SECTION 5. FIRE-FIGHTING MEASURES							
	Suitabl	e extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical				
	Unsuitable extinguishing media		:	None known.				
	Specific hazards during fire fighting		:	Exposure to comb	oustion products may be a hazard to health.			
	Hazardous combustion prod- ucts		:	Carbon oxides Chlorine compour Nitrogen oxides (N Sulfur compounds	NOx)			
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do			
	•	l protective equipment fighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.			

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for : containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable

according to the Hazardous Products Regulations



Cloxacillin (with Peanut Oil) Formulation

Version 1.12	Revision Date: 09/28/2024	SDS Number: 4267342-00013	Date of last issue: 09/30/2023 Date of first issue: 05/09/2019	
		disposal of th employed in t determine wh Sections 13 a	nal regulations may apply to releases and is material, as well as those materials and items he cleanup of releases. You will need to ich regulations are applicable. and 15 of this SDS provide information regarding or national requirements.	
SECTION	7. HANDLING AND ST	ORAGE		
Technical measures Local/Total ventilation Advice on safe handling		CONTROLS/ Use only with Do not get on Do not breath Do not swallo Avoid contact Handle in acc practice, base assessment Keep contain Already sensi to asthma, all should consu respiratory irr Take care to		
	itions for safe storage	 environment. Keep in properly labeled containers. Keep tightly closed. Store in accordance with the particular national regulations. Do not store with the following product types: Strong oxidizing agents Gases 		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

:

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
Peanut oil	8002-03-7	TWAEV (Mist)	10 mg/m³	CA QC OEL		
cloxacillin	61-72-3	TWA	100 µg/m3 (OEB 2)	Internal		
	Further inform	Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm2	Internal		

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility

according to the Hazardous Products Regulations



Cloxacillin (with Peanut Oil) Formulation

Version 1.12	Revision Date: 09/28/2024	SDS Number 4267342-000	
		protect pr	d operated in accordance with GMP principles to oducts, workers, and the environment. y operations do not require special containment.
Pers	onal protective equip	ment	
Fi	iratory protection Iter type protection	exposure recomme	te local exhaust ventilation is not available or assessment demonstrates exposures outside the nded guidelines, use respiratory protection. d particulates and organic vapor type
	aterial	: Chemical	-resistant gloves
Eye p	protection	If the wor mists or a Wear a fa	ety glasses with side shields or goggles. k environment or activity involves dusty conditions, erosols, wear the appropriate goggles. ceshield or other full face protection if there is a for direct contact to the face with dusts, mists, or
	and body protection ene measures	: If exposu eye flushi working p When usi Contamin workplace Wash cor The effec engineeri appropria industrial	ng do not eat, drink or smoke. ated work clothing should not be allowed out of the

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Color	:	light yellow
Odor	:	characteristic
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable



according to the Hazardous Products Regulations

Cloxacillin (with Peanut Oil) Formulation

Ver: 1.12	sion 2	Revision Date: 09/28/2024		S Number: 7342-00013	Date of last issue: 09/30/2023 Date of first issue: 05/09/2019
	Flamm	ability (liquids)	:	No data available	
	Upper of flamma	explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Vapor _I	oressure	:	No data available	
	Relativ	e vapor density	:	No data available	
	Relativ	e density	:	No data available	
	Density	/	:	No data available	
	Solubili Wat	ity(ies) er solubility	:	insoluble	
		n coefficient: n-	:	Not applicable	
	octanol Autoigr	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty cosity, kinematic	:	No data available	
	Explosi	ive properties	:	Not explosive	
	Ovidizi	ng properties	:	The substance or	mixture is not classified as oxidizing.
			•		-
	Molecu	ılar weight	:	No data available	
	Particle Particle	e characteristics e size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.
products		

according to the Hazardous Products Regulations



Cloxacillin (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.12	09/28/2024	4267342-00013	Date of first issue: 05/09/2019

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes	of	exposure
Inhalation Skin contact Ingestion Eye contact		
Acute toxicity Not classified based on availa	hle	information
Components:	010	
Peanut oil:		
Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials
cloxacillin:		
Acute oral toxicity	:	LD50 (Rat): 5,000 mg/kg
		LD50 (Mouse): 5,000 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Mouse): 1,117 mg/kg Application Route: Intramuscular
		LD50 (Mouse): 916 mg/kg Application Route: Intravenous
		LD50 (Mouse): 1,500 mg/kg Application Route: Subcutaneous
		LD50 (Rat): 1,660 mg/kg Application Route: Intravenous
		LD50 (Rat): 4,200 mg/kg Application Route: Subcutaneous
Skin corrosion/irritation Not classified based on availa	ble	information
Components:		
Peanut oil:		
Species Result	:	Rabbit No skin irritation Record on data from similar materials

cloxacillin:

Remarks

: Based on data from similar materials

according to the Hazardous Products Regulations



Cloxacillin (with Peanut Oil) Formulation

Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : : Test Type: Bacterial reverse mutation assay (AMES) Result: negative : Secure Bacterial reverse mutation assay (AMES) : Test Type: Bacterial reverse mutation assay (AMES) : Test Type: Micronucleus test : Species: Mouse	Serious eye damage/eye irritation Not classified based on available information. Components: Peanut oil: Species : Result : Remarks : Based on data from similar materials cloxacillin: Remarks : Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Gerne cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial	ersion 12	Revision Date: 09/28/2024	SDS Number:Date of last issue: 09/30/20234267342-00013Date of first issue: 05/09/2019
Not classified based on available information. Components: Peanut oil: Species : Result : Remarks : Based on data from similar materials cloxacillin: Remarks : Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Permal Assessment : . Probability of respiratory sensitization in humans based of animal testing Result : Result : Seessment : . positive Germ cell mutagenicity Not classified based on available information. Components: . Peanut oil: Genotoxicity in vitro Genotoxicity in vitro : Test Type: Bacterial reverse mut	Not classified based on available information. Components: Peanut oil: Species : Rabbit Result : No eye irritation Remarks : Not classified due to lack of data. Cloxacillin: Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based of animal testing Result : positive Serm cell mutagenicity Not classified based on available information. Components: Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative Cloxacillin: Cloxaci	Rema	rks	: Not classified due to lack of data.
Components: Peanut oil: Species : Result : No eye irritation Remarks : Based on data from similar materials cloxacillin: Remarks : Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Components: cloxacillin: Result : Probability of respiratory sensitization in humans based on animal testing Result : Postive Gern cell mutagenicity	Components: Peanut oil: Species : Result : Remarks : Based on data from similar materials cloxacillin: Remarks : Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Components: cloxacillin: Result : positive Assessment : positive Gern cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES): Result: negative	Serio	us eye damage/eye	irritation
Peanut oil: Species : Rabbit Result : No eye irritation Remarks : Based on data from similar materials cloxacillin: : Remarks Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause and lergic skin reaction. Respiratory sensitization May cause and lergic skin reaction. Components: Probability or evidence of skin sensitization in humans Result Assessment : Probability of respiratory sensitization in humans based on animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial revers	Peanut oil: Species : Rabbit Result : No eye irritation Remarks : Based on data from similar materials cloxacillin: : Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: Cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Gern cell mutagenicity Not classified based on available information. Components: East Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: : Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: : Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative Cloxacillin: : Genotoxicity in vivi	Not cl	assified based on av	ailable information.
Species : Rabbit Result : No eye irritation Remarks : Based on data from similar materials cloxacillin: . Remarks : Not classified due to lack of data. Respiratory or skin sensitization . Skin sensitization . May cause an allergic skin reaction. . Respiratory sensitization . May cause allergy or asthma symptoms or breathing difficulties if inhaled. . Components: . cloxacillin: . Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result : negative Result : negative Result : negative Result : negative Result: negative Result :	Species : Rabbit Result : No eye irritation Remarks : Based on data from similar materials cloxacillin: : Remarks Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: Cloxacillin: Routes of exposure : Probability or evidence of skin sensitization in humans Result : Assessment : result : Result : Result : Result : Result : Optimulation : Components: Probability of respiratory sensitization in humans based on animal testing Result : positive Gern cell mutagenicity . Not classified based on available information. . Components: . Peanut oi:	Comp	oonents:	
Result : No eye irritation Remarks : Based on data from similar materials cloxacillin: . Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans based or animal testing Result : positive Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr minilar substances. Genotoxicity in vivo : Test Type	Result : No eye irritation Remarks : Based on data from similar materials cloxacillin: . Remarks : Not classified due to lack of data. Respiratory or skin sensitization . Skin sensitization . May cause an allergic skin reaction. . Respiratory sensitization . May cause allergy or asthma symptoms or breathing difficulties if inhaled. . Components: . cloxacillin: . Routes of exposure : Porbability or evidence of skin sensitization in humans Result : Postitve Assessment : Result : Result : Result : Dottive . Gern cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Result: negative Result: negative Remarks: Information given is based on data obtained from similar substances.	Pean	ut oil:	
Remarks : Based on data from similar materials cloxacillin: Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: Cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based on animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative Resout: negative Result:	Remarks : Based on data from similar materials cloxacillin: . Remarks : Not classified due to lack of data. Respiratory or skin sensitization . Skin sensitization . May cause an allergic skin reaction. . Respiratory sensitization . May cause allergy or asthma symptoms or breathing difficulties if inhaled. . Components: . cloxacillin: . Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : positive Assessment : positive Gern cell mutagenicity . Not classified based on available information. . Components: . Peanut oil: . Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative . Cloxacillin: . Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative . Cloxacillin: .			
cloxacillin: Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans based or animal testing Result : positive Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Components: Probability of respiratory sensitization in humans based or animal testing Result : positive Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr minilar substances. Genotoxicity in vitro : Test Type: Micronucleus test Sence; Genotoxicity in vivo	cloxacillin: Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: Route of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based on Result : positive Mot classified based on available information. Components: Components: : positive Mot classified based on available information. Components: Result : positive Mot classified based on available information. Components: May classified based on available information. Components: Meanut oil: : Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative : Result: negative Genotoxicity in vitro <td></td> <td></td> <td></td>			
Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: : Result: negative Cloxacillin: : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse <td>Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : positive Assessment : positive Result : positive Components: : positive Result : positive Gern cell mutagenicity : positive Not classified based on available information. : Components: Peanut oil: : Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES): Result: negative Cloxacillin: : Result: negative : Remarks: Information given is based on data obtained for similar substances. Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative</td> <td>Rema</td> <td>1K5</td> <td>. Dased on data nom similar materials</td>	Remarks : Not classified due to lack of data. Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause an allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : positive Assessment : positive Result : positive Components: : positive Result : positive Gern cell mutagenicity : positive Not classified based on available information. : Components: Peanut oil: : Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES): Result: negative Cloxacillin: : Result: negative : Remarks: Information given is based on data obtained for similar substances. Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	Rema	1K5	. Dased on data nom similar materials
Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : probability or evidence of skin sensitization in humans Result : Assessment : essuit : Assessment : positive Assessment : positive Assessment : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Cloxacillin: Genotoxicity in vitro : Result: negative Result: negative Result: negative Result: negative Result: negative Result: negative Renotoxicity in vitro : Tes	Respiratory or skin sensitization Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Gern cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative Genotoxicity in vivo : Test Type: Micronucleus test Result: negative	cloxa	cillin:	
Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : Assessment : Probability of respiratory sensitization in humans based or animal testing Result : Result : Omponents: Peanut oll: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: : Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative Result: : Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Genotoxicity in vitro : Cloxacillin: Genotoxicity in vitro : <td>Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Assessment : Probability or evidence of skin sensitization in humans Result : Assessment : Probability of respiratory sensitization in humans based or animal testing Result : Result : Operator : Result : Probability of respiratory sensitization in humans based or animal testing Result : Result : Operator : Mot classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Result: negative Result: negative Result: negative Remarks: Information given is based on data obtained from similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mo</td> <td>Rema</td> <td>rks</td> <td>: Not classified due to lack of data.</td>	Skin sensitization May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Assessment : Probability or evidence of skin sensitization in humans Result : Assessment : Probability of respiratory sensitization in humans based or animal testing Result : Result : Operator : Result : Probability of respiratory sensitization in humans based or animal testing Result : Result : Operator : Mot classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Result: negative Result: negative Result: negative Remarks: Information given is based on data obtained from similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mo	Rema	rks	: Not classified due to lack of data.
May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : Assessment : Probability of respiratory sensitization in humans based on animal testing Result : Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative <td>May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : essurement : Probability or evidence of skin sensitization in humans Result : Assessment : essurement : positive Assessment : essurement : positive Assessment : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : rest Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained from similar substances. Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative</td> <td>Respi</td> <td>ratory or skin sens</td> <td>itization</td>	May cause an allergic skin reaction. Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : essurement : Probability or evidence of skin sensitization in humans Result : Assessment : essurement : positive Assessment : essurement : positive Assessment : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : rest Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained from similar substances. Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative	Respi	ratory or skin sens	itization
Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test species: Information given is based on data obtained fresimilar substances.	Respiratory sensitization May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : Assessment : Probability of respiratory sensitization in humans based or animal testing Result : Result : Positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained for similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative <td>Skin s</td> <td>sensitization</td> <td></td>	Skin s	sensitization	
May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : positive Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test species: Information given is based on data obtained fresimilar substances.	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Components: Routes of exposure : Assessment : Probability or evidence of skin sensitization in humans Result : Assessment : Probability of respiratory sensitization in humans based or animal testing Result : Result : Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative	May c	ause an allergic skin	reaction.
Components: cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based or animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse	Components: cloxacillin: Routes of exposure : Assessment : Probability or evidence of skin sensitization in humans Result : Assessment : Result : Result : Probability of respiratory sensitization in humans based of animal testing Result : Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained from similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	Respi	iratory sensitization	1
cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based of animal testing Result : positive Germ cell mutagenicity . Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : : Test Type: Bacterial reverse mutation assay (AMES) Result: negative : . : . : . : . : . : . : . : . : . : . : . : . : . : . : .	cloxacillin: Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based of animal testing Result : positive Germ cell mutagenicity . Not classified based on available information. . Components: . Peanut oil: . Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: . Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative Genotoxicity in vivo :	May c	ause allergy or asthr	na symptoms or breathing difficulties if inhaled.
Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based of animal testing Result : positive Germ cell mutagenicity . positive Not classified based on available information. . Components: . Peanut oil: . Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative . Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Routes of exposure : Dermal Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based of animal testing Result : positive Germ cell mutagenicity . positive Not classified based on available information. . Components: . Peanut oil: . Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: . Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative . Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	Comp	oonents:	
Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based or animal testing Result : probability of respiratory sensitization in humans based or animal testing Result : positive Germ cell mutagenicity . Not classified based on available information. . Components: . Peanut oil: . Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative . Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Assessment : Probability or evidence of skin sensitization in humans Result : positive Assessment : Probability of respiratory sensitization in humans based of animal testing Result : positive Germ cell mutagenicity positive Not classified based on available information. Components: Peanut oil: : Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: : Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test Species: Information given is based on data obtained from similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	cloxa	cillin:	
Result : positive Assessment : Probability of respiratory sensitization in humans based of animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Result : positive Assessment : Probability of respiratory sensitization in humans based of animal testing Result : positive Germ cell mutagenicity positive Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative		-	
Result animal testing Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : : Test Type: Bacterial reverse mutation assay (AMES) : Result: negative : Result: negative : Remarks: Information given is based on data obtained fr similar substances. : : Test Type: Micronucleus test Species: Mouse	Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : : Test Type: Bacterial reverse mutation assay (AMES) : Result: negative : Result: negative : Result: negative : Test Type: Micronucleus test : Species: Mouse : Result: negative			
Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Result: negative Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Result : positive Germ cell mutagenicity Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test Species: Mouse Result: negative Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	Asses	sment	
Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	Resul	t	0
Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Not classified based on available information. Components: Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	Germ	cell mutagenicity	
Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test species: Mouse	Peanut oil: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Micronucleus test species: Mouse Result: negative			ailable information.
Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: : Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fro similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	Comp	oonents:	
Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: : Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative cloxacillin: : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fro similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	Pean	ut oil:	
cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	cloxacillin: Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fro similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative			: Test Type: Bacterial reverse mutation assay (AMES)
Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fro similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative			Result: negative
Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Information given is based on data obtained fro similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative	cloxa	cillin:	
Result: negative Remarks: Information given is based on data obtained fr similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Result: negative Remarks: Information given is based on data obtained from similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative			: Test Type: Bacterial reverse mutation assay (AMES)
Similar substances. Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative			
Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse	Genotoxicity in vivo : Test Type: Micronucleus test Species: Mouse Result: negative			
Species: Mouse	Species: Mouse Result: negative	-		
	Result: negative	Geno	toxicity in vivo	
				•

according to the Hazardous Products Regulations



Cloxacillin (with Peanut Oil) Formulation

ersion 12	Revision Date: 09/28/2024		S Number: 7342-00013	Date of last issue: 09/30/2023 Date of first issue: 05/09/2019
			Remarks: Inforr similar substand	nation given is based on data obtained fron ces.
	nogenicity assified based on avai	ilable ii	nformation.	
Comp	oonents:			
cloxa Rema	-	:	Not classified d	ue to lack of data.
•	oductive toxicity assified based on avai	ilable ii	nformation.	
Comp	oonents:			
cloxa	cillin:			
Effect	s on fertility		Species: Rat Application Rou Fertility: NOAEI	i-generation study ite: Oral .: 500 mg/kg body weight cts on fertility., No effects on reproduction
Effect	s on fetal developmen		•	t
			Developmental	
	-single exposure		<i>•</i>	
Not cl	assified based on avai	ilable i	nformation.	

Not classified based on available information.

Repeated dose toxicity

Components:

cloxacillin:		
Species	:	Rat
LÕAEL	:	7,000 mg/kg
Application Route	:	Intravenous
Exposure time	:	4 Weeks
Symptoms	:	Hypoglycemia

according to the Hazardous Products Regulations



Cloxacillin (with Peanut Oil) Formulation

ersion .12	Revision Date: 09/28/2024		0S Number: 67342-00013	Date of last issue: 09/30/2023 Date of first issue: 05/09/2019
-	ration toxicity lassified based on availa	able	information.	
Expe	rience with human exp	osi	ire	
Com	ponents:			
Inhala Skin (contact	:	Symptoms: Derm Remarks: May irr Remarks: May irr	itate skin.
Ũ				ause sensitization of susceptible persons.
ECTION	12. ECOLOGICAL INF	ORN	ATION	
Ecote	oxicity			
Com	ponents:			
Pean	ut oil:			
Toxic	ity to fish	:	Exposure time: 9	o (zebra fish)): > 10,000 mg/l 6 h on data from similar materials
	ity to daphnia and other tic invertebrates	:	Exposure time: 4	nagna (Water flea)): > 100 mg/l 8 h on data from similar materials
	stence and degradabil ata available	ity		
Bioa	ccumulative potential			
<u>Com</u>	ponents:			
Partit	icillin: ion coefficient: n- ol/water	:	log Pow: 2.44	
	lity in soil ata available			
Othe	r adverse effects ata available			

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

according to the Hazardous Products Regulations



Cloxacillin (with Peanut Oil) Formulation

VersionRevision Date:SDS Number:Date of last issue: 09/30/20231.1209/28/20244267342-00013Date of first issue: 05/09/2019

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air-
		borne contaminants
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-



Cloxacillin (with Peanut Oil) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
1.12	09/28/2024	4267342-00013	Date of first issue: 05/09/2019

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	•	09/28/2024

Revision Date	:	09/28/2024
Date format	:	mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8