



Cobalt Oxide Solid Formulation

Version 1.4	Revision Date: 09/28/2024		umber: 970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022
SECTIO	N 1. IDENTIFICATION			
	duct name er means of identification	: Co	•	d Formulation ace 3 Year Cobalt Pellets for Sheep (47611) ace Cobalt Pellets for Cattle (47638)
Ма	nufacturer or supplier's o	details		
	npany name of supplier dress	: 12	rck & Co., Inc 6 E. Lincoln Av hway, New Jer	renue rsey U.S.A. 07065
Em	ephone ergency telephone nail address	: 1-9	3-740-4000 08-423-6000 SDATASTEW	ARD@merck.com
Re	commended use of the c	hemica	and restriction	ons on use
	commended use strictions on use		terinary produc t applicable	ot

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accore	dan	ce with the Hazardous Products Regulations
Respiratory sensitization	:	Sub-category 1B

GHS label elements

Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	H334 May cause allergy or asthma symptoms or breathing diffi- culties if inhaled.
Precautionary Statements	:	Prevention: P261 Avoid breathing dust, fume, gas, mist, vapors or spray. P284 Wear respiratory protection.
		Response: P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P342 + P311 If experiencing respiratory symptoms: Call a doc- tor.
		Disposal: P501 Dispose of contents and container to an approved waste disposal plant.





Cobalt Oxide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/22/2023
1.4	09/28/2024	11093970-00005	Date of first issue: 11/23/2022

Other hazards

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Tricobalt tetraoxide	Cobalt oxide (Co3O4)	1308-06-1	30

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	:	Wash with water and soap. Get medical attention if symptoms occur.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome). Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing	:	None known.



according to the Hazardous Products Regulations

Cobalt Oxide Solid Formulation

Vers 1.4	ion	Revision Date: 09/28/2024		S Number: 093970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022		
	media						
	Specific fighting	hazards during fire	:	Exposure to comb	oustion products may be a hazard to health.		
	Hazard ucts	ous combustion prod-	:	Metal oxides			
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do		
	Special protective equipment for fire-fighters		:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.			
SEC	TION 6	ACCIDENTAL RELE	ASE	E MEASURES			
	tive equ	al precautions, protec- upment and emer- procedures	:		ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8).		
	Environ	mental precautions	:	Retain and dispos	akage or spillage if safe to do so. e of contaminated wash water. should be advised if significant spillages		
		s and materials for ment and cleaning up	:	over the area to m Add excess liquid Soak up with inern Avoid dispersal of with compressed	n absorbents and place a damp covering ninimize entry of the material into the air. to allow the material to enter into solution. absorbent material. dust in the air (i.e., clearing dust surfaces air). uld not be allowed to accumulate on		

SECTION 7. HANDLING AND STORAGE

Technical measures

: Static electricity may accumulate and ignite suspended dust

Sections 13 and 15 of this SDS provide information regarding

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

certain local or national requirements.

absorbent.

according to the Hazardous Products Regulations



Cobalt Oxide Solid Formulation

Version 1.4	Revision Date: 09/28/2024	SDS Number: 11093970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022
	al/Total ventilation ice on safe handling	and bonding, c Use only with a Avoid breathin Do not breathe Do not swallow Avoid contact Avoid prolonge Handle in acco practice, based assessment Keep containe Already sensiti to asthma, alle should consult respiratory irrit Minimize dust Keep containe Keep away fro Take precautio	ate precautions, such as electrical grounding or inert atmospheres. adequate ventilation. g dust, fume, gas, mist, vapors or spray. e dust. /.
Con	ditions for safe storage	: Keep in proper Keep tightly clo	
Mat	erials to avoid		lance with the particular national regulations. ith the following product types: g agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Tricobalt tetraoxide	1308-06-1	TWA	0.02 mg/m ³ (Cobalt)	CA AB OEL
		TWAEV	0.02 mg/m ³ (Cobalt)	CA QC OEL
		TWA (Total)	0.02 mg/m ³ (Cobalt)	CA BC OEL
		TWA (Inhalable particulate matter)	0.02 mg/m³ (Cobalt)	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Tricobalt tetraoxide	1308-06-1	Cobalt	Urine	End of	15 µg/l	ACGIH



according to the Hazardous Products Regulations

Cobalt Oxide Solid Formulation

ersion .4	Revision Date: 09/28/2024		S Number: 093970-00005	Date of last Date of firs			
			(Cobalt)		shift at end of work- week		BEI
Engi	neering measures	:	Containment tech are required to co the compound to from a closed sys stationary contain All engineering co design and opera protect products, Essentially no op Use closed proce	ontrol at sour uncontrolled tem, packou her, ventilated ontrols should ted in accord workers, and en handling p	ce and to p areas (e.g. t head with d enclosure d be implen dance with d the enviro permitted.	revent migrati , vacuum cor inflatable sea , etc.). nented by fac GMP principle nment.	ion of aveying al from ility es to
Pers	onal protective equip	ment					
Resp	iratory protection	:	If adequate local exposure assess recommended gu	ment demon	strates expo	osures outsid	
	Iter type I protection	:	Particulates type	·			
М	aterial	:	Chemical-resistar	nt gloves			
	emarks protection	:	Consider double Wear safety glass If the work enviro mists or aerosols Wear a faceshield potential for direct aerosols.	ses with side nment or act , wear the ap d or other full	ivity involve propriate g l face prote	es dusty condi oggles. ction if there i	s a
Skin	and body protection	:	Work uniform or I Additional body g task being perforr disposable suits) Use appropriate of contaminated clo	arments sho med (e.g., sle to avoid exp degowning te	uld be usec eevelets, ap osed skin s	oron, gauntlets urfaces.	S,
Hygie	ene measures	:	If exposure to che eye flushing syste working place. When using do ne Wash contaminat The effective ope engineering contr appropriate dego industrial hygiene use of administra	emical is likelems and safe ot eat, drink of red clothing b ration of a fa rols, proper p wning and de e monitoring,	ety showers or smoke. before re-us cility should bersonal pro econtamina medical su	close to the e. d include revie stective equip tion procedur	ew of ment, es,

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	pellets
Color	:	black





Cobalt Oxide Solid Formulation

Versi 1.4	ion	Revision Date: 09/28/2024		S Number: 93970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022
	Odor		:	No data available	
	Odor T	hreshold	:	No data available)
	рН		:	No data available)
	Melting	point/freezing point	:	No data available)
	Initial b range	oiling point and boiling	:	No data available)
	Flash p	oint	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	May form explosi handling or other	ve dust-air mixture during processing, means.
	Flamma	ability (liquids)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	pressure	:	Not applicable	
	Relative	e vapor density	:	Not applicable	
	Relative	e density	:	No data available	
	Density	,	:	No data available	
	Solubili Wat	ty(ies) er solubility	:	No data available)
	Partitio octanol	n coefficient: n-	:	Not applicable	
		hition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty :osity, kinematic	:	Not applicable	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available)
	Particle	characteristics			

according to the Hazardous Products Regulations



Cobalt Oxide Solid Formulation

Version 1.4	Revision Date: 09/28/2024		S Number:)93970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022			
Particle size		:	: No data available				
SECTION	10. STABILITY AND RE	EAC	ΤΙVΙΤΥ				
	nical stability ibility of hazardous reac-	:	Stable under no May form explo handling or othe	s a reactivity hazard. ormal conditions. sive dust-air mixture during processing, er means. strong oxidizing agents.			
Incor	litions to avoid npatible materials irdous decomposition ucts	:					

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Tricobalt tetraoxide:


Acute oral toxicity :	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity :	LC50 (Rat): > 5.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436
Acute dermal toxicity	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Tricobalt tetraoxide:		
Species Method		reconstructed human epidermis (RhE) OECD Test Guideline 431
Species Method	:	reconstructed human epidermis (RhE) OECD Test Guideline 439





Cobalt Oxide Solid Formulation


	t			
		:	No skin irritation	
	us eye damage/eye i	irritati	on	
Not cl	assified based on ava	ailable	information.	
Comp	oonents:			
Trico	balt tetraoxide:			
Speci	es	:	Rabbit	
Resul		:	No eye irritation	
Metho	od	:	OECD Test Guid	eline 405
Resp	iratory or skin sensi	tizatio	on	
Skins	sensitization			
Not cl	assified based on ava	ailable	information.	
Resp	iratory sensitization			
May c	ause allergy or asthm	na syn	ptoms or breathin	g difficulties if inhaled.
<u>Comp</u>	oonents:			
Trico	balt tetraoxide:			
Test 7		:	Local lymph node	e assay (LLNA)
	s of exposure	:	Skin contact	
Speci Metho		÷	Mouse OECD Test Guid	olino 420
Resul		:	negative	61116 429
Asses	sment	:	Probability or evi	dence of low to moderate respiratory
			sensitization rate	
Rema	irks	:	Based on data fro	om similar materials
Germ	cell mutagenicity			
Not cl	assified based on ava	ailable	information.	
<u>Comp</u>	oonents:			
Trico	balt tetraoxide:			
Geno	toxicity in vivo	:	cytogenetic test, Species: Rat Application Route	genicity (in vivo mammalian bone-marr chromosomal analysis) e: Ingestion est Guideline 475

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.






Cobalt Oxide Solid Formulation

Version 1.4	Revision Date: 09/28/2024		DS Number: 093970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022
<u>Com</u>	ponents:			
Trico	balt tetraoxide:			
Effect	ts on fertility	:		
Effect	ts on fetal development	:	Test Type: Embry Species: Rat Application Route Method: OECD T Result: negative	
	F-single exposure lassified based on availa	ble	information.	
	F-repeated exposure lassified based on availa	ble	information.	
Repe	ated dose toxicity			
Com	oonents:			
Trico	balt tetraoxide:			
	EL cation Route sure time		Rat 300 mg/kg Ingestion 90 Days OECD Test Guide	eline 408
-	ration toxicity lassified based on availa	ble	information.	
	12. ECOLOGICAL INF	ORI	MATION	

Components:

Tricobalt tetraoxide:	
Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Remarks: Based on transformation/dissolution testing and data from soluble metal compounds
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Ceriodaphnia dubia (water flea)): > 100 mg/l Exposure time: 48 h Remarks: Based on transformation/dissolution testing and data from soluble metal compounds





Cobalt Oxide Solid Formulation

rsion	Revision Date: 09/28/2024		0S Number: 093970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022	
Toxicity to algae/aquatic plants		:	Exposure time: Remarks: Based	parvula (marine algae)): > 1 - 10 mg/l 7 d d on transformation/dissolution testing and e metal compounds	
			Exposure time: Remarks: Based	parvula (marine algae)): > 0.1 - 1 mg/l 7 d d on transformation/dissolution testing and e metal compounds	
Toxic icity)	ity to fish (Chronic tox-	:	EC10 (Pimephales promelas (fathead minnow)): > 1 mg Exposure time: 34 d Remarks: Based on transformation/dissolution testing an data from soluble metal compounds		
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time: 2 Method: OECD Remarks: Based	azteca (Amphipod)): > 0.1 - 1 mg/l 28 d Test Guideline 211 d on transformation/dissolution testing and e metal compounds	
	stence and degradabili ata available	ty			
	ccumulative potential ata available				
	lity in soil ata available				
	r adverse effects ata available				
CTION	13. DISPOSAL CONSI	DER	ATIONS		
Dispo	osal methods				
-	e from residues	:	Dispose of in ac	of waste into sewer. cordance with local regulations.	
Conta	aminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.		

International Regulations

UNRTDG		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
		(Tricobalt tetraoxide)
Class	:	9

according to the Hazardous Products Regulations



Cobalt Oxide Solid Formulation

Versi 1.4	ion	Revision Date: 09/28/2024	-	0S Number: 093970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022
	Labels	g group nmentally hazardous	:	III 9 yes	
	IATA-D	-			
	UN/ID Proper	No. shipping name	:	UN 3077 Environmentally k (Tricobalt tetraox	nazardous substance, solid, n.o.s.
	Class		:	9	ide)
		g group	:	III	
	Labels	• • • •	:	Miscellaneous	
	Packing aircraft	g instruction (cargo	:	956	
		g instruction (passen-	:	956	
		nmentally hazardous	:	yes	
	IMDG-	Code			
	UN nur		:	UN 3077	
	Proper	shipping name	:	ENVIRONMENTA N.O.S. (Tricobalt tetraoxi	ALLY HAZARDOUS SUBSTANCE, SOLID,
	Class		:	9	
	Packing	g group	:	III	
	Labels		:	9	
	EmS C		:	F-A, S-F	
	Marine	pollutant	:	yes	
	Transp	oort in bulk according	j to	Annex II of MARP	OL 73/78 and the IBC Code
	Not app	plicable for product as	sup	plied.	
	Domes	stic regulation			
	TDG				
	UN nur		:	UN 3077	
	Proper	shipping name	:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID,
				(Tricobalt tetraox	liue)

	(I ricobalt tetraoxide)
Class	: 9
Packing group	: 111
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(Tricobalt tetraoxide)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS : not determined



according to the Hazardous Products Regulations

Cobalt Oxide Solid Formulation

Version 1.4	Revision Date: 09/28/2024	SDS Number: 11093970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022
DSL		: not determined	
IECSC		: not determined	

SECTION 16. OTHER INFORMATION

_ ..

.

Full text of other abbreviations							
ACGIH ACGIH BEI CA AB OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Canada. Alberta, Occupational Health and Safety Code (table					
CA BC OEL	:	2: OEL) Canada. British Columbia OEL					
CA QC OEL	:	Québec. Regulation respecting occupational health and safe- ty, Schedule 1, Part 1: Permissible exposure values for air- borne contaminants					
ACGIH / TWA	:	8-hour, time-weighted average					
CA AB OEL / TWA	:	8-hour Occupational exposure limit					
CA BC OEL / TWA	:	8-hour time weighted average					
CA QC OEL / TWAEV	:	Time-weighted average exposure value					

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: Nch - Chilean Norm: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System



according to the Hazardous Products Regulations

Cobalt Oxide Solid Formulation

Version 1.4	Revision Date: 09/28/2024		DS Number: 093970-00005	Date of last issue: 11/22/2023 Date of first issue: 11/23/2022
Sources of key data used to compile the Material Safety Data Sheet		:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Ager cy, http://echa.europa.eu/	
Revision Date Date format		:	09/28/2024 mm/dd/yyyy	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8