

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

SECTION 1. IDENTIFICATION

Product name : Deltamethrin (1.47%) Formulation
Product code : Butox pour-on aqueous
Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin sensitization : Sub-category 1A
Carcinogenicity : Category 1B
Reproductive toxicity : Category 2
Specific target organ toxicity : Category 1 (Central nervous system, Immune system)
- repeated exposure (Oral)
Specific target organ toxicity : Category 1 (Central nervous system)
- repeated exposure
(Inhalation)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H350 May cause cancer.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H372 Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.
H372 Causes damage to organs (Central nervous system)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version 3.1 Revision Date: 11/03/2023 SDS Number: 10863804-00005 Date of last issue: 09/30/2023
Date of first issue: 10/11/2022

through prolonged or repeated exposure if inhaled.

Precautionary Statements

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical attention.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Deltamethrin (ISO)	No data available	52918-63-5	1.47
Formaldehyde	Methyl aldehyde	50-00-0	0.23

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

In case of skin contact	: Get medical attention. In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. May cause cancer. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. Causes damage to organs through prolonged or repeated exposure if inhaled. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx) Bromine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protection	: Use personal protective equipment.
----------------------------------	--------------------------------------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

- | | | |
|---|---|---|
| tive equipment and emergency procedures | : | Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version 3.1 Revision Date: 11/03/2023 SDS Number: 10863804-00005 Date of last issue: 09/30/2023
Date of first issue: 10/11/2022

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m ³ (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	100 µg/100 cm ²	Internal
Formaldehyde	50-00-0	TWA	0.75 ppm 0.9 mg/m ³	CA AB OEL
		(c)	1 ppm 1.3 mg/m ³	CA AB OEL
		TWA	0.1 ppm	CA BC OEL
		STEL	0.3 ppm	CA BC OEL
		STEL	1 ppm	CA ON OEL
		C	1.5 ppm	CA ON OEL
		C	1.5 ppm	CA QC OEL
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and inorganic gas/vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Hygiene measures : Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: suspension
Color	: white
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Deltamethrin (ISO):

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg
LD50 (Rat): 9 - 139 mg/kg
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg
Application Route: Intravenous
LD50 (Mouse): 10 mg/kg
Application Route: Intraperitoneal

Formaldehyde:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg
Method: Expert judgment

Acute inhalation toxicity : Acute toxicity estimate: 100 ppm
Exposure time: 4 h
Test atmosphere: gas
Method: Expert judgment

Acute dermal toxicity : LD50 (Rabbit): 270 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Deltamethrin (ISO):

Species : Rabbit
Result : No skin irritation

Formaldehyde:

Species : Rabbit
Method : OECD Test Guideline 404

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Deltamethrin (ISO):

Species	: Rabbit
Result	: Moderate eye irritation

Formaldehyde:

Species	: Rabbit
Result	: Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Deltamethrin (ISO):

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Result	: negative

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Dermal
Species	: Humans
Result	: positive

Formaldehyde:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: positive

Assessment	: Probability or evidence of high skin sensitization rate in humans
------------	---

Germ cell mutagenicity

Not classified based on available information.

Components:

Deltamethrin (ISO):

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: DNA Repair
Test system: Escherichia coli
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Concentration: LOAEL: 20 mg/kg
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: dominant lethal test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: sister chromatid exchange assay
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Formaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: positive

Test Type: Chromosome aberration test in vitro
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Inhalation
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

Carcinogenicity

May cause cancer.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Components:

Deltamethrin (ISO):

Species	:	Mouse, male and female
Application Route	:	oral (feed)
Exposure time	:	104 weeks
NOAEL	:	8 mg/kg body weight
LOAEL	:	4 mg/kg body weight
Result	:	positive
Target Organs	:	Lymph nodes

Species	:	Rat, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	negative

Species	:	Dog, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
NOAEL	:	1 mg/kg body weight
Result	:	negative

Formaldehyde:

Species	:	Rat
Application Route	:	inhalation (gas)
Exposure time	:	28 Months
Result	:	positive

Carcinogenicity - Assessment	:	Sufficient evidence of carcinogenicity in animal experiments
------------------------------	---	--

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Deltamethrin (ISO):

Effects on fertility	:	Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) Early Embryonic Development: NOAEL: 50 mg/kg body weight Symptoms: No effects on fertility., Embryo-fetal toxicity. Remarks: Significant toxicity observed in testing
	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight Symptoms: No effects on fertility., Embryo-fetal toxicity.
	:	Test Type: Fertility Species: Rat, male

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Application Route: Oral
Fertility: LOAEL: 1 mg/kg body weight
Symptoms: Effects on fertility.
Target Organs: Testes

Effects on fetal development : Test Type: Development
Species: Mouse
Application Route: oral (gavage)
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Skeletal malformations.
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rat, female
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Symptoms: No effects on fetal development.

Test Type: Development
Species: Rabbit, female
Application Route: oral (gavage)
Developmental Toxicity: NOAEL: 16 mg/kg body weight
Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Formaldehyde:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: inhalation (gas)
Result: negative

STOT-single exposure

Not classified based on available information.

Components:

Deltamethrin (ISO):

Assessment : May cause respiratory irritation.

Formaldehyde:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Components:

Deltamethrin (ISO):

Routes of exposure	: Ingestion
Target Organs	: Central nervous system, Immune system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Routes of exposure	: inhalation (dust/mist/fume)
Target Organs	: Central nervous system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Formaldehyde:

Routes of exposure	: inhalation (gas)
Assessment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Deltamethrin (ISO):

Species	: Rat, male and female
NOAEL	: 1 mg/kg
LOAEL	: 2.5 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Nervous system
Symptoms	: hyperexcitability

Species	: Rat
LOAEL	: 3 mg/m3
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 wk / 5 d/wk / 6 h/d
Symptoms	: Local irritation, respiratory tract irritation

Species	: Dog
NOAEL	: 0.1 mg/kg
LOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Nervous system
Symptoms	: Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species	: Rat
NOAEL	: 14 mg/kg
LOAEL	: 54 mg/kg
Application Route	: Oral
Exposure time	: 91 d
Target Organs	: Nervous system

Species	: Mouse
---------	---------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

LOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	12 Weeks
Target Organs	:	Immune system
Symptoms	:	immune system effects

Formaldehyde:

Species	:	Rat
NOAEL	:	6 ppm
LOAEL	:	10 ppm
Application Route	:	inhalation (gas)
Exposure time	:	28 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Deltamethrin (ISO):

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l Exposure time: 48 h EC50 (Daphnia magna (Water flea)): 0.0035 mg/l Exposure time: 48 h LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

plants	:	mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l Exposure time: 36 d NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l Exposure time: 260 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0041 µg/l Exposure time: 21 d
Formaldehyde:		
Toxicity to fish	:	LC50 : 6.7 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 5.8 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 4.89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Orange-red killifish)): >= 48 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): >= 6.4 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: 34.1 mg/l Exposure time: 120 h

Persistence and degradability

Components:

Deltamethrin (ISO):

Stability in water	:	Hydrolysis: 0 %(30 d)
--------------------	---	-----------------------

Formaldehyde:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 91 % Exposure time: 14 d Method: OECD Test Guideline 301C Remarks: Based on data from similar materials
------------------	---	--

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Bioaccumulative potential

Components:

Deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

Formaldehyde:

Partition coefficient: n-octanol/water : log Pow: 0.35
Remarks: Calculation

Mobility in soil

Components:

Deltamethrin (ISO):

Distribution among environmental compartments : log Koc: 7.2

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(deltamethrin (ISO), Nonylphenol, ethoxylated)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

(Deltamethrin (ISO), Nonylphenol, ethoxylated)

Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Deltamethrin (ISO), Nonylphenol, ethoxylated)

Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Deltamethrin (ISO), Nonylphenol, ethoxylated)

Class	:	9
Packing group	:	III
Labels	:	9
ERG Code	:	171
Marine pollutant	:	yes(Deltamethrin (ISO), Nonylphenol, ethoxylated)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
------	---	----------------

DSL	:	not determined
-----	---	----------------

IECSC	:	not determined
-------	---	----------------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / (c)	:	ceiling occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA ON OEL / C	:	Ceiling Limit (C)
CA ON OEL / STEL	:	Short-Term Exposure Limit (STEL)
CA QC OEL / C	:	Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

according to the Hazardous Products Regulations



Deltamethrin (1.47%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09/30/2023
3.1	11/03/2023	10863804-00005	Date of first issue: 10/11/2022

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 11/03/2023
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8