

**Deltamethrin (1%) Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
2.3                10/01/2022              6328816-00005        Date of first issue: 09/11/2020

---

**SECTION 1. IDENTIFICATION**

Product name                                : Deltamethrin (1%) Formulation

**Manufacturer or supplier's details**

Company name of supplier                : Merck & Co., Inc  
Address                                        : 126 E. Lincoln Avenue  
    : Rahway, New Jersey U.S.A. 07065  
Telephone                                    : 908-740-4000  
Emergency telephone                      : 1-908-423-6000  
E-mail address                              : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use                         : Veterinary product


Restrictions on use                        : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Eye irritation                                : Category 2A  
Skin sensitization                         : Category 1  
Reproductive toxicity                      : Category 2  
Specific target organ toxicity            : Category 1 (Central nervous system, Immune system)  
- repeated exposure (Oral)  
Specific target organ toxicity            : Category 1 (Central nervous system)  
- repeated exposure  
(Inhalation)

**GHS label elements**

Hazard pictograms                         : 

Signal Word                                 : Danger

Hazard Statements                         : H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H372 Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.  
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

---

**Deltamethrin (1%) Formulation**

Version 2.3      Revision Date: 10/01/2022      SDS Number: 6328816-00005      Date of last issue: 04/09/2022  
Date of first issue: 09/11/2020

---

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical attention.  
P333 + P313 If skin irritation or rash occurs: Get medical attention.  
P337 + P313 If eye irritation persists: Get medical attention.  
P363 Wash contaminated clothing before reuse.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Cyclohexanone	108-94-1	2.91
Deltamethrin (ISO)	52918-63-5	1

---

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.

## Deltamethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

In case of eye contact	:	<p>Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.</p> <p>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn.</p>
If swallowed	:	<p>Get medical attention.</p> <p>If swallowed, DO NOT induce vomiting.</p> <p>Get medical attention. Rinse mouth thoroughly with water.</p>
Most important symptoms and effects, both acute and delayed	:	<p>May cause an allergic skin reaction. Causes serious eye irritation. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. Causes damage to organs through prolonged or repeated exposure if inhaled.</p>
Protection of first-aiders	:	<p>First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</p>
Notes to physician	:	<p>Treat symptomatically and supportively.</p>

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	<p>Water spray Alcohol-resistant foam Carbon dioxide (CO<sub>2</sub>) Dry chemical</p>
Unsuitable extinguishing media	:	<p>None known.</p>
Specific hazards during fire fighting	:	<p>Exposure to combustion products may be a hazard to health.</p>
Hazardous combustion products	:	<p>Carbon oxides Nitrogen oxides (NO<sub>x</sub>) Bromine compounds</p>
Specific extinguishing methods	:	<p>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.</p>
Special protective equipment for fire-fighters	:	<p>In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.</p>

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	<p>Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).</p>
Environmental precautions	:	<p>Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or</p>

## Deltamethrin (1%) Formulation

Version 2.3      Revision Date: 10/01/2022      SDS Number: 6328816-00005      Date of last issue: 04/09/2022  
 Date of first issue: 09/11/2020

oil barriers).  
 Retain and dispose of contaminated wash water.  
 Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
 For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
 Clean up remaining materials from spill with suitable absorbent.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe mist or vapors.  
 Do not swallow.  
 Do not get in eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cyclohexanone	108-94-1	TWA	20 ppm	ACGIH

## Deltamethrin (1%) Formulation

Version 2.3      Revision Date: 10/01/2022      SDS Number: 6328816-00005      Date of last issue: 04/09/2022  
 Date of first issue: 09/11/2020

		STEL	50 ppm	ACGIH
		TWA	25 ppm 100 mg/m <sup>3</sup>	NIOSH REL
		TWA	50 ppm 200 mg/m <sup>3</sup>	OSHA Z-1
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	150 µg/100 cm <sup>2</sup>	Internal

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
Cyclohexanone	108-94-1	1,2-Cyclohexanediol	Urine	End of shift at end of work-week	80 mg/l	ACGIH BEI
		Cyclohexanol	Urine	End of shift (As soon as possible after exposure ceases)	8 mg/l	ACGIH BEI

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Hand protection**

**Material** : Chemical-resistant gloves

**Deltamethrin (1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	liquid
Color	:	yellow
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available

**Deltamethrin (1%) Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04/09/2022  
2.3                10/01/2022              6328816-00005        Date of first issue: 09/11/2020

---

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.85 - 0.95 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

## Deltamethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

### Components:

#### **Cyclohexanone:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Expert judgment

Acute dermal toxicity : LD50 (Rabbit): > 1,000 - 2,000 mg/kg

#### **Deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

#### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **Cyclohexanone:**

Species : Rabbit  
Method : OECD Test Guideline 404



**Deltamethrin (1%) Formulation**

Version 2.3      Revision Date: 10/01/2022      SDS Number: 6328816-00005      Date of last issue: 04/09/2022  
Date of first issue: 09/11/2020

---

Result : Skin irritation

**Deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Cyclohexanone:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Deltamethrin (ISO):**

Species : Rabbit  
Result : Moderate eye irritation

**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Cyclohexanone:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

**Deltamethrin (ISO):**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : negative

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Dermal  
Species : Humans  
Result : positive

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Cyclohexanone:**

**Deltamethrin (1%) Formulation**

Version 2.3      Revision Date: 10/01/2022      SDS Number: 6328816-00005      Date of last issue: 04/09/2022  
Date of first issue: 09/11/2020

---

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

**Deltamethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

**Carcinogenicity**

Not classified based on available information.

## Deltamethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

### Components:

#### **Cyclohexanone:**

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 104 weeks  
 Result : negative

#### **Deltamethrin (ISO):**

Species : Mouse, male and female  
 Application Route : oral (feed)  
 Exposure time : 104 weeks  
 NOAEL : 8 mg/kg body weight  
 LOAEL : 4 mg/kg body weight  
 Result : positive  
 Target Organs : Lymph nodes

Species : Rat, male and female  
 Application Route : oral (feed)  
 Exposure time : 2 Years  
 Result : negative

Species : Dog, male and female  
 Application Route : oral (feed)  
 Exposure time : 2 Years  
 NOAEL : 1 mg/kg body weight  
 Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

### Components:

#### **Cyclohexanone:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: inhalation (vapor)  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative

## Deltamethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

### Deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
 Species: Rat  
 Application Route: oral (feed)  
 Early Embryonic Development: NOAEL: 50 mg/kg body weight  
 Symptoms: No effects on fertility., Embryo-fetal toxicity.  
 Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
 Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility  
 Species: Rat, male  
 Application Route: Oral  
 Fertility: LOAEL: 1 mg/kg body weight  
 Symptoms: Effects on fertility.  
 Target Organs: Testes

Effects on fetal development : Test Type: Development  
 Species: Mouse  
 Application Route: oral (gavage)  
 Developmental Toxicity: LOAEL: 1 mg/kg body weight  
 Result: Skeletal malformations.  
 Remarks: Maternal toxicity observed.

Test Type: Development  
 Species: Rat, female  
 Developmental Toxicity: NOAEL: 10 mg/kg body weight  
 Symptoms: No effects on fetal development.

Test Type: Development  
 Species: Rabbit, female  
 Application Route: oral (gavage)  
 Developmental Toxicity: NOAEL: 16 mg/kg body weight  
 Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

### Components:

#### Deltamethrin (ISO):

Assessment : May cause respiratory irritation.

## Deltamethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

### STOT-repeated exposure

Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

### Components:

#### Deltamethrin (ISO):

Routes of exposure	:	Ingestion
Target Organs	:	Central nervous system, Immune system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Routes of exposure	:	inhalation (dust/mist/fume)
Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Cyclohexanone:

Species	:	Rat
NOAEL	:	143 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

#### Deltamethrin (ISO):

Species	:	Rat, male and female
NOAEL	:	1 mg/kg
LOAEL	:	2.5 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	hyperexcitability

Species	:	Rat
LOAEL	:	3 mg/m <sup>3</sup>
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 wk / 5 d/wk / 6 h/d
Symptoms	:	Local irritation, respiratory tract irritation

Species	:	Dog
NOAEL	:	0.1 mg/kg
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species	:	Rat
---------	---	-----

## Deltamethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

NOAEL	:	14 mg/kg
LOAEL	:	54 mg/kg
Application Route	:	Oral
Exposure time	:	91 d
Target Organs	:	Nervous system
Species	:	Mouse
LOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	12 Weeks
Target Organs	:	Immune system
Symptoms	:	immune system effects

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Cyclohexanone:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### Deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Cyclohexanone:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 527 - 732 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 800 mg/l Exposure time: 24 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

## Deltamethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1,000 mg/l  
 Exposure time: 30 min  
 Method: OECD Test Guideline 209

### Deltamethrin (ISO):

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l  
 Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l  
 Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 0.0035 mg/l  
 Exposure time: 48 h

LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l  
 Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201  
 Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l  
 Exposure time: 36 d

NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l  
 Exposure time: 260 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l  
 Exposure time: 21 d

### Persistence and degradability

#### Components:

#### **Cyclohexanone:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 90 - 100 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301F

## Deltamethrin (1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

### Deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

### Bioaccumulative potential

#### Components:

#### Cyclohexanone:

Partition coefficient: n-octanol/water : log Pow: 0.86

#### Deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

### Mobility in soil

#### Components:

#### Deltamethrin (ISO):

Distribution among environmental compartments : log Koc: 7.2

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO))  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Deltamethrin (ISO))  
Class : 9



## Deltamethrin (1%) Formulation

Version 2.3      Revision Date: 10/01/2022      SDS Number: 6328816-00005      Date of last issue: 04/09/2022  
Date of first issue: 09/11/2020

Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Deltamethrin (ISO))  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Deltamethrin (ISO))  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Deltamethrin (ISO))  
Remarks : Above applies only to containers over 119 gallons or 450 liters.  
Above applies only to containers over 119 gallons or 450 liters.  
Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Cyclohexanone	108-94-1	5000	171821

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**Deltamethrin (1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Respiratory or skin sensitization  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations****Pennsylvania Right To Know**

Soya oil	8001-22-7
Isopropyl myristate	110-27-0
Cyclohexanone	108-94-1
Acetic acid	64-19-7

**California List of Hazardous Substances**

Cyclohexanone	108-94-1
---------------	----------

**California Permissible Exposure Limits for Chemical Contaminants**

Cyclohexanone	108-94-1
---------------	----------

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined


---

**SECTION 16. OTHER INFORMATION****Further information**

## Deltamethrin (1%) Formulation

Version 2.3      Revision Date: 10/01/2022      SDS Number: 6328816-00005      Date of last issue: 04/09/2022  
 Date of first issue: 09/11/2020

### NFPA 704:



### HMIS® IV:

<b>HEALTH</b>	*	<b>3</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

**Deltamethrin (1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04/09/2022
2.3	10/01/2022	6328816-00005	Date of first issue: 09/11/2020

---

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/01/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8