

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

### SECTION 1. IDENTIFICATION

Product name : Deltamethrin (3%) Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Skin irritation : Category 2  
Serious eye damage : Category 1  
Skin sensitization : Category 1  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 3  
- single exposure  
Specific target organ toxicity : Category 1 (Central nervous system, Immune system)  
- repeated exposure (Oral)  
Specific target organ toxicity : Category 1 (Central nervous system)  
- repeated exposure  
(Inhalation)  
Specific target organ toxicity : Category 2 (Auditory system)  
- repeated exposure  
Aspiration hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Hazard pictograms

:



Signal Word

:

Danger

Hazard Statements

:

H226 Flammable liquid and vapor.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H372 Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.  
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.  
H373 May cause damage to organs (Auditory system) through prolonged or repeated exposure.

Precautionary Statements

:

### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, sparks, open flame and hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical, ventilating and lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P280 Wear protective gloves, protective clothing, eye protection and face protection.

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version 1.8      Revision Date: 09/28/2024      SDS Number: 7730555-00009      Date of last issue: 11/03/2023  
Date of first issue: 01/13/2021

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.

P308 + P313 IF exposed or concerned: Get medical attention.  
P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

### Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).  
Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Xylene	1330-20-7	81.7
Calcium dodecylbenzenesulphonate	26264-06-2	9
Nonylphenol, ethoxylated	9016-45-9	5
Deltamethrin (ISO)	52918-63-5	3.3
2,6-Di-tert-butyl-p-cresol	128-37-0	1.78

## SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

If swallowed	: If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control center immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed. Causes damage to organs through prolonged or repeated exposure if inhaled. May cause damage to organs through prolonged or repeated exposure. This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx) Bromine compounds Metal oxides Sulfur compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.  
for fire-fighters Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version 1.8      Revision Date: 09/28/2024      SDS Number: 7730555-00009      Date of last issue: 11/03/2023  
Date of first issue: 01/13/2021

practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Xylene	1330-20-7	TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA Z-1
		TWA	20 ppm	ACGIH
Deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: DSEN, Skin			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH
		TWA	10 mg/m <sup>3</sup>	NIOSH REL

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version 1.8      Revision Date: 09/28/2024      SDS Number: 7730555-00009      Date of last issue: 11/03/2023  
Date of first issue: 01/13/2021

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Xylene	1330-20-7	Methylhippuric acids	Urine	End of shift (As soon as possible after exposure ceases)	0.3 g/g creatinine	ACGIH BEI

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.  
Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

### Hand protection

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Hygiene measures : task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.  
If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: yellow
Odor	: No data available
Odor Threshold	: No data available
pH	: 4 - 5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 113 - 124 °F / 45 - 51 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Density	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### **Product:**

Acute oral toxicity	:	Acute toxicity estimate: 993.39 mg/kg Method: Calculation method
---------------------	---	---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 3,060 mg/kg  
Method: Calculation method

### **Components:**

#### **Xylene:**

Acute oral toxicity : LD50 (Rat): 3,523 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : LC50 (Rat): 27.571 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 4,200 mg/kg

#### **Calcium dodecylbenzenesulphonate:**

Acute oral toxicity : LD50 (Rat): > 500 - 2,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

#### **Nonylphenol, ethoxylated:**

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

#### **Deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Application Route: Intraperitoneal

### 2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Causes skin irritation.

### Components:

#### Xylene:

Species : Rabbit  
Result : Skin irritation

#### Calcium dodecylbenzenesulphonate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : Based on data from similar materials

#### Nonylphenol, ethoxylated:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Deltamethrin (ISO):

Species : Rabbit  
Result : No skin irritation

#### 2,6-Di-tert-butyl-p-cresol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye damage.

### Components:

#### Xylene:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

### Calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

### Nonylphenol, ethoxylated:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

### Deltamethrin (ISO):

Species	:	Rabbit
Result	:	Moderate eye irritation

### 2,6-Di-tert-butyl-p-cresol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

### Components:

#### Xylene:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Result	:	negative

### Calcium dodecylbenzenesulphonate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

### Nonylphenol, ethoxylated:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

### Deltamethrin (ISO):

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : negative

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Dermal  
Species : Humans  
Result : positive

### 2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Skin contact  
Species : Humans  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Xylene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Skin contact  
Result: negative

### Calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### Nonylphenol, ethoxylated:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

### Deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Result: negative

### 2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Xylene:

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative

#### Deltamethrin (ISO):

Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 104 weeks  
NOAEL : 8 mg/kg body weight  
LOAEL : 4 mg/kg body weight  
Result : positive  
Target Organs : Lymph nodes

Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative

Species : Dog, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 1 mg/kg body weight  
Result : negative

### 2,6-Di-tert-butyl-p-cresol:

Species : Rat

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Application Route : Ingestion  
Exposure time : 22 Months  
Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Components:

##### **Xylene:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: inhalation (vapor)  
Result: negative

##### **Calcium dodecylbenzenesulphonate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

##### **Deltamethrin (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Symptoms: No effects on fertility., Embryo-fetal toxicity.  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility.  
Target Organs: Testes

Effects on fetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on fetal development.

Test Type: Development  
Species: Rabbit, female  
Application Route: oral (gavage)  
Developmental Toxicity: NOAEL: 16 mg/kg body weight  
Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### 2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT-single exposure

May cause respiratory irritation.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

### Components:

#### **Xylene:**

Assessment : May cause respiratory irritation.

#### **Deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

### **STOT-repeated exposure**

Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

May cause damage to organs (Auditory system) through prolonged or repeated exposure.

### Components:

#### **Xylene:**

Routes of exposure : inhalation (vapor)  
Target Organs : Auditory system  
Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

#### **Calcium dodecylbenzenesulphonate:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

#### **Deltamethrin (ISO):**

Routes of exposure : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

Routes of exposure : inhalation (dust/mist/fume)  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

#### **2,6-Di-tert-butyl-p-cresol:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### **Repeated dose toxicity**

### Components:

#### **Xylene:**

Species : Rat  
LOAEL : > 0.2 - 1 mg/l  
Application Route : inhalation (vapor)

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

Species : Rat  
LOAEL : 150 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### Calcium dodecylbenzenesulphonate:

Species : Rat  
LOAEL : > 200 mg/kg  
Application Route : Ingestion  
Exposure time : 6 - 7 Weeks  
Method : OECD Test Guideline 422  
Remarks : Based on data from similar materials

Species : Rabbit  
NOAEL : > 100 mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410  
Remarks : Based on data from similar materials

### Deltamethrin (ISO):

Species : Rat, male and female  
NOAEL : 1 mg/kg  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : hyperexcitability

Species : Rat  
LOAEL : 3 mg/m3  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 wk / 5 d/wk / 6 h/d  
Symptoms : Local irritation, respiratory tract irritation

Species : Dog  
NOAEL : 0.1 mg/kg  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation

Species : Rat  
NOAEL : 14 mg/kg  
LOAEL : 54 mg/kg  
Application Route : Oral  
Exposure time : 91 d  
Target Organs : Nervous system

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Species	:	Mouse
LOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	12 Weeks
Target Organs	:	Immune system
Symptoms	:	immune system effects

### 2,6-Di-tert-butyl-p-cresol:

Species	:	Rat
NOAEL	:	25 mg/kg
Application Route	:	Ingestion
Exposure time	:	22 Months

### Aspiration toxicity

May be fatal if swallowed and enters airways.

### Components:

#### Xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

### Components:

#### Deltamethrin (ISO):

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### Xylene:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 24 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic	:	EC50 (Skeletonema costatum (marine diatom)): 10 mg/l

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

plants	Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l Exposure time: 35 d Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
Toxicity to microorganisms	: NOEC: > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

### Calcium dodecylbenzenesulphonate:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials  NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50 (activated sludge): > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

### Nonylphenol, ethoxylated:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l
------------------	---

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

- Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Ceriodaphnia dubia* (water flea)): > 0.1 - 1 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (*Selenastrum capricornutum* (green algae)): > 1 - 10 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- EC10 (*Selenastrum capricornutum* (green algae)): > 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (*Oryzias latipes* (Japanese medaka)): > 0.1 - 1 mg/l  
Exposure time: 100 d  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Mysidopsis bahia* (opossum shrimp)): > 0.001 - 0.01 mg/l  
Exposure time: 28 d  
Remarks: Based on data from similar materials
- Deltamethrin (ISO):**
- Toxicity to fish : LC50 (*Cyprinodon variegatus* (sheepshead minnow)): 0.00048 mg/l  
Exposure time: 96 h
- LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0.00039 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Mysidopsis bahia* (opossum shrimp)): 0.0037 µg/l  
Exposure time: 48 h
- EC50 (*Daphnia magna* (Water flea)): 0.0035 mg/l  
Exposure time: 48 h
- LC50 (*Gammarus fasciatus* (freshwater shrimp)): 0.0003 µg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 9.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.000022 mg/l  
Exposure time: 36 d

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

- NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l  
Exposure time: 260 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l  
Exposure time: 21 d
- 2,6-Di-tert-butyl-p-cresol:**
- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l  
Exposure time: 30 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.316 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Xylene:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

##### **Calcium dodecylbenzenesulphonate:**

- Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

### Nonylphenol, ethoxylated:

Biodegradability : Result: Not readily biodegradable.  
Remarks: Based on data from similar materials

### Deltamethrin (ISO):

Stability in water : Hydrolysis: 0 %(30 d)

### 2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

#### Xylene:

Partition coefficient: n-octanol/water : log Pow: 3.16  
Remarks: Calculation

#### Calcium dodecylbenzenesulphonate:

Bioaccumulation : Bioconcentration factor (BCF): < 500  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 4.77  
Remarks: Calculation

#### Nonylphenol, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 4.48

#### Deltamethrin (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

#### 2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

### Mobility in soil

#### Components:

#### Deltamethrin (ISO):

Distribution among environmental compartments : log K<sub>oc</sub>: 7.2

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	: Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Xylene)
Class	: 3
Packing group	: III
Labels	: 3
Environmentally hazardous	: no

#### IATA-DGR

UN/ID No.	: UN 1993
Proper shipping name	: Flammable liquid, n.o.s. (Xylene)
Class	: 3
Packing group	: III
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355

#### IMDG-Code

UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Xylene, Deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol)
Class	: 3

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version 1.8      Revision Date: 09/28/2024      SDS Number: 7730555-00009      Date of last issue: 11/03/2023  
Date of first issue: 01/13/2021

Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

UN/ID/NA number : UN 1993  
Proper shipping name : Flammable liquids, n.o.s.  
(Xylene)  
Class : 3  
Packing group : III  
Labels : FLAMMABLE LIQUID  
ERG Code : 128  
Marine pollutant : yes(Deltamethrin (ISO), 2,6-Di-tert-butyl-p-cresol)  
Remarks : THE COMBUSTIBLE LIQUID EXCEPTION MAY BE USED  
FOR PACKAGES <119 GAL.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Xylene	1330-20-7	100	122
Calcium dodecylbenzenesulpho- nate	26264-06-2	1000	11111

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)  
Respiratory or skin sensitization  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)  
Aspiration hazard  
Skin corrosion or irritation  
Serious eye damage or eye irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

Xylene	1330-20-7	81.7 %
Nonylphenol, ethoxylated	9016-45-9	5 %

### US State Regulations

#### Pennsylvania Right To Know

Xylene	1330-20-7
Calcium dodecylbenzenesulphonate	26264-06-2
Nonylphenol, ethoxylated	9016-45-9
Deltamethrin (ISO)	52918-63-5
2,6-Di-tert-butyl-p-cresol	128-37-0

#### California List of Hazardous Substances

Xylene	1330-20-7
Calcium dodecylbenzenesulphonate	26264-06-2
2,6-Di-tert-butyl-p-cresol	128-37-0

#### California Permissible Exposure Limits for Chemical Contaminants

Xylene	1330-20-7
2,6-Di-tert-butyl-p-cresol	128-37-0

#### The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

## SECTION 16. OTHER INFORMATION

### Further information

# SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

### NFPA 704:



### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## Deltamethrin (3%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 11/03/2023
1.8	09/28/2024	7730555-00009	Date of first issue: 01/13/2021

---

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 09/28/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8