

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Deltamethrin (5%) Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 50 Tuas West Drive  
Singapore - Singapore 638408

Telephone : 908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Telefax : 908-735-1496

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Central nervous system, Immune system)

Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Central nervous system)

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements :

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H336 May cause drowsiness or dizziness.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373 May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.  
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P391 Collect spillage.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Vapours may form explosive mixture with air.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 30 -< 50
2-Methoxy-1-methylethyl acetate	108-65-6	>= 20 -< 30
Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	Not Assigned	>= 3 -< 10
2-Methyl-1-propanol	78-83-1	>= 3 -< 10
deltamethrin (ISO)	52918-63-5	>= 3 -< 10

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

		for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
If swallowed	:	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed. May cause damage to organs through prolonged or repeated exposure if inhaled.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Bromine compounds Sulphur oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.  
for firefighters Use personal protective equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

## Deltamethrin (5%) Formulation

Version 3.5      Revision Date: 09.10.2020      SDS Number: 2333310-00010      Date of last issue: 23.03.2020  
 Date of first issue: 12.12.2017

- Non-sparking tools should be used.  
 Keep container tightly closed.  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Oxidizing agents  
 Flammable gases  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Poisonous gases  
 Explosives

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
2-Methyl-1-propanol	78-83-1	PEL (long term)	50 ppm 152 mg/m <sup>3</sup>	SG OEL
		TWA	50 ppm	ACGIH
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: DSEN, Skin				
		Wipe limit	150 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use explosion-proof electrical, ventilating and lighting equipment.
- Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

tainment devices).  
Minimize open handling.

**Personal protective equipment**

- |                          |   |  |
|--------------------------|---|--|
| Respiratory protection   | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              | : | Combined particulates and organic vapour type  |
| Hand protection          | : |  |
| Material                 | : | Chemical-resistant gloves  |
| Remarks                  | : | Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.   |
| Eye protection           | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.   |
| Skin and body protection | : | Work uniform or laboratory coat.<br>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.<br>Use appropriate degowning techniques to remove potentially contaminated clothing.  |
| Hygiene measures         | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Contaminated work clothing should not be allowed out of the workplace.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- |   |   |                   |
|---|---|-------------------|
| Appearance                              | : | liquid            |
| Colour                                  | : | yellow            |
| Odour                                   | : | No data available |
| Odour Threshold                         | : | No data available |
| pH                                      | : | 3 - 5             |
| Melting point/freezing point            | : | No data available |
| Initial boiling point and boiling range | : | No data available |

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

Flash point	:	45 - 51 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.963 - 0.967 g/cm3
Solubility(ies)	:	
Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 1,334 mg/kg Method: Calculation method
---------------------	---	--

Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
---------------------------	---	---

**Components:****Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

Acute inhalation toxicity	:	LC50 (Rat): > 5.61 mg/l Exposure time: 4 h Test atmosphere: vapour
---------------------------	---	--

Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg
-----------------------	---	------------------------------

**2-Methoxy-1-methylethyl acetate:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
---------------------	---	---------------------------

Acute inhalation toxicity	:	LC0 (Rat): 9.48 mg/l Exposure time: 4 h Test atmosphere: vapour
---------------------------	---	---

Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg
-----------------------	---	---------------------------

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity	:	LD50 (Rat): 4,445 mg/kg
---------------------	---	-------------------------

Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials
-----------------------	---	---

**2-Methyl-1-propanol:**

Acute oral toxicity	:	LD50 (Rat): 3,350 mg/kg Method: OECD Test Guideline 401
---------------------	---	--

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

Acute inhalation toxicity : LC50 (Rat): > 24.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 2,460 mg/kg  
Method: OECD Test Guideline 402

**deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**2-Methoxy-1-methylethyl acetate:**

Species : Rabbit  
Result : No skin irritation

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**2-Methyl-1-propanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

**deltamethrin (ISO):**

Species	:	Rabbit
Result	:	No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

**2-Methoxy-1-methylethyl acetate:**

Species	:	Rabbit
Result	:	No eye irritation

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

**2-Methyl-1-propanol:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

**deltamethrin (ISO):**

Species	:	Rabbit
Result	:	Moderate eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

### 2-Methoxy-1-methylethyl acetate:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Test Type	: Magnusson-Kligman-Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Remarks	: Based on data from similar materials

### 2-Methyl-1-propanol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

### deltamethrin (ISO):

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: negative
	: Human repeat insult patch test (HRIPT)
	: Dermal
	: Humans
	: positive

### Germ cell mutagenicity

May cause genetic defects.

### Components:

#### Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
	Test Type: In vitro mammalian cell gene mutation test
	Result: positive
Genotoxicity in vivo	: Test Type: Sister chromatid exchange analysis in spermatogonia
	Species: Mouse
	Application Route: Intraperitoneal injection
	Result: positive
Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

**2-Methoxy-1-methylethyl acetate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: Directive 67/548/EEC, Annex, B.13/14  
Result: negative  
Remarks: Based on data from similar materials

**2-Methyl-1-propanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

**deltamethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Test system: Escherichia coli  
Result: negative

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Concentration: LOAEL: 20 mg/kg  
Result: positive

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: dominant lethal test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

**Carcinogenicity**

May cause cancer.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 2 Years  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

**2-Methoxy-1-methylethyl acetate:**

Species : Rat  
Application Route : inhalation (vapour)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

**deltamethrin (ISO):**

Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 104 weeks  
NOAEL : 8 mg/kg body weight  
LOAEL : 4 mg/kg body weight  
Result : positive  
Target Organs : Lymph nodes

Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative

Species : Dog, male and female  
Application Route : oral (feed)

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

Exposure time	: 2 Years
NOAEL	: 1 mg/kg body weight
Result	: negative

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Effects on fertility	: Test Type: Reproduction/Developmental toxicity screening test
	Species: Rat
	Application Route: inhalation (vapour)
	Result: negative

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: inhalation (vapour)
	Result: negative

**2-Methoxy-1-methylethyl acetate:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: inhalation (vapour)
	Method: OECD Test Guideline 416
	Result: negative
	Remarks: Based on data from similar materials

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: inhalation (vapour)
	Result: negative

**2-Methyl-1-propanol:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: inhalation (vapour)
	Method: OPPTS 870.3800
	Result: negative

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: inhalation (vapour)
	Method: OECD Test Guideline 414
	Result: negative

**deltamethrin (ISO):**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study
	Species: Rat
	Application Route: oral (feed)
	Early Embryonic Development: NOAEL: 50 mg/kg body

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight

Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility

Species: Rat, male

Application Route: Oral

Fertility: LOAEL: 1 mg/kg body weight

Symptoms: Effects on fertility

Target Organs: Testes

Effects on foetal development

: Test Type: Development

Species: Mouse

Application Route: oral (gavage)

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Skeletal malformations

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rat, female

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Symptoms: No effects on foetal development

Test Type: Development

Species: Rabbit, female

Application Route: oral (gavage)

Developmental Toxicity: NOAEL: 16 mg/kg body weight

Symptoms: No effects on foetal development

Reproductive toxicity - Assessment

: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### STOT - single exposure

May cause drowsiness or dizziness.

### Components:

#### **Solvent naphtha (petroleum), light aromatic:**

Assessment : May cause drowsiness or dizziness.

#### **2-Methoxy-1-methylethyl acetate:**

Assessment : May cause drowsiness or dizziness.

#### **2-Methyl-1-propanol:**

Assessment : May cause respiratory irritation.  
May cause drowsiness or dizziness.

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

**deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

**Components:****deltamethrin (ISO):**

Exposure routes : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Solvent naphtha (petroleum), light aromatic:**

Species : Rat  
LOAEL : 500 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

**2-Methoxy-1-methylethyl acetate:**

Species : Rat  
NOAEL : > 1,000 mg/kg  
Application Route : Ingestion  
Exposure time : 41 - 45 Days  
Method : OECD Test Guideline 422

Species : Mouse  
NOAEL : 1.62 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 2 yr  
Remarks : Based on data from similar materials

Species : Rabbit  
NOAEL : > 1,838 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

**2-Methyl-1-propanol:**

Species	: Rat
NOAEL	: > 1,450 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

**deltamethrin (ISO):**

Species	: Rat, male and female
NOAEL	: 1 mg/kg
LOAEL	: 2.5 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Nervous system
Symptoms	: hyperexcitability

Species	: Rat
LOAEL	: 3 mg/m3
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 2 wk / 5 d/wk / 6 h/d
Symptoms	: Local irritation, respiratory tract irritation

Species	: Dog
NOAEL	: 0.1 mg/kg
LOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Nervous system
Symptoms	: Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation

Species	: Rat
NOAEL	: 14 mg/kg
LOAEL	: 54 mg/kg
Application Route	: Oral
Exposure time	: 91 d
Target Organs	: Nervous system

Species	: Mouse
LOAEL	: 6 mg/kg
Application Route	: Oral
Exposure time	: 12 Weeks
Target Organs	: Immune system
Symptoms	: immune system effects

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

**Components:****Solvent naphtha (petroleum), light aromatic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**2-Methyl-1-propanol:**

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

**Experience with human exposure****Components:****deltamethrin (ISO):**

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Solvent naphtha (petroleum), light aromatic:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 4.5 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201  NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOELR (Daphnia magna (Water flea)): 2.6 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Method: OECD Test Guideline 211

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

### 2-Methoxy-1-methylethyl acetate:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 - 180 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (algae)): > 1,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 100 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC10: > 1,000 mg/l  
Exposure time: 0.5 h

### Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

- Toxicity to fish : LC50: > 1 - < 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l  
Exposure time: 72 d  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

## Deltamethrin (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

### 2-Methyl-1-propanol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,799 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 117 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 21 d

### deltamethrin (ISO):

- Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l  
Exposure time: 96 h
- LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l  
Exposure time: 48 h
- EC50 (Daphnia magna (Water flea)): 0.0035 mg/l  
Exposure time: 48 h
- LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility
- M-Factor (Acute aquatic toxicity) : 1,000,000
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l  
Exposure time: 36 d
- NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l  
Exposure time: 260 d
- Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

---

aquatic invertebrates (Chronic toxicity)  
M-Factor (Chronic aquatic toxicity) : 1,000,000

**Persistence and degradability****Components:****Solvent naphtha (petroleum), light aromatic:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 94 %  
Exposure time: 25 d

**2-Methoxy-1-methylethyl acetate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**2-Methyl-1-propanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 70 - 80 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 % (30 d)

**Bioaccumulative potential****Components:****2-Methoxy-1-methylethyl acetate:**

Partition coefficient: n-octanol/water : log Pow: 1.2

**Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Partition coefficient: n-octanol/water : log Pow: 2.89

**2-Methyl-1-propanol:**

Partition coefficient: n-octanol/water : log Pow: 1

**deltamethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

**Mobility in soil****Components:****deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7.2

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Solvent naphtha (petroleum), light aromatic, 2-Methoxy-1-methylethyl acetate)
Class	:	3
Packing group	:	III
Labels	:	3

**IATA-DGR**

UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s. (Solvent naphtha (petroleum), light aromatic, 2-Methoxy-1-methylethyl acetate)
Class	:	3
Packing group	:	III
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	366
Packing instruction (passenger aircraft)	:	355

**IMDG-Code**

UN number : UN 1993

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Solvent naphtha (petroleum), light aromatic, 2-Methoxy-1-methylethyl acetate, deltamethrin (ISO))

Class : 3

Packing group : III

Labels : 3

EmS Code : F-E, S-E

Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture****Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.**

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) Regulations : Butanol  
Methoxy acetoxyp propane  
Kerosene  
Petroleum distillates  
Petroleum oil

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**16. OTHER INFORMATION****Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Deltamethrin (5%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 23.03.2020
3.5	09.10.2020	2333310-00010	Date of first issue: 12.12.2017

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health Act - First Schedule  
Permissible Exposure Limits of Toxic Substances

ACGIH / TWA : 8-hour, time-weighted average  
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN