

**Deltamethrin Liquid Formulation**

Version 4.8      Revision Date: 10/01/2022      SDS Number: 1559921-00014      Date of last issue: 04/09/2022  
Date of first issue: 04/25/2017

---

**SECTION 1. IDENTIFICATION**

Product name : Deltamethrin Liquid Formulation

**Manufacturer or supplier's details**

Company name of supplier : Merck & Co., Inc  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@merck.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral) : Category 4  
Serious eye damage : Category 1  
Skin sensitization : Category 1  
Reproductive toxicity : Category 2  
Specific target organ toxicity : Category 1 (Central nervous system, Immune system)  
- repeated exposure (Oral)  
Specific target organ toxicity : Category 1 (Central nervous system)  
- repeated exposure  
(Inhalation)

**GHS label elements**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H372 Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

---

## Deltamethrin Liquid Formulation

Version 4.8      Revision Date: 10/01/2022      SDS Number: 1559921-00014      Date of last issue: 04/09/2022  
 Date of first issue: 04/25/2017

H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Precautionary Statements :

**Prevention:**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe mist or vapors.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P280 Wear protective gloves, protective clothing, eye protection and face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a doctor if you feel unwell. Rinse mouth.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER.  
 P308 + P313 IF exposed or concerned: Get medical attention.  
 P333 + P313 If skin irritation or rash occurs: Get medical attention.  
 P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents and container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

| Chemical name  | CAS-No.    | Concentration (% w/w) |
|--|------------|-----------------------|
| Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl) | 9002-93-1  | >= 50 - < 70          |
| Deltamethrin (ISO)   | 52918-63-5 | >= 1 - < 5            |

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

---

- advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Suspected of damaging fertility. Suspected of damaging the unborn child.  
Causes damage to organs through prolonged or repeated exposure if swallowed.  
Causes damage to organs through prolonged or repeated exposure if inhaled.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

for fire-fighters

Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types: Strong oxidizing agents

## Deltamethrin Liquid Formulation

Version 4.8      Revision Date: 10/01/2022      SDS Number: 1559921-00014      Date of last issue: 04/09/2022  
 Date of first issue: 04/25/2017

Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

| Components                      | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis    |
|---------------------------------|------------|----------------------------------|--|----------|
| Deltamethrin (ISO)              | 52918-63-5 | TWA                              | 15 µg/m <sup>3</sup> (OEB 3)                   | Internal |
| Further information: DSEN, Skin |            |                                  |  |          |
|                                 |            | Wipe limit                       | 150 µg/100 cm <sup>2</sup>                     | Internal |

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

#### Personal protective equipment

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

#### Hand protection

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

---

task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|  |   |                         |
|--|---|-------------------------|
| Appearance                                       | : | liquid                  |
| Color  | : | colorless               |
| Odor   | : | odorless                |
| Odor Threshold                                   | : | No data available       |
| pH   | : | 3.4 - 4 (68 °F / 20 °C) |
| Melting point/freezing point                     | : | No data available       |
| Initial boiling point and boiling range          | : | No data available       |
| Flash point                                      | : | No data available       |
| Evaporation rate                                 | : | No data available       |
| Flammability (solid, gas)                        | : | Not applicable          |
| Flammability (liquids)                           | : | No data available       |
| Upper explosion limit / Upper flammability limit | : | No data available       |
| Lower explosion limit / Lower flammability limit | : | No data available       |
| Vapor pressure                                   | : | No data available       |
| Relative vapor density                           | : | No data available       |
| Relative density                                 | : | No data available       |
| Density  | : | No data available       |

**Deltamethrin Liquid Formulation**

Version 4.8      Revision Date: 10/01/2022      SDS Number: 1559921-00014      Date of last issue: 04/09/2022  
Date of first issue: 04/25/2017

---

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 956.51 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 17.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

---

**Deltamethrin Liquid Formulation**

Version 4.8      Revision Date: 10/01/2022      SDS Number: 1559921-00014      Date of last issue: 04/09/2022  
Date of first issue: 04/25/2017

---

**Components:****Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):**

Acute oral toxicity : LD50 (Rat): 1,900 - 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 3,000 mg/kg  
Remarks: Based on data from similar materials

**Deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66.7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2.5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):**

Result : No skin irritation

**Deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):**

Result : Irreversible effects on the eye

**Deltamethrin (ISO):**

Species : Rabbit



## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

---

Result : Moderate eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### Respiratory sensitization

Not classified based on available information.

#### Components:

##### Deltamethrin (ISO):

Test Type : Maximization Test  
 Routes of exposure : Dermal  
 Species : Guinea pig  
 Result : negative

Test Type : Human repeat insult patch test (HRIPT)  
 Routes of exposure : Dermal  
 Species : Humans  
 Result : positive

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Deltamethrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: DNA Repair  
 Test system: Escherichia coli  
 Result: negative

Test Type: Chromosomal aberration  
 Test system: Chinese hamster ovary cells  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Test system: Chinese hamster lung cells  
 Concentration: LOAEL: 20 mg/kg  
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Test Type: dominant lethal test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

---

Test Type: sister chromatid exchange assay  
 Species: Mouse  
 Cell type: Bone marrow  
 Application Route: Oral  
 Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Deltamethrin (ISO):

Species : Mouse, male and female  
 Application Route : oral (feed)  
 Exposure time : 104 weeks  
 NOAEL : 8 mg/kg body weight  
 LOAEL : 4 mg/kg body weight  
 Result : positive  
 Target Organs : Lymph nodes

Species : Rat, male and female  
 Application Route : oral (feed)  
 Exposure time : 2 Years  
 Result : negative

Species : Dog, male and female  
 Application Route : oral (feed)  
 Exposure time : 2 Years  
 NOAEL : 1 mg/kg body weight  
 Result : negative

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

### Components:

#### Deltamethrin (ISO):

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
 Species: Rat  
 Application Route: oral (feed)  
 Early Embryonic Development: NOAEL: 50 mg/kg body weight  
 Symptoms: No effects on fertility., Embryo-fetal toxicity.  
 Remarks: Significant toxicity observed in testing

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

---

Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
 Symptoms: No effects on fertility., Embryo-fetal toxicity.

Test Type: Fertility  
 Species: Rat, male  
 Application Route: Oral  
 Fertility: LOAEL: 1 mg/kg body weight  
 Symptoms: Effects on fertility.  
 Target Organs: Testes

Effects on fetal development : Test Type: Development  
 Species: Mouse  
 Application Route: oral (gavage)  
 Developmental Toxicity: LOAEL: 1 mg/kg body weight  
 Result: Skeletal malformations.  
 Remarks: Maternal toxicity observed.

Test Type: Development  
 Species: Rat, female  
 Developmental Toxicity: NOAEL: 10 mg/kg body weight  
 Symptoms: No effects on fetal development.

Test Type: Development  
 Species: Rabbit, female  
 Application Route: oral (gavage)  
 Developmental Toxicity: NOAEL: 16 mg/kg body weight  
 Symptoms: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### STOT-single exposure

Not classified based on available information.

#### Components:

#### **Deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Causes damage to organs (Central nervous system, Immune system) through prolonged or repeated exposure if swallowed.

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

#### Components:

#### **Deltamethrin (ISO):**

Routes of exposure : Ingestion  
 Target Organs : Central nervous system, Immune system

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

---

|                    |   |   |
|--------------------|---|---|
| Assessment         | : | Causes damage to organs through prolonged or repeated exposure. |
| Routes of exposure | : | inhalation (dust/mist/fume)                                     |
| Target Organs      | : | Central nervous system  |
| Assessment         | : | Causes damage to organs through prolonged or repeated exposure. |

### Repeated dose toxicity

#### Components:

##### **Deltamethrin (ISO):**

|                   |   |                      |
|-------------------|---|----------------------|
| Species           | : | Rat, male and female |
| NOAEL             | : | 1 mg/kg              |
| LOAEL             | : | 2.5 mg/kg            |
| Application Route | : | Oral                 |
| Exposure time     | : | 13 Weeks             |
| Target Organs     | : | Nervous system       |
| Symptoms          | : | hyperexcitability    |

|                   |   |  |
|-------------------|---|--|
| Species           | : | Rat  |
| LOAEL             | : | 3 mg/m <sup>3</sup>                            |
| Application Route | : | inhalation (dust/mist/fume)                    |
| Exposure time     | : | 2 wk / 5 d/wk / 6 h/d                          |
| Symptoms          | : | Local irritation, respiratory tract irritation |

|                   |   |  |
|-------------------|---|--|
| Species           | : | Dog  |
| NOAEL             | : | 0.1 mg/kg  |
| LOAEL             | : | 1 mg/kg  |
| Application Route | : | Oral   |
| Exposure time     | : | 13 Weeks   |
| Target Organs     | : | Nervous system   |
| Symptoms          | : | Dilatation of the pupil, Vomiting, Tremors, Diarrhea, Salivation |

|                   |   |                |
|-------------------|---|----------------|
| Species           | : | Rat            |
| NOAEL             | : | 14 mg/kg       |
| LOAEL             | : | 54 mg/kg       |
| Application Route | : | Oral           |
| Exposure time     | : | 91 d           |
| Target Organs     | : | Nervous system |

|                   |   |                       |
|-------------------|---|-----------------------|
| Species           | : | Mouse                 |
| LOAEL             | : | 6 mg/kg               |
| Application Route | : | Oral                  |
| Exposure time     | : | 12 Weeks              |
| Target Organs     | : | Immune system         |
| Symptoms          | : | immune system effects |

#### **Aspiration toxicity**

Not classified based on available information.

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

### Experience with human exposure

#### Components:

#### **Deltamethrin (ISO):**

|              |   |   |
|--------------|---|---|
| Inhalation   | : | Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching               |
| Skin contact | : | Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions |
| Ingestion    | : | Symptoms: muscle pain, Small pupils   |

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):**

|   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 (Pimephales promelas (fathead minnow)): 4 - 8.9 mg/l<br>Exposure time: 96 h<br>Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 18 - 26 mg/l<br>Exposure time: 48 h<br>Remarks: Based on data from similar materials           |
| Toxicity to microorganisms                          | : | IC50: 5,000 mg/l<br>Exposure time: 16 h   |

#### **Deltamethrin (ISO):**

|   |   |  |
|---|---|--|
| Toxicity to fish                                    | : | LC50 (Cyprinodon variegatus (sheepshead minnow)): 0.00048 mg/l<br>Exposure time: 96 h<br><br>LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00039 mg/l<br>Exposure time: 96 h   |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Mysidopsis bahia (opossum shrimp)): 0.0037 µg/l<br>Exposure time: 48 h<br><br>EC50 (Daphnia magna (Water flea)): 0.0035 mg/l<br>Exposure time: 48 h<br><br>LC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l<br>Exposure time: 96 h |
| Toxicity to algae/aquatic plants                    | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br>Remarks: No toxicity at the limit of solubility.   |

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

---

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000022 mg/l  
Exposure time: 36 d

NOEC (Pimephales promelas (fathead minnow)): 0.000017 mg/l  
Exposure time: 260 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l  
Exposure time: 21 d

### Persistence and degradability

#### Components:

#### **Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):**

Biodegradability : Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

Result: Not readily biodegradable.  
Biodegradation: 36 %  
Exposure time: 28 d  
Method: Closed Bottle test

#### **Deltamethrin (ISO):**

Stability in water : Hydrolysis: 0 %(30 d)

### Bioaccumulative potential

#### Components:

#### **Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl):**

Partition coefficient: n-octanol/water : log Pow: 2.7

#### **Deltamethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1,800

Partition coefficient: n-octanol/water : log Pow: 4.6

### Mobility in soil

#### Components:

#### **Deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7.2

### Other adverse effects

No data available

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
 Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 If not otherwise specified: Dispose of as unused product.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (deltamethrin (ISO), Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl))  
 Class : 9  
 Packing group : III  
 Labels : 9

##### IATA-DGR

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Deltamethrin (ISO), Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl))  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Deltamethrin (ISO), Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl))  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

---

### 49 CFR

|                      |   |   |
|----------------------|---|---|
| UN/ID/NA number      | : | UN 3082   |
| Proper shipping name | : | Environmentally hazardous substance, liquid, n.o.s. (Deltamethrin (ISO), Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl))  |
| Class                | : | 9   |
| Packing group        | : | III   |
| Labels               | : | CLASS 9   |
| ERG Code             | : | 171   |
| Marine pollutant     | : | yes(Deltamethrin (ISO), Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl))   |
| Remarks              | : | Above applies only to containers over 119 gallons or 450 liters.<br>Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO. |

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Respiratory or skin sensitization  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

|  |            |
|--|------------|
| Alpha-(4-(1,1,3,3-Tetramethylbutyl)phenyl)-omega-hydroxypoly(oxy-1,2-ethanediyl) | 9002-93-1  |
| Polyethylene glycol sorbitan monooleate  | 9005-65-6  |
| Deltamethrin (ISO)   | 52918-63-5 |

The ingredients of this product are reported in the following inventories:



## Deltamethrin Liquid Formulation


Version 4.8      Revision Date: 10/01/2022      SDS Number: 1559921-00014      Date of last issue: 04/09/2022  
 Date of first issue: 04/25/2017

AICS : not determined  
 DSL : not determined  
 IECSC : not determined

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

|                        |   |   |
|------------------------|---|---|
| <b>HEALTH</b>          | * | 3 |
| <b>FLAMMABILITY</b>    |   | 1 |
| <b>PHYSICAL HAZARD</b> |   | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AICC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of

## Deltamethrin Liquid Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04/09/2022  |
| 4.8     | 10/01/2022     | 1559921-00014 | Date of first issue: 04/25/2017 |

---

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/01/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8